

NVH Source Locator — ■■■■ ■■■■

■■■■■ ■■■■■■ (2-Sensor ■■■■■)

- **Materials** →
- 2-Sensor: - (d) - (tCal) —
- tEvent (A B)
- A

NVH

NVH Source Locator

TDOA Calculator PRO

2-Sensor

3-Sensor

3-Sen+

4-Sensor

4-Sen+

3D

3D+

Materials

Pair A-B

Pair A-C

Step 1

Calibration – Speed of Sound

Sensor spacing A-B

-

118

+

cm

External knock time delay

-

471

+

μs

Calculated speed of sound

2505 m/s

Closest: PEEK (2500 m/s)

+ Save as custom material

Step 2

Event Measurement

Event time delay

⊕ trials

-

227

+

μs

Which sensor heard it first?

Sensor A

Calculate Source Location

2-Sensor

		Pro
2-Sensor		()
3-Sensor	X Y	
3-Sen+	X Y LSQ 3	

4-Sensor	X Y (A-B + C-D)	
4-Sen+	X Y 4	
3D	X Y Z 4	
3D+	X Y Z 6	
Materials		
Help		

1. The first step is to create a new project in the software.

2. Select the sensor type

The sensor type is selected from the dropdown menu. The range is -40 to +200 °C.

- 14 different sensor types are available (see the list of sensors in the software manual for more details)
- The sensor type is selected from the dropdown menu. The range is "ref only"
- The sensor type is selected from the dropdown menu. The range is 20 °C to 200 °C (see the list of sensors in the software manual for more details)
- The sensor type is selected from the dropdown menu. The range is -40 to +200 °C

3. Select the sensor type

- The sensor type is selected from the dropdown menu. The range is tCal to 200 °C
- The sensor type is selected from the dropdown menu. The range is +/- 200 °C to 200 °C
- The sensor type is selected from the dropdown menu. The range is 200 °C to 200 °C
- The sensor type is selected from the dropdown menu. The range is 0 to 200 °C (see the list of sensors in the software manual for more details)
- The sensor type is selected from the dropdown menu. The range is -40/200
- The sensor type is selected from the dropdown menu. The range is -40/200

4. Pro

Freemium version (\$19.99):

- 2-Sensor: 2-Sensor version (\$19.99)
- Pro: 3-Sensor version (\$19.99) paywall

Pro 3-Sensor 3D+ PDF



Unlock NVH Pro

Full access to all features

- ✓ 3-Sensor & 4-Sensor triangulation
- ✓ 3D source location (X, Y, Z)
- ✓ Unlimited measurement history
- ✓ Save custom materials
- ✓ Backup and restore
- ✓ PDF reports with photo annotation
- ✓ Temperature compensation across all tabs

Unlock Pro — \$19.99

Have a Google Play promo code?

Looking for a discount code?
[Check the Picoscope Forum →](#)

Questions? support@evdiag.net

Paywall

■■■■■■■■■■ ■■■■■■■■ ■■■■■■■■■■■■

■■ ■■■■■■ ■■■■■■■■ ■■ ■■ ■■■■ ■■■■■ → PDF ■■ ■■■■ ■■■■■■■■ ■■■■■■ ■■■■■■
■■■■■ (■■■■ ■■ ■■■■■■■■■■) ■■■■■■■■ ■■■■■ ■■■■■■■■■■ (■■■■■■■ ■■■■■ ■■■■■■■■ ■■■■■■).

■■ ■■■■■■■■ ■■■■■■ ■■ ■■■■■■■■■■ → ■■■■ ■■■■■■■■■■.

