

NVH Source Locator — ■■■■■■■■■■

NVH Source Locator — ■■■■■■■■■■

1

■ ■ ■ ■ (2-Sensor ■ ■ ■)

- **Materials** → **Materials**
- **2-Sensor**: - **(d)** - **(tCa¹)** —
- **tEvent** (**A** **B**)
- **A** **A**

NVH

NVH Source Locator

TDOA Calculator PRO

2-Sensor

3-Sensor

3-Sen+

4-Sensor

4-Sen+

3D

3D+

Materials

Pair A-B

Pair A-C

Step 1

Calibration — Speed of Sound

Sensor spacing A-B

-

118

+

cm

External knock time delay

-

471

+

μs

Calculated speed of sound

2505 m/s

Closest: PEEK (2500 m/s)

+ Save as custom material

Step 2

Event Measurement

Event time delay

⊕ trials

-

227

+

μs

Which sensor heard it first?

Sensor A

Calculate Source Location

2-Sensor

		Pro
2-Sensor		()
3-Sensor	X Y	
3-Sen+	3 LSQ X Y	

4-Sensor	2 XXXXXX X Y (A-B + C-D)	XX
4-Sen+	4 XXXXXXXX X Y XXXXXX	XX
3D	4 XXXXXXXX X Y Z	XX
3D+	XX 6 XXXXXXXX X Y Z	XX
Materials	XXXXXXXX	XXX
Help	XXXXXXXX	XXX

XXXX XXXX (XX) XXXXXXXXXXXXXXXXXXXX

XXXX

XX → XXXXXXXX -40 XX +200 °CXX

- 14 XXXXXX XXXXXXXXXXXXXXXXXXXX
(XX)
- XXXXXXXX "ref only" XXXXXXXX
- XXXXXXXX 20 °C XXXXXX (XXXXXXXXXXXXXX)
- XXXXXXXXXXXXXXXXXXXXXX

XXXXXX

- XXXXXX → XXXXXXXXXXXXXX tCal XXXXXXXXXXXXXX
- XXXXXXXX +/- XXXXXX → XXXXXXXXXXXXXX
- XXXXXXXXXXXXXXXXXXXXXX → XXXXXX
- XX/XX/XXXXXX → XXXXXXXXXXXXXX 0 XXXXXX (XXXXXXXXXXXXXX -40/200 XXXXXX)
- XXXXXXXXXXXXXX → XXXXXXXXXXXXXX

Pro XXXX

XXXXXXXXXXXXXXXXXXXX (\$19.99):

- XX: 2-Sensor XXXXXXXXXXXXXXXXXXXX
- Pro: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX paywall XXXXXX XXXXXXXXXXXXXXXXXXXXXX XXXXXX

Pro XXXXXXXXXXXX: 3-Sensor XX 3D+ XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX/XXXXPDF XXXXXXXXXXXXXXXXXXXXXX

□□□□□□: □□ → □□□□□□ → □□□□/□□□□□□

