

NVH Source Locator —

NVH Source Locator —

[illegible]

■■■■■■■■ ■■■■■■■■ (2-Sensor, ■■■■■■■■)

- $\text{Materials} \rightarrow \text{Materials}$
- 2-Sensor: - (d)
- (tCal) —
- tEvent (A B)
- A

**NVH Source Locator**

TDOA Calculator

PRO



2-Sensor

3-Sensor

3-Sen+

4-Sensor

4-Sen+

3D

3D+

Materials

Pair A-B

Pair A-C

Step 1

Calibration — Speed of Sound

Sensor spacing A-B

-

118

+

cm

External knock time delay

-

471

+

µs

Calculated speed of sound

2505 m/s

Closest: PEEK (2500 m/s)

+ Save as custom material

Step 2

Event Measurement

Event time delay

-

227

+

µs

⊕ trials

Which sensor heard it first?

Sensor A

Calculate Source Location

■■■■■ 2-Sensor

■■■ ■■■ ■■■ ■■■ ■■■ ■■■ ■■■

		Pro?
2-Sensor		()
3-Sensor	X, Y	
3-Sen+	X, Y 3	



- ✓ 3-Sensor & 4-Sensor triangulation
- ✓ 3D source location (X, Y, Z)
- ✓ Unlimited measurement history
- ✓ Save custom materials
- ✓ Backup and restore
- ✓ PDF reports with photo annotation
- ✓ Temperature compensation across all tabs

Looking for a discount code?
Check the Picoscope Forum →

Paywall



