

Software tweak manual for EVE harvester 1.98.5

1. Account settings(Account->Add/Edit):

1.1 General.

Parameter	Description	Note
Login	Account login	If You don't want to set login data, You should manually assign Location , State и Window parameters to account
Password	Account password	
Role	Account role	Defines account behavior
Location	Current ship location	Do not change manually without special needs
State	Current ship state	Do not change manually without special needs
Group ID	Group identity, integer	Accounts with equal id processed like working in one solar system. In case of danger all warps to safe places without waiting for their turn
Delay	Account login delay, minutes, integer	To prevent clients hanging on slow systems during multiaccount start, it's recommended to set different delay to all accounts
Overview tab	Current Overview window tab	Do not change manually without special needs
Chat tab	Current Local window tab	Do not change manually without special needs
System security	System security status	
Base	Safe base for unloading	
Rotate view	View rotation	Used in solar systems with very bright default background
enabled	Enable account	If not checked will be skipped
steam	Steam account	
Allow fleet	Allow to accept fleet	For fleet mining. Not used now
Window	Account client window	Press “set” button, activate client window, wait 10 seconds
Character	Character to select after login	
leave one item in cargo	Leaves one(left) item in cargo during unload	Needed for hunters ammo

1.2 Bookmarks.

Parameter	Description	Note
Type	Bookmarks folder type	
Order	Bookmarks order in Peoples and Places window	Correct order is mandatory. Could be edited by buttons add and remove . Belts – not editable, always located in the end, means start of belts bookmarks
Current	Current belt, integer	
All	Bookmarks amount, integer	
Visible	Visible bookmarks in People and places window without scrolling	Now should be 7 for Personal type and 6 for Corporation type

1.3 Local chat.

Parameter	Description	Note
monitor local	Enable Local chat monitoring	Could be disabled in Highsec systems for time saving
User size	User size in Local chat	It recommended to use Small for now
Amount of users	Maximum users visible in Local chat	For User size = Small – 25, for Big – 12

1.4 Shield.

Parameter	Description	Note
use shields	Enable active shields usage	
Critical	Critical shield level, in percents	
Activate on	Shield level to enable active shields	
run on critical	Warp away if critical level achieved	
Current	Current shield level, in percents	
Duration	Maximum shield work time, in seconds, integer	Test functionality, not used for now

1.5 Ship cargo.

Parameter	Description	Note
Current	Current cargo value, in percent	

Max cargo	Cargo value for unload, in percent	
Unload to	Unload target	

1.6 Drones.

Parameter	Description	Note
use drones	Enable drones	
repair	Repair drones in station	Not used for now
wait	Wait for drones before warp	
Type	Drones type	Not used for now
On return	Action after drones collection	Not used for now

1.7 Timeouts.

Parameter	Description	Note
Waiting	Maximum wait time	Do not change manually without special needs
Warp	Maximum warp time	Do not change manually without special needs
Cargo	Maximum cargo unchanged time	Do not change manually without special needs
Drones	Maximum drones wait time	Do not change manually without special needs
Station	Maximum station wait time	Do not change manually without special needs

1.8 NPC.

Parameter	Description	Note
attack NPC	Enable NPC attack	Module gun required
NPC type	NPC type	
loot wrecks	Loot ship wrecks	
loot only faction	Loot only faction ship wrecks	Faction type depends on NPC type
salvage	Salvage ship wrecks	Module salvager required
Force respawn	Speed up NPC respawns	Speed up respawn of selected ship types
Hunt place	NPC hunt place	
Respawn amount	NPC amount in respawn to speed up	All NPC respawns with ships of needed type less then value will be destroyed

Ammo amount	Ammo amount to take from station/corphanhangar	
Anomalies list	Anomalies list to hunt	List separated via comma. Example: 1,4,5 — hunt only 1 st , 4 th and 5 th anomalies
Rest delay	Delay after all anomalies finished, in minutes	

1.9 Container.

Parameter	Description	Note
Non-work time	Non-work time for account. Defines periods in which account stops.	define 24h intervals, separated by commas. Example: 12:00-15:00,18:00-19:00. New day border 00:00 specify like 2 intervals: XX:XX-23:59,00:00-YY:YY.
Schedule type	Schedule type	Manual defined or random
Random work hrs	Hours to work if Random Schedule type selected	

1.10 Schedule.

Parameter	Description	Note
Current	Current container cargo, in percents	
Max cargo	Container cargo for unload	
Skipped	Amount of skipped containers	

1.11 Ship modules.

Parameter	Description	Note
High	Modules in high slots	Available modules: gun — all gun types, miner — all mining lasers, tractor — tractor module, gang — gang bonuses module, salvager — salvaging module
Middle	Modules in middle slots	Available modules: shield — all active shield modules, afterburner — all speed modules, targetPainter — signature increase module
Low	Modules in low slots	Available modules:

		damageControl – damage control module
--	--	---------------------------------------

1.12 Lock.

Parameter	Description	Note
Amount of locks	Amount of locked targets	Not used for now
Lock distance	Maximum lock distance	
Action distance	Maximum action distance	
Scan resolution	Ship scanres parameter	

1.13 Mining.

Parameter	Description	Note
Miners reload	Miners reactivation time, in seconds	Useful for small asteroids mining. No reason to wait full mining cycle
Max mining distance	Maximum mining distance from arrival point	
Anomaly wait(min)	Anomaly wait time after all anomalies mined	Example: if ice anomaly spawned every 4hrs, it will be equal to $4*60=240$ minutes
Ore type	Ore/ice type in anomaly	
Change crystals	Change mining crystals period, in minutes	

2. Application settings(Settings->Preferences):

2.1 License.

Parameter	Description	Note
License login	License server login	If not set, application will not work. Registration is free of charge
License password	License server password	

2.2 Gameplay.

Parameter	Description	Note
Overview tab switch delay	Overview tab content loading time, in seconds	
If enemy found, logout in safe	Logoff if enemy found	Logoff in safe places of cause

If enemy found, wait before logout	Wait before logoff	Agression timer
If enemy found, pause for	Pause account work if enemy found, in minutes	Wait in safe place. Used if If enemy found, logout in safe not set
Container password	Password for secure containers	
Container password delay	Container password input delay, in seconds	
Return all if one damaged, wait	Return all to safe places if one of accounts has critical shield level	

2.3 Login.

Parameter	Description	Note
Login method	Login method	Do not change manually without special needs
close client window on login error limit	Close account window if login error limit reached	
Maximum login errors allowed	Maximum login errors	
Delay after login error	Delay after login, in minutes	

2.4 Hotkeys.

Parameter	Description	Note
Approach	Hotkey for object approach	
Orbit	Hotkey for object orbit	
Keep at range	Hotkey for keep at range	
Jump in gate	Hotkey for gate jumping	

2.5 Network.

Parameter	Description	Note
Ping site	Any site for internet connection check	
Allow remote management	Allow remote management	
EVE server	EVE server address	Do not change manually without special needs
EVE server timeout	EVE server timeout	Do not change manually without special needs
Network timeout	Timeout for network requests to bot server	

2.6 Downtime.

Parameter	Description	Note
Schedule	Stop schedule for all accounts	Useful for downtime etc. Format equal to Scheduled stops from item 1.1.

2.7 Voice notifications.

Parameter	Description	Note
use speech engine	Use voice notifications	Test functionality. Needed engine <i>ELAN TTS Russian (Nicolai 16Khz)</i> .
when enemy found	Enemy found message	
when new user appeared in local chat	New user in Local message	
when local chat overloaded	Local overloaded message	
when NPC found	NPC found message	
when wreck looted	Wreck looted message	
when ship critically damaged	Critical shield level reached message	

2.8 Email notifications.

Parameter	Description	Note
use email notifications engine	Use email notifications	<i>Sends emails to user.</i>
when client needs update	EVE client need update message	

2.9 Paths.

Parameter	Description	Note
EVE client file	Path to EVE client file	You should specify path to ExeFile.exe

2.10 Advanced.

Parameter	Description	Note
close TeamViewer advertisement window	Close TeamViewer advertisement window after TeamViewer session	Use it if You connects to remote machine running application via TeamViewer
Application title	Application title, any text	NESESSARY specify your text

Accounts delay	Delay between account switching, in seconds	
Full cycle delay	Delay between full cycles, in seconds	
Use monitor №	System monitor number	Used for systems with several monitors. For all others always equal to 1

3. OCR settings(Settings->OCR):

All windows has two parameters:

Параметр	Описание	Примечание
Windex X coordinate	X coordinate for left-upper corner	Do not change manually without special needs
Windex Y coordinate	Y coordinate for left-upper corner	Do not change manually without special needs