

Lightspeed Web Service Developer Guide

Summary

This document describes the web service used to retrieve dealership data from the Lightspeed Data Warehouse Web Service (hereafter referred to as 'Gateway').

Table of Contents

LIGHTSPEED DMS.....	1
Service Description	6
Protocol	6
URL Handling	6
Date Formats	6
Authentication.....	6
Content Types.....	7
Gzip Compression.....	7
Exception Handling, Return Codes	7
Filtering Results / Query Parameters	7
OData Features Supported.....	7
OData Features Not Supported.....	7
OData Logical Operators	8
Query Examples.....	8
Endpoints and Their Associated Contract Part Numbers	9
Data Types.....	9
What is 3PA?	10
What Can I Do With 3PA?	10
How Can I Use 3PA?	10
3PA Best Practices.....	10
How Can I Test 3PA?	11
Postman – Rest Client Testing.....	11
cURL TEST Example	12
JAVA TEST Example	13
Python TEST Example	14
Dealer – Dealer Information	14
Example URL.....	14
Fields - Dealer.....	14
Example JSON Result.....	15
EVOSTOREINFO – DEALERSHIP STORE INFORMATION	15
Example URL.....	15
Example JSON Result.....	16
License – Dealership Licensing Information	16
License List(GET).....	16
Example URL.....	16
Fields – License GET	16
Example JSON Result.....	17
License Edit (POST/DELETE)	17
Example URL.....	17
Fields – License POST/DELETE.....	17
Part – Parts Inventory	18
Example URL.....	18

Fields – Parts	18
Example JSON Result	19
Unit and SoldUnit – Major Unit Inventory	21
Example URL	21
Fields – Unit/SoldUnit	21
Fields – Unit.Parts	27
Fields – Unit.Labor	28
Fields – Unit.Images	28
Fields – Unit.Options.Option	28
Fields – Unit.OriginalNpaValues and Unit.CurrentNpaValues	29
Fields – Unit.OriginalNadaValues and Unit.CurrentNadaValues	29
Fields – Unit.OriginalBlackBookValues and Unit.CurrentBlackBookValues	30
Fields – Unit.OriginalBlueBookValues and Unit.CurrentBlueBookValues	30
Sample JSON Result	30
CustomerUnit – Customer Unit Information	36
Example URL	36
Fields – Customer Unit	36
Example JSON Result	39
Deal – Sales Deals Summary	41
Example URL	41
Fields - Deal	41
Fields – Deal.Units	42
Example JSON Result	42
DealDetail – Sales Deals Detail	43
Example URL	43
Fields - DealDetail	43
Fields – DealDetail.Unit	46
Fields – DealDetail.Unit.Part	50
Fields – DealDetail.Unit.Labor	50
Fields – DealDetail.Trade	51
Fields – DealDetail.DealExtraLines	51
Fields – DealDetail.DealProspect	52
Example JSON Result	53
Customer – Customer Information	66
Example URL	66
Fields - Customer	66
Example JSON Result	67
ServiceSum – Service Summary	68
Example URL	68
Fields – ServiceSum	68
Example JSON Result	69
ServiceDet – Service Detail	70
Example URL	70

Fields - ServiceDet	70
Fields – ServiceDet.Unit	71
Fields – ServiceDet.Unit.Job	72
Fields – ServiceDet.Unit.Job.Parts	74
Fields – ServiceDet.Unit.Job.Labor	74
Example JSON Result	75
OpenServiceDet – Service Detail for open repair orders	84
Example URL	84
Fields - OpenServiceDet	84
Fields – OpenServiceDet.Unit	86
Fields – OpenServiceDet.Unit.Job	86
Fields – OpenServiceDet.Unit.Job.Parts	88
Fields – OpenServiceDet.Unit.Job.Labor	89
Example JSON Result	89
InvoiceSum – Invoicing Summary	96
Example URL	96
Fields - InvoiceSum	96
Example JSON Result	97
InvoiceDet – Invoicing Detail	97
Example URL	97
Fields - InvoiceDet	97
Example JSON Result	99
OpenDealDetail – Open Sales Deals Detail	103
Example URL	103
Fields - OpenDealDetail	103
Fields – OpenDealDetail.Unit	105
Fields – OpenDealDetail.Unit.Parts	108
Fields – OpenDealDetail.Unit.Labor	109
Fields – OpenDealDetail.Trade	109
Fields – OpenDealDetail.DealExtraLines	110
Fields – OpenDealDetail.DealProspect	111
Example JSON Result	111
DeletedPart – Parts deleted from Inventory	119
Example URL	119
Fields - DeletedPart	119
Example JSON Result	119
InactivePart – Parts inactivated from Inventory	120
Example URL	120
Fields - InactivePart	120
Example JSON Result	120
AcctBalance – Account Balances by Year	120
Example URL	120
Fields - AcctBalance	120

Example JSON Result.....	121
AwaitingTrades.....	122
Example URL.....	122
Fields - AwaitingTrades	122
Example JSON Result.....	123
DealStageHistory	123
Example URL.....	123
Fields - DealStageHistory.....	123
Example JSON Result.....	124
PartAdjustment	124
Example URL.....	124
Fields - PartAdjustment.....	124
Example JSON Result.....	125
GLHistory.....	126
Example URL.....	126
Fields - GLHistory.....	126
Example JSON Result.....	127
Tax	127
Example URL.....	128
Fields - Tax.....	128
Example JSON Result.....	129
SpecialOrderStatus	130
Example URL.....	130
Fields - SpecialOrderStatus	130
Example JSON Result.....	131
PartHistory	131
Example URL.....	131
Fields - PartHistory	131
Example JSON Result.....	132
CustomerLastTransaction	133
Example URL.....	133
Fields - CustomerLastTransaction	133
Example JSON Result.....	133
Timecard	134
Fields – TimeCard	134
Example JSON Result.....	134
RentalUnit	135
Fields – RentalUnit	135
Example JSON Result.....	136
Reservation	137
Fields – Reservation	137
Example JSON Result.....	138
ReservationCustomer.....	139

Fields – ReservationCustomer	139
Example JSON Result	140
ReservationItem	141
Fields – ReservationItem	141
Example JSON Result	142
CRMFollowup	142
Fields – CRMFollowup	142
Example JSON Result	143
DealCRMOnlineLead	144
Fields – DealCRMOnlineLead	144
Example JSON Result	144
ServiceLabor	145
Fields – ServiceLabor	145
Example JSON Result	145
Technician	146
Fields – Technician	146
Example JSON Result	146

SERVICE DESCRIPTION

Protocol

The Gateway web service uses a RESTful web service protocol. The Gateway communicates exclusively using SSL over HTTP. All URLs should specify HTTPS. Almost all Gateway methods described here that retrieve data should use the HTTP GET method. Exceptions to the GET method are noted where applicable.

URL Handling

The base URL for all requests is `int.lightspeeddataservices.com/lsapi`. Most requests will take the form of `int.lightspeeddataservices.com/lsapi/DataType/CMF`.

Date Formats

Any date passed on the url should be in ODBC format (yyyy-mm-dd). Dates delivered by the web service are in the ODBC format yyyy-mm-ddThh:mm:ss.nn and either represent the time zone on the dealer's server or in the case of DateGathered, the time on the Gateway servers.

Authentication

The web service uses a Basic authentication scheme. Username and password will be assigned when your account is setup. Basic authentication info must be included in every

request. If it is missing, the service will not respond with an authentication challenge the way an interactive website would, it will simply return a 401 unauthorized error. For testing purposes, you may reach out to the Data Services team to have a testing credential set issued to you.

Content Types

By default, the Gateway returns JSON. If you prefer to consume XML, you can set the content type to text/xml and the Gateway will return XML.

Accept: text/xml

Gzip Compression

If you would like the payload compressed before sending it to you, you may add the following header:

X-Accept-Encoding: gzip

There are benefits to compressing your responses like less bandwidth utilized and potentially more records being in the response.

Exception Handling, Return Codes

All methods return a string. If the result is an exception on the server, the exception message is returned.

Successful responses for GET methods will always include an HTTP 200 return code. Other error codes typically returned will be 401 for authentication issues, 403 for authorization issues, 404 for resources that are not found, and 500 for other errors with accompanying error text.

Filtering Results / Query Parameters

Most of the datasets support filtering on many of the fields. This is implemented using the Open Data Protocol (OData) spec. For complete documentation, see [section 4. Query String Options in the OData documentation](#) on the OData spec site.

OData Features Supported

- Filter – Ability to filter results by specifying a 'where clause'.
- Top – Ability to limit maximum number of records returned. Note that there will be limits to how large this value can be. (Note: keep records returned to 500 records)
- Skip – Ability to return 'pages' of information by specifying top n rows while skipping the first m rows so you can view a 'page' of the data.
- OrderBy – Ability to sort results.
- Logical Operators (And, Or, Not, Equal, etc)

OData Features Not Supported

- Select – Ability to specify which fields are returned.
- Expand – Ability to include or not include child records.
- InlineCount – Ability to return the total count of records matching a filter, even though a subset of those records are returned via top and skip.

- Format – Specify media format (json or xml). Although we do not support this via a query parameter, we already support it via the 'Accepts' header.
- Arithmetic operators (add, subtract, etc)
- Functions (StartsWith, EndsWith, SubString, etc)

OData Logical Operators

The following logical operators are valid in an OData Filter.

Operator	Example
Or	\$filter=Price le 3.5 or Price gt 200
And	\$filter=Price le 200 and Price gt 3.5
Equal	\$filter=Address/City eq 'Redmond'
NotEqual	\$filter=Address/City ne 'London'
GreaterThan	\$filter=Price gt 20
GreaterThanOrEqual	\$filter=Price ge 10
LessThan	\$filter=Price lt 20
LessThanOrEqual	\$filter=Price le 100
Not	\$filter=not Price eq 20

Query Examples

Part/76156733?\$top=3&\$filter=PartNumber eq '10-106' and Avail gt 0

Part/76156733?\$top=3&\$filter=LastReceivedDate gt datetime'2014-01-01'

Part/76156733?\$top=3&\$filter=Retail gt 100.00m

Customer/76156733?\$top=10&\$filter=LastName eq 'simmons'

ServiceDet/76156733?\$top=3&\$filter=datein ge datetime'2014-01-28T00:00:00'

InvoiceSum/76156733?\$top=3&\$filter=Sales gt 600.00m

InvoiceDet/76156733?\$top=3&\$filter=price gt 600.00m&\$orderby=InvoiceNo

ServiceSum/76156733?\$top=3&\$filter=WarrantyJob eq 0 and InternalJob eq 0

Deal/76156733?\$top=3&\$filter=FinanceDate eq datetime'2014-05-16T00:00:00'

Query Parameter Field Support

Most fields are supported for querying, but there are some that will not be supported – especially if the data is coming directly from the dealer's system database rather than the data warehouse. Notably under this DirectConnect circumstance, DateLastGathered may not be used in a query as it is always set to the current time. DealerId or Cmf are never allowed in the query as they are always specified in their own segment of the URL.

ENDPOINTS AND THEIR ASSOCIATED CONTRACT PART NUMBERS

- 4994581 – Part/DeletedPart/InactivePart/PartAdjustment/PartHistory/Unit/SoldUnit/AwaitingTrades
- 4994586 – InvoiceSum
- 4994587 – InvoiceDet/SpecialOrderStatus
- 4994582 – ServiceSum
- 4994583 – ServiceDet
- 4994584 – Deal
- 4994585 – DealDetail
- 4994951 – OpenServiceDet/CRMFollowup
- 4994918 – OpenDealDetail/ CRMFollowup
- 4994580 – Customer/CustomerUnit/CustomerLastTransaction
- 4994954 – GLHistory/AcctBalance
- 4994995 – Tax
- 4995405 – Timecard
- 4995406 - Rental

DATA TYPES

Several different data types are supported by the web service. The use of money/decimal are interchangeable in this API. **It is best practice to code all non-string elements as being Nullable.**

Notes on big int (Int64) data type – if you choose to use a field that is a big int as one of your filters, you must append an 'L' to the end of the value to force Odata to treat the value as bigint (Int64) otherwise it will assume it is Int32. For example: 735775383867171434L

*Note: The most recent version of 3PA (in AWS) does not require the use of the 'L' to denote big ints.

WHAT IS 3PA?

The Lightspeed 3PA is a series of web-based API endpoints. An API (Application Programming Interface) allows one program to communicate to another. The endpoints in 3PA connect Lightspeed dealer data to the API user. Data that is requested from 3PA is handed over to the dealer's system for fulfillment thus allowing up-to-date data being handed back. Data sets are returned in a JSON format which allows for easy integration with your programming code. 3PA cannot hand back data files in CSV or another format.

WHAT CAN I DO WITH 3PA?

Lightspeed 3PA data can be utilized to supply dealer data to applications such as (but not limited to) web sites (part and unit inventory), CEM applications (deal and open deals), service experience platforms (service and open service records), loyalty programs (invoice data), customer experience platforms, and dashboard/reporting applications.

HOW CAN I USE 3PA?

As mentioned before, 3PA is not a source to obtain pre-populated files of dealer data. Integrations will need to be built in code that allows the user's system to systematically create requests against the API, collect the returned data set, and then store it on the user's side for use.

All 3PA user accounts have access to the 'Dealer' endpoint. The information returned from this endpoint will be all the Lightspeed dealerships that account has access to pull data for. Accessing Dealer should be the first thing an application does to ensure that systems only attempt to pull data for authorized dealerships. A 401 error will result for requests against dealerships that authorization is not given for.

Lightspeed 3PA has been shown to be very easy to program against. Many users have had great success with their integrations. Programming languages like Python, Java, C#, Node.JS, and PHP (among others) have been written to integrate other systems with 3PA.

3PA BEST PRACTICES

Lightspeed 3PA requests are sent to the dealership's own system for fulfillment. This means that API requests are in contention with the dealership system. **There is a possibility that your request could slow down the dealership while your request is handled.** We suggest the following best practices to help ensure the dealership and API users have the best possible experience.

- Avoid using 3PA for real-time lookups. For example, we suggest pulling customer records into your own database for lookup instead of using 3PA to constantly lookup/request a single customers information.
- Schedule historical loads and large requests during the dealership's off-hours.
- Utilize TOP/SKIP/ORDERBY to page through the results of your request.
- Limit your requests with TOP to return 500 records or less per page.

- Limit your requests to no more than 200 requests per minute.

HOW CAN I TEST 3PA?

Lightspeed 3PA is a RESTful series of endpoints. This means that a normal web browser will not be able to be used to test against it. It is suggested that a REST client such as Postman (www.getpostman.com) is used to perform initial testing and API investigation.

POSTMAN – REST CLIENT TESTING


Postman is the preferred API platform for getting familiar with the Lightspeed 3PA API. You can use another API platform if you desire but we feel Postman is the easiest for most people. This section will give you a quick example on using Postman to make a request against our demo database's Parts endpoint. Download Postman by using the below link and create a free account. Documentation on how to use Postman can be found below link as well.

Download: <https://www.postman.com/downloads/>

Documentation: <https://learning.postman.com/docs/getting-started/introduction/>

Steps to create your first HTTP Request:


1. Go to Workspaces in the top left corner and select Create Workspace. Once a workspace is created select New in the top left and choose HTTP Request.




2. Enter the URL and set the method to GET.

- [https://int.Lightspeeddataservices.com/lapi/Part/76156733?\\$top=10](https://int.Lightspeeddataservices.com/lapi/Part/76156733?$top=10)

3. On the Authorization tab change the Type drop down to Basic Auth. You can enter the username and password provided below for. To get sample credentials please reach out to dataservices@lightspeeddms.com.



4. Select the Send button to process the request. The results will be returned in the bottom section of Postman.



CURL TEST EXAMPLE

Accessing the Dealer Endpoint:

```
curl -v -u "username:password"
https://int.lightspeeddataservices.com/lsapi/Dealer -G -X GET
```

Pulling the top 3 units from Unit:

```
curl -v -u "username:password"
https://int.lightspeeddataservices.com/lapi/Unit/76156733-G -X GET -d
'$top=3'
```

JAVA TEST EXAMPLE

```
import java.nio.charset.*;
import javax.net.ssl.HttpURLConnection;
import java.net.URL;
import java.io.DataOutputStream;
import java.io.*;

class Untitled {
    public static void main(String[] args) {

        try {
            URL url = new
URL("https://int.lightspeeddataservices.com/lapi/DealDetail/76155991?$filter=DealNo%
20eq%20%271101%27");

            HttpURLConnection response =
(HttpURLConnection)url.openConnection();

            response.setRequestProperty("Accept", "application/json");
            response.setRequestMethod("GET");
            response.setRequestProperty("Authorization", "Basic
U2FxcGx10xwxZ2h0JHAzM2QkYW1QXXU=");

            System.out.println(response.getResponseCode());

            BufferedReader in = new BufferedReader(new
InputStreamReader(response.getInputStream()));
            String inputLine;
            StringBuffer res = new StringBuffer();

            while ((inputLine = in .readLine()) != null)
            {
                res.append(inputLine);
            }
        }
    }
}
```

```

        } in .close();

        // print result
        System.out.println(res.toString());

        response.disconnect();
    }
    catch (Exception e) {
    }
}
}

```

PYTHON TEST EXAMPLE

```

import json
import requests

user = 'username'
password = 'password'
url = 'https://int.lightspeeddataservices.com/lsapi/Dealer'

from requests.auth import HTTPBasicAuth
response = requests.get(url, auth=HTTPBasicAuth(user, password))

print(response.content)

```

DEALER – DEALER INFORMATION

This data type does not require you to pass a dealer number. It returns a list of dealer numbers that you are authorized to access.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Dealer>

Fields - Dealer

Field Name	Data Type	Description, Example
Cmf(key)	string	Lightspeed Global Dealer Identifier
DealershipName	string	Dealership Name

DealerNumber	string	Third Party Dealer Identifier
DirectConnect	int	Flag if dealer's database is directly connected to the web service, providing real-time data for some datasets. 1 = True; 0 = False
DirectConnectDate	date	If populated = Date when the dealer began using Lightspeed , Else NULL

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealershipName": "Sales ASP Demo",
    "DealerNumber": "",
    "DirectConnect": 0,
    "DirectConnectDate": null
  },
  {
    "Cmf": "76156733",
    "DealershipName": "Lightspeed Powersports",
    "DealerNumber": "",
    "DirectConnect": 1,
    "DirectConnectDate": "2014-11-03T00:00:00"
  }
]
```

EVOSTOREINFO – DEALERSHIP STORE INFORMATION

Example URL

<https://int.Lightspeeddataservices.com/lsapi/EvoStoreInfo/76156733>

Field Name	Data Type	Description, Example
CMF(key)	string	Lightspeed Global Dealer Identifier
DealerID	string	Internal Dealer Identifier (intentionally left blank)
storeId		Store database id
storeName	string	Database name

coprefCMF	string	CMF entered into Preferences
storeidluid	long	Internal Store record id
isarchive	int	Archive database indicator
istraining	int	Training database indicator
ismainstore	int	Main database indicator

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "storeId": 10,
    "storeName": "LS Powersports",
    "coprefCMF": "76156733",
    "storeidluid": 427644105523200010,
    "isarchive": 0,
    "istraining": 0,
    "ismainstore": 0
  }
]
```

LICENSE – DEALERSHIP LICENSING INFORMATION

This data type supports multiple methods for those partners who are authorized to edit their own dealer list.

LICENSE LIST(GET)

Using the http GET method, this method returns a list of licenses either from one dealer or one license type. Note that the same method can be used to get a list of licenses for one dealer or a list of dealers who are licensed for one product/service.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/License/Cmf/76156733>

<https://int.Lightspeeddataservices.com/lsapi/License/Key/Locator>

Fields – License GET

Field Name	Data Type	Description, Example
LicenseKey	string	Key indicating license type
Cmf	string	Lightspeed Dealer Identifier
DealershipName	string	Dealership Name

InstallDate	datetime	Date license was issued
-------------	----------	-------------------------

Example JSON Result

```
[
  {
    "LicenseKey": "Locator",
    "Cmf": "76156733",
    "DealershipName": "Sample Dealer",
    "InstallDate": "2010-01-02T00:00:00"
  },
  {
    "LicenseKey": "Locator",
    "Cmf": "76156733",
    "DealershipName": "Lightspeed Powersports",
    "InstallDate": "2010-01-02T00:00:00"
  }
]
```

LICENSE EDIT (POST/DELETE)

Using the http POST method allows an authorized partner to add a dealer to the list of dealers authorized for your product/service.

Using the http DELETE method allows an authorized partner to remove a dealer from the list of dealers authorized for your product/service.

There are no results for either of these methods. On success, they return an http 204 (No Content). On errors other than authentication errors, the POST may return a 302 (Found) if the dealer is already in the list and the DELETE may return a 404 (Not Found) if the dealer record cannot be found.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/License?LicenseKey=XXX&Cmf=76156733>

Fields – License POST/DELETE

Field Name	Data Type	Description, Example
LicenseKey	string	Key indicating license type. Partners must be licensed to view their own license keys.
Cmf	string	Lightspeed Dealer Identifier. Dealers are usually familiar with this number and can provide it to you as a Lightspeed partner.

PART – PARTS INVENTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Part/76156733>

Fields – Parts

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Cmf	string	Lightspeed Dealer Identifier
PartNumber(key)	string	Identifier of the item
SupplierCode(key)	string	Abbreviation of the maker – usually conforms to price book source codes
DateGathered	datetime	Date the part quantity was last updated
Description	string	Description of the part
OnHand	int	Nullable - Amount of the part in the store
Avail	int	Nullable - Amount of the part available to sell
OnOrder	int	Nullable - Amount of the part on order
OnOrderAvail	int	Nullable - Amount of the part on order that is sellable
LastSoldDate	date	Nullable - Date when last sold – could be NULL or 1/1/1900 to denote no sales
LastReceivedDate	date	Nullable - Date part was last received
LastAdjustmentDate	date	Nullable - Date part was last adjusted
ReOrderMethod	string	C = Sales Curve, F = Force M = Min/Max N = Never Order (Force to 0) F = Force to 1
MinimumQty	int	Nullable - Lowest allowable quantity to have in stock
MaximumQty	int	Nullable - Highest allowable quantity to have in stock
Cost	money	Nullable - Part cost
CurrentActivePrice	money	Nullable - Price that is currently active
OrderUnit	string	Free form field – how is the part packaged
OrderUnitQty	int	Nullable - How many come in that package?
Retail	money	Nullable – Price that the part usually sells for - MSRP
LastCountDate	date	Nullable - Date the part was last counted
SupersededTo	string	Most current part number for this part
UPC	string	UPC code of the part
Bin1	string	Free form field for part location
Bin2	string	Free form field for part location
Bin3	string	Free form field for part location
category	string	DMS assigned group for part
similarparttype	string	Description of Similar Part Type – Values can be REFERENCE, SIMILAR, BASE

activepricetype	string	Description of what price is being used on the part record – Values can be Standard, Sale, Special1, Special2, Special3, Unknown
escalationtype	string	How will this part be affected by escalators – Values can be Retail Only, Cost and Retail, Cost Only, No Updating, Unknown
reordertype	string	Method of part reordering – Values can Sales Curve, Force to Once, Force to Zero, Min/Max, Unknown
comments	string	Comments field of the part record
indealerpricebook	string	Currently set to 0
glaccountcode	string	GL inventory account number assigned to the part
movementcode	string	Customer defined description to assist in seasonal sales
nodiscountpart	int	0 = Can be discounted 1 = Cannot be discounted
secondarypartnum	string	Alternate part number for the part record
oemreplenishment	boolean	True = part replenishment is influenced by OEM, False = part replenishment is not influenced by OEM
reorderpoint	int	Minimum stocking level used by the buying guide
suggestedsellqty	int	Dealer specified quantity to be sold at the time of sale
saleprice	money	Dealer specified alternative retail price
specialprice1	money	Dealer specified alternative retail price
specialprice2	money	Dealer specified alternative retail price
specialprice3	money	Dealer specified alternative retail price
usepkgcost	money	Flag to DMS to multiply pkg cost to pkg qty
usepkgprice	money	Flag to DMS to multiply pkg price to pkg qty
lastupdatedate	datetime	Date when part was last updated
mapflag	Int	0=not on MAP, 1=is on MAP

Usage Best Practice: We suggest you use lastupdatedate as your field to determine changes for Lightspeed dealers.

Note: The field lastupdatedate is best used to determine changes to the actual part record (onhand quantity, price change) while the field dategathered is best used to determine transactional history (when was it last sold) of the part.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "PartNumber": "09482-00091",
```

```

    "SupplierCode": "SU",
    "DateGathered": "2021-02-02T10:40:42.726",
    "Description": "SPARK PLUG B8ES",
    "OnHand": 35,
    "Avail": 35,
    "OnOrder": 0,
    "OnOrderAvail": 0,
    "LastSoldDate": "2021-02-02T17:40:42.725",
    "LastReceivedDate": "2013-01-10T15:55:22.499",
    "LastAdjustmentDate": "2013-01-10T15:55:22.501",
    "ReOrderMethod": "C",
    "MinimumQty": 5,
    "MaximumQty": 10,
    "Cost": 1.28,
    "CurrentActivePrice": 2.49,
    "OrderUnit": "",
    "OrderUnitQty": 1,
    "Retail": 2.4900,
    "LastCountDate": "1000-01-01T00:00:00",
    "SupersededTo": "",
    "UPC": "",
    "Bin1": "",
    "Bin2": "",
    "Bin3": "",
    "category": "acc",
    "similarparttype": "SIMILAR",
    "activepricetype": "Standard",
    "escalationtype": "Cost and Retail",
    "reordertype": "Sales Curve",
    "comments": null,
    "indealerpricebook": "0",
    "glaccountcode": "27000",
    "movementcode": "3",
    "nodiscountpart": 0,
    "secondarypartnum": "",
    "oemreplenishment": false,
    "reorderpoint": 0,
    "suggestedsellqty": 1,
    "saleprice": 0.0,
    "specialprice1": 0.0,
    "specialprice2": 0.0,
    "specialprice3": 0.0,
    "usepkgcost": 0,
    "usepkgprice": 0,
    "lastupdatedate": "2013-01-10T15:55:22.501"
    "mapflag": 0
  }
]

```

UNIT AND SOLDUNIT – MAJOR UNIT INVENTORY

Note: 'Unit' displays all current available units in the DMS. 'SoldUnit' displays previously sold units that are no longer available to be sold.

Example URL

<https://int.Lightspeeddataservices.com/lapi/Unit/76156733>

Fields – Unit/SoldUnit

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Id
DealerId	string	Internal Dealer Identifier (intentionally left blank)
MajorUnitHeaderId (key)	bigint	System identifier for major unit record
DateGathered	datetime	Nullable – current dealer system time
lastupdatedate	date	Last time the unit record was updated
StockNumber	string	Dealer specified unit identifier - non-unique
NewUsed	string	N = New, U = Used, C = Consigned, X = Undefined
ModelYear	int	Nullable - Year of the unit – 4 characters – free form
Make	string	Make of the unit – free form
Model	string	Model of the unit – free form
VIN	string	VIN of the unit – free form
Class	string	Dealer specified class code for this unit
CodeName	string	Code name or popular identifier for this unit – this is also the 'Model Name'
Location	string	Physical location of the unit – free form
StoreLocation	string	Name of store the unit is located
Odometer	string	Mileage of the unit – Mi or Km
Hours	decimal	Nullable – hours of the unit
Cylinders	int	Nullable - Cylinder count of the unit
HP	decimal	Nullable - Horsepower of the unit
BodyStyle	string	Body style of the unit
Color	string	Color of the unit
Condition	string	Unit condition – free form
InvoiceDate	datetime	Nullable - Date invoice was associated to the unit
InvoiceAmt	money	Nullable - Cost of unit when it was associated to the invoice
PackAmt	money	Nullable - Pack amount
HoldbackAmt	money	Nullable - Holdback amount
FreightCost	money	Nullable - Freight cost of unit
DSRP	money	Nullable - Dealer Suggested Retail Price
laborprepamount	money	Price charged to customer for prep
laborprepcost	money	Cost to dealer for prep

MSRP	money	Nullable - Manufacturer Suggested Retail Price
OnHold	string	Deal Number or reason for hold – empty string if not on hold
PackageID	string	Nullable - Internal Package Identifier
DateReceived	datetime	Nullable - Date when the unit arrived at dealership
Length	decimal	Nullable - Length of unit
Height	decimal	Nullable - Height of unit
Width	decimal	Nullable - Width of unit
Draft	decimal	Nullable - Distance between waterline and bottom of keel
Beam	decimal	Nullable - Width at unit's widest point
GVWR	int	Nullable - Gross Vehicle Weight Rating
GDW	int	Nullable - Gross Dry Weight
InteriorColor	string	Inside color of unit
ExteriorColor	string	Outside color of unit
Manufacturer	string	Maker of the unit
UnitType	string	Free form unit class
FloorLayout	string	Free form layout ID
FuelType	string	Type of fuel unit takes
UnitName	string	Free form description of unit
HullConstruction	string	Free form type of hull
Comments	string	Free form text field
UnitStatus	string	Found in Unit: 'blank' = Available R = Requested O = On Order Found in SoldUnit: S = Sold T = Trade E = Rental P = Temp C = Create a Unit B = Base Unit X = Transferred

		M = CEM V= Voided
UserDefined1	string	Dealer configurable additional field on unit
UserDefined2	string	Dealer configurable additional field on unit
UserDefined3	string	Dealer configurable additional field on unit
UserDefined4	string	Dealer configurable additional field on unit
UserDefined5	string	Dealer configurable additional field on unit
UserDefined6	string	Dealer configurable additional field on unit
UserDefined7	string	Dealer configurable additional field on unit
UserDefined8	string	Dealer configurable additional field on unit
UserDefined9	string	Dealer configurable additional field on unit
UserDefined10	string	Dealer configurable additional field on unit
UserDefined11	money	Nullable - Dealer configurable additional field on unit
UserDefined12	money	Nullable - Dealer configurable additional field on unit
UserDefined13	money	Nullable - Dealer configurable additional field on unit
UserDefined14	money	Nullable - Dealer configurable additional field on unit
UserDefined15	money	Nullable - Dealer configurable additional field on unit
UserDefined16	int	Nullable - Dealer configurable additional field on unit
UserDefined17	int	Nullable - Dealer configurable additional field on unit
UserDefined18	int	Nullable - Dealer configurable additional field on unit
UserDefined19	int	Nullable - Dealer configurable additional field on unit
UserDefined20	int	Nullable - Dealer configurable additional field on unit
UserDefined1desc	string	Description of Dealer configurable additional field on unit
UserDefined2desc	string	Description of Dealer configurable additional field on unit
UserDefined3desc	string	Description of Dealer configurable additional field on unit
UserDefined4desc	string	Description of Dealer configurable additional field on unit
UserDefined5desc	string	Description of Dealer configurable additional field on unit
UserDefined6desc	string	Description of Dealer configurable additional field on unit
UserDefined7desc	string	Description of Dealer configurable additional field on unit
UserDefined8desc	string	Description of Dealer configurable additional field on unit

UserDefined9desc	string	Description of Dealer configurable additional field on unit
UserDefined10desc	string	Description of Dealer configurable additional field on unit
UserDefined11desc	string	Description of Dealer configurable additional field on unit
UserDefined12desc	string	Description of Dealer configurable additional field on unit
UserDefined13desc	string	Description of Dealer configurable additional field on unit
UserDefined14desc	string	Description of Dealer configurable additional field on unit
UserDefined15desc	string	Description of Dealer configurable additional field on unit
UserDefined16desc	string	Description of Dealer configurable additional field on unit
UserDefined17desc	string	Description of Dealer configurable additional field on unit
UserDefined18desc	string	Description of Dealer configurable additional field on unit
UserDefined19desc	string	Description of Dealer configurable additional field on unit
UserDefined20desc	string	Description of Dealer configurable additional field on unit
PartsDealerAddCost	money	Cost of Dealer Addition Parts
LaborDealerAddCost	money	Cost of Dealer Addition Labor
SubletDealerAddCost	money	Cost of Dealer Addition Sublet
PartsCustomerAddCost	money	Cost of Customer Addition Parts
LaborCustomerAddCost	money	Cost of Customer Addition Labor
SubletCustomerAddCost	money	Cost of Customer Addition Sublet
WebUnit	tinyint	1 – unit can be shown on website 0 – should not be shown
WebTitle	string	Short description to be displayed on website
WebDescription	string	Long description to be displayed on website (10000 characters)
WebPrice	money	Nullable - Price of unit to be displayed on website
WebPriceHidden	tinyint	Nullable - Flag to indicate dealer should be called for price
titlestatus	string	Status of unit title
trimcolor	string	Color of unit trim
unitcondition	string	Condition of unit
carbcompliance	string	Is the carburetor compliant – free form
drivetype	string	Type of drive on unit – free form
enginecycles	string	Number of cycles in engine
powertype	string	Type of power for engine
starttype	string	Type of start for unit

numacunits	int	Number of AC units
sleepcapacity	int	How many does the unit sleep
barlength	int	Bar length of chain saw
bladlength	int	Blade length of lawn mower
cuttingwidth	int	Cutting width of lawn mower
videourl	string	URL of video set in DMS
numslideouts	int	Number of slide outs
turningradius	string	Turning radius
flooredby	string	Who floored this unit
floorplan	string	What plan does this flooring have
planstartingdate	date	Nullable - Date of plan start
planendingdate	date	Nullable - Date of plan end
originalamt	money	Nullable - How much unit was floored for
originaldate	date	Nullable - When the unit was floored
curtailmentamt	money	Nullable - How much has been curtailed
curtailmentdate	date	Nullable - When the unit was curtailed
flooredbalance	money	Nullable - Amount left on unit flooring
Greywatertankcapacity	int	Nullable - Grey water tank capacity
Blackwatertankcapacity	int	Nullable - Black water tank capacity
Freight	money	Nullable - Amount dealer is charging customer from freight
Ordernumber	money	Dealer specified order number when the unit was created
Ordereta	money	Nullable - ETA of unit order
Estimatedsetupamt	string	Nullable - Estimated unit setup amount
Partsprepamount	datetime	Nullable - Price of parts prep
Partsprepcost	money	Nullable - Cost of parts prep
Discountpercentagefromdsrp	money	Dealer specified discount percentage against DSRP
Priceprotectionrebate	money	Price Protection Rebate from the manufacturer if retail changes for the dealer
Manufacturertocustomerrebate	money	Rebate to customer set from manufacturer
Manufacturertodealerrebate	money	Rebate to dealer set from manufacturer
Optionsamount	money	Price of options on unit
Optionscost	money	Nullable - Cost of options on unit
Hitchtype	string	Nullable - Type of hitch
Axlenumber	int	Number of axles on unit
Axlecapacity	int	Axle rating on unit
Cylinders2	int	Cylinder count on engine 2
Cylinders3	int	Cylinder count on engine 3
Propulsion	string	Nullable - Type of engine propulsion
Hitchdryweight	money	Dry weight of the unit (no fluids, cargo, passengers)
Numberofwheels	int	Number of wheels on the unit
Wheelsize	string	Size of wheels on the unit
Fuelcapacity	int	Quantity of fuel that the unit can hold

Freshwatertankcapacity	int	Nullable - Fresh water tank capacity
Maxcarrycapacity	money	Could be max passenger capacity or max cargo capacity
Engine1displacement	string	Displacement of engine 1
Engine2displacement	string	Displacement of engine 2
Engine3displacement	string	Displacement of engine 3
HP2	int	Horsepower rating of engine 2
HP3	int	Horsepower rating of engine 3
Marginprotectionamount	money	Dealer specified margin threshold
Manufacturerlistprice	money	Manufacturer specified price of unit
Dealerlistprice	money	Dealer specified price of unit
userdefinedamt1	decimal	Dealer defined field used for reporting
userdefinedamt2	decimal	Dealer defined field used for reporting
userdefinedamt3	decimal	Dealer defined field used for reporting
consignment	int	Flag that indicates the unit is on consignment
consignmentowner	string	Name of consignment unit owner
consignmentamount	decimal	Requested amount from consignment
tradedealid	bigint	If populated, then this unit was a trade
dealerbaseprice	decimal	Dealer price of unit before parts and labor
certified	boolean	Indicates this is a certified used unit
onholddate	date	Date when unit was put on hold
basecost	money	Dealer estimated base cost
basefreightcost	money	Dealer estimated freight cost
unitcostdiscount	money	Dealer estimated discount
manufacturer	string	Manufacturer of the unit
orderdate	date	Date the unit was ordered
chassisvin	string	VIN of the chassis
servicecontractamount	money	Amount of the service contract
Servicecontractterm	int	Term of the service contract
crsid	string	Associated CRS unit id
Oemestarrivaldate	Datetime	OEM estimated arrival date
MajorUnitSalesCategory	string	Dealer assigned sales category
PurchasedFrom	string	Name the unit was purchased from
totalActualCost	money	Convenience field – sums of invoiceamt + freightcost + partsprepcost + laborprepcost + PartsDealerAddCost + LaborDealerAddCost + SubletDealerAddCost

		+ PartsCustomerAddCost + LaborCustomerAddCost + SubletCustomerAddCost
totalCost	money	Convenience field – sums of invoiceamt + freightcost + partsprepcost + laborprepcost
enginenum1	string	Engine 1 free form text
enginenum2	string	Engine 2 free form text
enginenum3	string	Engine 3 free form text
keynumber	string	Key Number free form text
Parts	array	Container for an array of Part objects
Labor	array	Container for an array of Labor objects
Options	array	Container for an array of Option objects
Images	array	Container for an array of Image objects
Npa Value Guide	array	Container for an array of Npa Value objects
Nada Value Guide	array	Container for an array of Nada Value objects
Black Book Value Guide	array	Container for an array of Black Book Value objects
Blue Book Value Guide	array	Container for an array of Blue Book Value objects

Fields – Unit.Parts

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
MajorUnitHeaderId(key)	long	Id of unit
MajorUnitPartsId(key)	long	ID of parts associated to the unit
PartNumber	string	Identifier of the item
Description	string	Description of part
SetupInstall	string	S-Setup, I-Install, N-No Labor Attached
Qty	int	Nullable - How many of the part was added
Cost	decimal	Nullable - Dealer cost of the part after being sold from the parts department
Price	decimal	Nullable - Dealer price of the part
requestedqty	int	Number of the part requested
specialorderedqty	int	Number of the part requested
type	string	Option type categorization, “Prep”, “Customer Add”, “Dealer Add”, “Warranty”

repairordernumber	string	Repair order associated to the installation of the part
repairorderjobtitle	string	Title of the job the part is associated to
optionnumber	int	Deal option number that the part is associated to

Fields - Unit.Labor

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
MajorUnitHeaderId (key)	long	ID of unit
MajorUnitLaborId(key)	long	ID of labor work on the deal
Description	string	Short description of the work
SetupInstall	string	S-Setup, I-Install, W-Warranty – what kind of work was done
Cost	decimal	Cost of the labor to dealership
Price	decimal	Price of the labor
Subletcost	decimal	Cost of the sublet labor
SubletPrice	decimal	Sold price of the sublet labor
Openrostatus	boolean	Is this labor still open (being worked on)
Rono	string	Repair Order Number associated with the labor
RoJobTitle	string	Repair Order Job title from repair order

Fields - Unit.Images

Field Name	Data Type	Description, Example
MajorUnitHeaderId (key)	long	ID of unit
ImageId(key)	long	ID of the image
PrimaryImage	tinyint	Denotes if the image is considered the main image
ImageUrl	string	URL of image

****IMPORTANT****

The image must be made **Public** in Lightspeed in order to show in the API. Private images will not be available.

Fields - Unit.Options.Option

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
MajorUnitHeaderId(key)	long	Id of unit
MajorUnitOptionId(key)	long	ID of unit option
Description	string	Option description

Price	money	Price of the option
OptionType	string	M = "Manufacturer", D = "Dealer"
adjustedprice	money	Option price after discount
discpercentage	money	Percentage option was discounted
isstandardequipment	int	Indicator if the option is a manufacturer option

Fields – Unit.OriginalNpaValues and Unit.CurrentNpaValues

Field Name	Data Type	Description, Example
MajorUnitHeaderId (key)	long	ID of unit on the deal
guidetype	string	Name of guide
lastupdatedate	datetime	Date data was last refreshed
dtstamp	datetime	Date record was last updated
date	string	Period data was collected for
year	string	Year of unit
make	string	Make of unit
model	string	Model of unit
unitssold	string	Quantity of unit sold for time period
avgscore	string	Average quality scored for unit
avgmiles	string	Average miles for unit
avgnpavalue	string	Average NPA value for unit
location	string	Location data is based on
monthsback	string	How many months back the data is based on

Fields – Unit.OriginalNadaValues and Unit.CurrentNadaValues

*NADA has changed their name to JD Power

Field Name	Data Type	Description, Example
MajorUnitHeaderId (key)	long	ID of unit on the deal
guidetype	string	Name of guide
lastupdatedate	datetime	Date data was last refreshed
dtstamp	datetime	Date record was last updated
dateperiod	string	Period date was collected for
year	string	Year of unit
make	string	Make of unit
model	string	Model of unit
listprice	decimal	Suggested price of unit
tradeinclean	decimal	Suggested price of unit in clean condition
tradeinaverage	decimal	Average trade in price for unit
tradeinrough	decimal	Suggested price of unit in rough condition
retailaverage	decimal	Average retail price of unit
retailhigh	decimal	Highest recorded price of unit

Fields – Unit.OriginalBlackBookValues and Unit.CurrentBlackBookValues

Field Name	Data Type	Description, Example
MajorUnitHeaderId (key)	long	ID of unit on the deal
guidetype	string	Name of the guide
lastupdatedate	datetime	Date data was last updated
dtstamp	datetime	Date record was last updated
publishdate	string	Date the data corresponds to
year	string	Year of the unit
make	string	Make of the unit
model	string	Model of unit
msrp	decimal	MSRP of the unit
tradeinclean	decimal	Suggested trade-in value in clean condition
tradeinfair	decimal	Suggested trade-in value in fair condition
wholesaleavg	decimal	Average wholesale price
retailavg	decimal	Average retail price
finadvance	decimal	Wholesale value of the vehicle

Fields – Unit.OriginalBlueBookValues and Unit.CurrentBlueBookValues

Field Name	Data Type	Description, Example
MajorUnitHeaderId (key)	long	ID of unit on the deal
guidetype	string	Name of guide
lastupdatedate	datetime	Date data was last collected
dtstamp	datetime	Date data was last updated
publishdate	string	Date the data corresponds to
year	string	Year of the unit
make	string	Make of the unit
model	string	Model of the unit
msrp	decimal	MSRP of the unit
wholesaleclean	decimal	Suggested wholesale price of unit in clean condition
wholesaleavg	decimal	Average wholesale price of the unit
retailavg	decimal	Average retail price of the unit
retailclean	decimal	Average retail price of the unit in clean condition
retailrough	decimal	Average retail price of the unit in rough condition

Best Practice: Unit is to be considered a snapshot and should always be consumed as a **whole**. SoldUnit can be utilized to determine what happened to a unit if it falls out of Unit.

Sample JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
```

```

"MajorUnitHeaderId": 52631591,
"DateGathered": "2022-01-04T18:04:32.937726+00:00",
"lastupdatedate": "2022-01-04T18:04:29.057",
"StockNumber": "29485",
"NewUsed": "N",
"ModelYear": 2021,
"Make": "Honda",
"Model": "CRF 250",
"VIN": "",
"Class": "D",
"CodeName": "",
"Location": "",
"StoreLocation": "LSPS",
"Odometer": "0",
"Hours": 0.0,
"Cylinders": 0,
"HP": 0.0,
"BodyStyle": "",
"Color": "Red",
"Condition": "New",
"InvoiceDate": "2022-01-04T00:00:00",
"InvoiceAmt": 6599.0,
"PackAmt": 0.0,
"HoldbackAmt": 0.0,
"FreightCost": 0.0,
"DSRP": 7361.1,
"laborprepamount": 89.0,
"laborprepcost": 32.85,
"MSRP": 8179.0,
"OnHold": "",
"PackageId": 0,
"DateReceived": "2022-01-04T00:00:00",
"Length": 0.0,
"Height": 0.0,
"Width": 0.0,
"Draft": 0.0,
"Beam": 0.0,
"GVWR": 0,
"GDW": 0,
"InteriorColor": "",
"ExteriorColor": "",
"Manufacturer": "",
"UnitType": "Dirt Bikes",
"FloorLayout": "",
"FuelType": "",
"UnitName": "",
"HullConstruction": "",
"Comments": "",
"UnitStatus": "",
"UserDefined1": "",
"UserDefined2": "",

```

```

"UserDefined3": "",
"UserDefined4": "",
"UserDefined5": "",
"UserDefined6": "",
"UserDefined7": "",
"UserDefined8": "",
"UserDefined9": "",
"UserDefined10": "",
"UserDefined11": 0.0,
"UserDefined12": 0.0,
"UserDefined13": 0.0,
"UserDefined14": 0.0,
"UserDefined15": 0.0,
"UserDefined16": 0,
"UserDefined17": 0,
"UserDefined18": 0,
"UserDefined19": 0,
"UserDefined20": 0,
"UserDefined1desc": "fuel injection or carb",
"UserDefined2desc": "",
"UserDefined3desc": "air fork or spring",
"UserDefined4desc": "",
"UserDefined5desc": "tube or tubeless tires",
"UserDefined6desc": "",
"UserDefined7desc": "Odometer",
"UserDefined8desc": "",
"UserDefined9desc": "",
"UserDefined10desc": "",
"UserDefined11desc": "",
"UserDefined12desc": "",
"UserDefined13desc": "",
"UserDefined14desc": "",
"UserDefined15desc": "",
"UserDefined16desc": "",
"UserDefined17desc": "",
"UserDefined18desc": "",
"UserDefined19desc": "",
"UserDefined20desc": "",
"PartsDealerAddCost": 120,
"LaborDealerAddCost": 450,
"SubletDealerAddCost": 199,
"PartsCustomerAddCost": 399,
"LaborCustomerAddCost": 250,
"SubletCustomerAddCost": 600,
"WebUnit": 0,
"WebTitle": "",
"WebDescription": "",
"WebPrice": 0.0,
"WebPriceHidden": 0,
"titlestatus": "CLEAN",
"trimcolor": "",

```

```

"unitcondition": "EXCELLENT",
"carbcompliance": "",
"drivetype": "",
"enginecycles": "",
"powertype": "",
"starttype": "",
"numacunits": "0",
"sleepcapacity": "0",
"barlength": "0",
"bladlength": "0",
"cuttingwidth": "0",
"videourl": "",
"numslideouts": "0",
"turningradius": "",
"flooredby": "",
"floorplan": "",
"planstartingdate": "1000-01-01T00:00:00",
"planendingdate": "1000-01-01T00:00:00",
"originalamt": 6599.0,
"originaldate": "2022-01-04T00:00:00",
"curtailmentamt": 0.0,
"curtailmentdate": "1000-01-01T00:00:00",
"flooredbalance": 6599.0,
"Greywatertankcapacity": 0.0,
"Blackwatertankcapacity": 0.0,
"Freight": 300.0,
"Ordernumber": "",
"Ordereta": "1000-01-01T00:00:00",
"Estimatedsetupamt": 0.0,
"Partsprepamount": 95.0,
"Partsprepcost": 411.99,
"Discountpercentagefromdsrp": 100000.0,
"Priceprotectionrebate": 0.0,
"Manufacturertocustomerrebate": 0.0,
"Manufacturertodealerrebate": 0.0,
"Optionsamount": 162.0,
"Optionscost": 120.0,
"Hitchtype": "",
"Axlenumber": 0.0,
"Axlecapacity": 0.0,
"Cylinders2": 0.0,
"Cylinders3": 0.0,
"Propulsion": "",
"Hitchdryweight": 0.0,
"Numberofwheels": 0.0,
"Wheelsize": "",
"Fuelcapacity": 0.0,
"Freshwatertankcapacity": 0.0,
"Maxcarrycapacity": 0.0,
"Engine1displacement": "",
"Engine2displacement": "",

```

```

"Engine3displacement": "",
"HP2": 0.0,
"HP3": 0.0,
"Marginprotectionamount": 6599.0,
"Manufacturerlistprice": 8663.0,
"Dealerlistprice": 7845.1,
"userdefinedamt1": 0.0,
"userdefinedamt2": 0.0,
"userdefinedamt3": 0.0,
"consignment": 0,
"consignmentowner": "",
"consignmentamount": 0.0,
"tradedealid": null,
"yearenddiscountamt": 0.0,
"interestdate": "1000-01-01T00:00:00",
"standardclassid": 4,
"dealerbaseprice": 7199.1,
"certified": false,
"onholddate": "1000-01-01T00:00:00",
"basecost": 0.0,
"basefreightcost": 0.0,
"unitcostdiscount": 0.0,
"manufacturer": "",
"chassisvin": "",
"servicecontractamount": 0.0,
"servicecontractterm": 0.0,
"crsid": "12345",
"oemestarrivaldate": "2022-01-04T00:00:00",
"totalActualCost": 8521.84,
"totalCost": 7043.84,
"MajorUnitSalesCategory": "NEW HONDA MOTORCYCLE",
"keynumber": "A142",
"Parts": [
  {
    "DealerId": "",
    "PartNumber": "GAL-(for M&L)",
    "Description": "Oil Rotella 15W-40",
    "SetupInstall": "S",
    "Qty": 1,
    "Cost": 21.6,
    "Price": 0.0,
    "requestedqty": 0,
    "specialorderedqty": 0,
    "type": "Prep",
    "repairordernumber": "302451",
    "repairorderjobtitle": "Oil Service 4 Stroke",
    "optionnumber": ""
  },
  {
    "DealerId": "",
    "PartNumber": "0005000065",

```

```

        "Description": "OIL FILTER SERVICE KIT 2 CYL.",
        "SetupInstall": "S",
        "Qty": 1,
        "Cost": 390.39,
        "Price": 0.0,
        "requestedqty": 0,
        "specialorderedqty": 0,
        "type": "Prep",
        "repairordernumber": "302451",
        "repairorderjobtitle": "Oil Service 4 Stroke",
        "optionnumber": ""
    }
],
"Labor": [
    {
        "DealerId": "",
        "MajorUnitHeaderId": 52631591,
        "MajorUnitLaborId": 52878373,
        "Description": "",
        "SetupInstall": "S",
        "Openrostatus": "0",
        "Cost": 32.85,
        "Price": 0.0,
        "SubletCost": 0.0,
        "SubletPrice": 0.0,
        "RoNo": "23658",
        "RoJobTitle": "ADD EXHAUST KIT"
    }
],
"Options": [
    {
        "DealerId": "",
        "MajorUnitOptionId": 728350599650126096,
        "Description": "Exhaust Kit",
        "Price": 180.0,
        "OptionType": "M",
        "adjustedprice": 180.0,
        "discpercentage": 0.000,
        "isstandardequipment": 1
    }
],
"Images": [
    {
        "DealerId": " ",
        "PrimaryImage": false,
        "ImageUrl": "https://lightspeed.photos/100018/a685a954-5541-46e9-8d43-c8bd8bad8d5a"
    }
],
"OriginalNpaValues": [],
"CurrentNpaValues": [],

```

```

    "OriginalNadaValues": [],
    "CurrentNadaValues": [],
    "OriginalBlackBookValues": [],
    "CurrentBlackBookValues": [],
    "OriginalBlueBookValues": [],
    "CurrentBlueBookValues": []
  }
]

```

CUSTOMERUNIT – CUSTOMER UNIT INFORMATION

Example URL

<https://int.Lightspeeddataservices.com/lsapi/CustomerUnit/76156733>

Fields – Customer Unit

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Id
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Unitheaderid(key)	bigint	Unique Internal ID for the customer unit
DateGathered	datetime	Time that record was updated from dealer
customerid	int	Customer ID
ModelYear	int	Year of the unit – 4 characters – free form
Make	string	Make of the unit – free form
Model	string	Model of the unit – free form
VIN	string	VIN of the unit – free form
Class	string	Dealer specified class code for this unit
CodeName	string	Code name or popular identifier for this unit
Location	string	Location of the unit – free form
StoreLocation	string	Store name the unit is located
Odometer	string	Mileage of the unit – Mi of Km
Hours	decimal	Hours of the unit
Cylinders	int	Cylinder count of the unit
HP	decimal	Horsepower of the unit
BodyStyle	string	Body style of the unit
Color	string	Color of the unit
Condition	string	Unit condition – free form
Length	decimal	Length of unit
Height	decimal	Height of unit
Width	decimal	Width of unit
Draft	decimal	Distance between waterline and bottom of keel
Beam	decimal	Width at unit's widest point
GVWR	int	Gross Vehicle Weight Rating
GDW	int	Gross Dry Weight
InteriorColor	string	Inside color of unit

ExteriorColor	string	Outside color of unit
Manufacturer	string	Maker of the unit
UnitType	string	Free form unit class
FloorLayout	string	Free form layout ID
FuelType	string	Type of fuel unit takes
UnitName	string	Free form description of unit
HullConstruction	string	Free form type of hull
UserDefined1	string	Dealer configurable additional field on unit
UserDefined2	string	Dealer configurable additional field on unit
UserDefined3	string	Dealer configurable additional field on unit
UserDefined4	string	Dealer configurable additional field on unit
UserDefined5	string	Dealer configurable additional field on unit
UserDefined6	string	Dealer configurable additional field on unit
UserDefined7	string	Dealer configurable additional field on unit
UserDefined8	string	Dealer configurable additional field on unit
UserDefined9	string	Dealer configurable additional field on unit
UserDefined10	string	Dealer configurable additional field on unit
UserDefined11	money	Dealer configurable additional field on unit
UserDefined12	money	Dealer configurable additional field on unit
UserDefined13	money	Dealer configurable additional field on unit
UserDefined14	money	Dealer configurable additional field on unit
UserDefined15	money	Dealer configurable additional field on unit
UserDefined16	int	Dealer configurable additional field on unit
UserDefined17	int	Dealer configurable additional field on unit
UserDefined18	int	Dealer configurable additional field on unit
UserDefined19	int	Dealer configurable additional field on unit
UserDefined20	int	Dealer configurable additional field on unit
UserDefined1desc	string	Description of Dealer configurable additional field on unit
UserDefined2desc	string	Description of Dealer configurable additional field on unit
UserDefined3desc	string	Description of Dealer configurable additional field on unit
UserDefined4desc	string	Description of Dealer configurable additional field on unit
UserDefined5desc	string	Description of Dealer configurable additional field on unit
UserDefined6desc	string	Description of Dealer configurable additional field on unit
UserDefined7desc	string	Description of Dealer configurable additional field on unit
UserDefined8desc	string	Description of Dealer configurable additional field on unit
UserDefined9desc	string	Description of Dealer configurable additional field on unit
UserDefined10desc	string	Description of Dealer configurable additional field on unit
UserDefined11desc	string	Description of Dealer configurable additional field on unit

UserDefined12desc	string	Description of Dealer configurable additional field on unit
UserDefined13desc	string	Description of Dealer configurable additional field on unit
UserDefined14desc	string	Description of Dealer configurable additional field on unit
UserDefined15desc	string	Description of Dealer configurable additional field on unit
UserDefined16desc	string	Description of Dealer configurable additional field on unit
UserDefined17desc	string	Description of Dealer configurable additional field on unit
UserDefined18desc	string	Description of Dealer configurable additional field on unit
UserDefined19desc	string	Description of Dealer configurable additional field on unit
UserDefined20desc	string	Description of Dealer configurable additional field on unit
trimcolor	string	Color of unit trim
unitcondition	string	Condition of unit
carbcompliance	string	Is the carburetor compliant – free form
drivetype	string	Type of drive on unit – free form
enginecycles	string	Number of cycles in engine
powertype	string	Type of power for engine
starttype	string	Type of start for unit
numacunits	int	Number of AC units
sleepcapacity	int	How many does the unit sleep
barlength	int	Bar length
bladlength	int	Blade length
cuttingwidth	int	Cutting width
numslideouts	int	Number of slide outs
turningradius	string	Turning radius
Greywatertankcapacity	int	Grey water tank capacity
Blackwatertankcapacity	int	Black water tank capacity
Hitchtype	string	Type of hitch
Axlenumber	int	Number of axles on the unit
Axlecapacity	int	Capacity of each axle
Cylinders2	int	Number of cylinders in second engine
Cylinders3	int	Number of cylinders in third engine
Propulsion	string	Type of engine propulsion
Hitchdryweight	money	Dry weight of the unit (no cargo, fluids)
Numberofwheels	int	Number of wheels on the unit
Wheelsize	string	Size of the wheels on the unit
Fuelcapacity	money	Amount of fuel the unit can carry
Freshwatertankcapacity	int	Fresh water tank capacity
Maxcarrycapacity	money	Represents either max passenger capacity or max cargo capacity
Engine1displacement	string	Displacement of engine 1
Engine2displacement	string	Displacement of engine 2

Engine3displacement	string	Displacement of engine 3
HP2	int	Horsepower of engine 2
HP3	int	Horsepower of engine 3
Hullnumber	string	Serial number of the hull
Plateno	string	Plate number of the unit
crsid	string	Associated CRS unit id

Usage Best Practice: It may make more sense to call this using customerid as a filter instead of pulling the entire data set.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "unitheaderid": 727059142228744687,
    "DateGathered": "2022-01-04T18:11:16.776",
    "customerid": "52631007",
    "ModelYear": 2018,
    "Make": "Kawasaki",
    "Model": "VN1700BJF",
    "VIN": "XXXXXXXXXXXXXXXXXX",
    "Class": "M",
    "CodeName": "VN1700BJF",
    "Location": "",
    "StoreLocation": "LSPS",
    "Odometer": "0",
    "Hours": 0.0,
    "Cylinders": 0,
    "HP": 0.0,
    "BodyStyle": "",
    "Color": "",
    "Condition": "EXCELLENT",
    "Length": 0.0,
    "Height": 0.0,
    "Width": 0.0,
    "Draft": 0.0,
    "Beam": 0.0,
    "GVWR": 0,
    "GDW": 0,
    "InteriorColor": "",
    "ExteriorColor": "",
    "Manufacturer": "",
    "UnitType": "Motorcycle - Touring",
    "FloorLayout": "",
    "FuelType": ""
  }
]
```

```

"UnitName": "",
"HullConstruction": "",
"UserDefined1": "",
"UserDefined2": "",
"UserDefined3": "",
"UserDefined4": "",
"UserDefined5": "",
"UserDefined6": "",
"UserDefined7": "",
"UserDefined8": "",
"UserDefined9": "",
"UserDefined10": "",
"UserDefined11": 0.0,
"UserDefined12": 0.0,
"UserDefined13": 0.0,
"UserDefined14": 0.0,
"UserDefined15": 0.0,
"UserDefined16": 0,
"UserDefined17": 0,
"UserDefined18": 0,
"UserDefined19": 0,
"UserDefined20": 0,
"UserDefined1desc": "fuel injection or carb",
"UserDefined2desc": "MILES OUT",
"UserDefined3desc": "air fork or spring",
"UserDefined4desc": "backrest?",
"UserDefined5desc": "tube or tubeless tires",
"UserDefined6desc": "",
"UserDefined7desc": "Mileage in",
"UserDefined8desc": "Hull Number ",
"UserDefined9desc": "Mileage out",
"UserDefined10desc": "",
"UserDefined11desc": "ER Pricing",
"UserDefined12desc": "",
"UserDefined13desc": "Black Book Value",
"UserDefined14desc": "",
"UserDefined15desc": "",
"UserDefined16desc": "",
"UserDefined17desc": "",
"UserDefined18desc": "",
"UserDefined19desc": "",
"UserDefined20desc": "",
"trimcolor": "",
"unitcondition": "EXCELLENT",
"carbcompliance": "",
"drivetype": "",
"enginecycles": "",
"powertype": "",
"starttype": "",
"numacunits": "0",
"sleepcapacity": "0",

```

```

        "barlength": "0",
        "bladlength": "0",
        "cuttingwidth": "0",
        "numslideouts": "0",
        "turningradius": "",
        "Greywatertankcapacity": 0.0,
        "Blackwatertankcapacity": 0.0,
        "Hitchtype": "",
        "Axlenumber": 0.0,
        "Axlecapacity": 0.0,
        "Cylinders2": 0.0,
        "Cylinders3": 0.0,
        "Propulsion": "",
        "Floorlayout": "",
        "Hitchdryweight": 0.0,
        "Numberofwheels": 0.0,
        "Fuelcapacity": 0.0,
        "Freshwatertankcapacity": 0.0,
        "Maxcarrycapacity": 0.0,
        "Engine1displacement": "",
        "Engine2displacement": "",
        "Engine3displacement": "",
        "HP2": 0.0,
        "HP3": 0.0,
        "wheelsize": "",
        "unitstatus": "",
        "orderdate": "",
        "crsid": "12345"
    }
]

```

DEAL – SALES DEALS SUMMARY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Deal/76156733>

Fields - Deal

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo (key)	string	Deal (Worksheet) Number
FinInvoiceId	int	Internal ID – increments after refinalization
FinanceDate	datetime	Date deal was finalized
OriginatingDate	datetime	Date deal was initially made
DeliveryDate	datetime	Date the unit(s) was delivered to the customer

custid	string	DMS identifier of the main customer on the deal
Units	array	Container for an array of Unit objects

Fields – Deal.Units

DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo (key)	string	Deal (Worksheet) Number
DealUnitId(key)	int	Unit identifier on the deal
Newused	string	N = new, U = used
Year	string	Model year of the unit
Make	string	Maker of the unit
Model	string	Model of the unit
VIN	string	VIN of the unit
Class	string	Dealer specific class of unit
Unitprice	money	Price of the unit
UnitSoldPrice	money	Unitprice + freight + handling – tradeall + tradeacv + totaccy + totinstall
TotalPartsAmount	money	Sum of all parts on deal

Usage Best Practice: We suggest using FinInvoiceId as your key for pulling update/changed records to ensure you capture deals that may have been refinalized.

Best Practice: Use FinanceDate or FinInvoiceId to determine changes

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "DealNo": "4000000",
    "FinInvoiceId": 7658228,
    "FinanceDate": "2013-02-16T10:45:49.599",
    "OriginatingDate": "2013-01-10T14:09:20.147",
    "DeliveryDate": "2013-01-10T14:09:20.147",
    "custid": "7588237",
    "Units": [
      {
        "DealerId": "",
        "DealUnitId": 7588453,
        "Newused": "N",
        "Year": "2013",
        "Make": "Yamaha",
        "Model": "YZF450",
        "VIN": "YAMAHAFAKEVIN001",
        "Class": "D",
```

```

    "Unitprice": 11000.0,
    "UnitSoldPrice": 11000.0,
    "TotalPartsAmount": 0.0
  }
}
]

```

DEALDETAIL – SALES DEALS DETAIL

Example URL

<https://int.Lightspeeddataservices.com/lsapi/DealDetail/76156733>

Fields - DealDetail

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId	string	System generated unique identifier
DealNo (key)	string	Deal (Worksheet) Number
FinInvoiceID	int	DMS assigned ID of the deal when finalized
CommonInvoiceID	int	Internal ID – increments after refinalization
FinanceDate	date	Date deal was finalized
OriginatingDate	date	Date deal was created
DeliveryDate	date	Date the unit(s) was delivered to the customer
lastmodifieddate	datetime	Date deal record was last updated
salesmanid	int	ID of the salesman
clpremium	money	Sum of all parts on deal
clcost	money	Dealer specific class of unit
sourcetype	string	Lead type of source
ahpremium	money	Price of Accident & Health insurance
ahcost	money	Cost of Accident & Health insurance
CustID	string	DMS identifier of the customer
lienholder	string	Name of lienholder
AmtFinanced	money	Amount of the deal that was financed
Term	int	Length in months of financing
Rate	money	Rate of financing
Payment	money	Monthly payments of financing
totaldownpayment	money	Total of down payments on the deal
fincharge	money	Price for financing
fincost	money	Cost for financing
DaysToFirst	int	How many days until the first payment is due
SalesmanName	string	Name of the salesman on the deal
lienaddressfirstline	string	Address of lien holder
lienaddressesecondline	string	Additional address of lien holder

liencity	string	City of lien holder
lienzip	string	Zip code of lien holder
lienstate	string	State/Province of lien holder
cobuyercustid	string	In store identifier of co-buyer
cobuyername	string	Name of co-buyer
cobuyeraddr	string	Address of co-buyer
cobuyeraddr2	string	Additional address of co-buyer
cobuyercity	string	City of co-buyer
cobuyerstate	string	State of co-buyer
cobuyerzip	string	Zip code of co-buyer
cobuyercounty	string	County of co-buyer
cobuyerhomephone	string	Home phone of co-buyer
cobuyerworkphone	string	Work phone of co-buyer
cobuyercellphone	string	Cell phone of co-buyer
cobuyeremail	string	Email of co-buyer
stagename	string	Description of deal's current stage
source	string	Description of where the deal originated
cobuyerbirthdate	string	Birthdate of co-buyer
Salesman2name	string	Name of second salesman
Salesman2id	int	ID of second salesman
Salesmanfi1id	int	ID of first FI salesman
Salesmanfi1name	string	Name of first FI salesman
Salesmanfi2id	int	ID of second FI salesman
Salesmanfi2name	string	Name of second FI salesman
Salesman1split	int	Salesman 1 deal commission percentage split
Salesman2split	money	Salesman 2 deal commission percentage split
Salestaxtotal	money	Sales tax on the deal
Vehicletaxtotal	money	Sales tax on the vehicles on deal
Insurancetaxtotal	money	Sales tax on insurance
totalcashprice	money	Total price of the unit, options, freight, prep, fees and extras, and tax
totalprevpymt	money	Total of all previous deposits
additionalpymttoday	money	Additional deposits required
deferredamt	money	Deferred payment amount used in financing
extra1amt	money	User defined amount field
balancetofinance	money	Balance prior to financing
totalofpayments	money	Balance after financing
addonrate	money	Additional interest rate on the APR
aprbuyrate	money	APR buy rate
addonbuyrate	money	Additional interest on the APR buy rate
balloonterm	money	Duration of balloon finance
balloonpayment	money	Calculated payment for balloon financing
ahprice	money	Customer accidental health premium price
clprice	money	Customer credit life premium price
ins1amt	money	Calculated insurance price from formula
ins1cost	money	Calculated insurance cost from formula
ins2amt	money	Calculated insurance price from formula

ins2cost	money	Calculated insurance cost from formula
ins3amt	money	Calculated insurance price from formula
ins3cost	money	Calculated insurance cost from formula
ins4amt	money	Calculated insurance price from formula
ins4cost	money	Calculated insurance cost from formula
ins5amt	money	Calculated insurance price from formula
ins5cost	money	Calculated insurance cost from formula
ins6amt	money	Calculated insurance price from formula
ins6cost	money	Calculated insurance cost from formula
femargin	money	Front end margin – Calculated field, view * below for calculation
bemargin	money	Back-end margin – Calculated field, view ** below for calculation
createdate	datetime	Date deal record was created
customerextraline	string	Dealer notes pertaining to deal
customernotes	string	Dealer notes pertaining to customer
salesmanusername	string	Username of the deal salesperson
fincostoverride	money	Dealer specified finance cost
isfincostoverride	boolean	Denotes if dealer is overriding finance cost
firstlienaddressfirstline	string	First address line of first lien holder
firstlienaddresssecondline	string	Second address line of first lien holder
firstliency	string	City of first lien holder
firstlienzip	string	Zip code of first lien holder
firstlienstate	string	State/Prov of first lien holder
salesagent1	string	Name of first sales agent
salesagent2	string	Name of second sales agent
salesagent3	string	Name of third sales agent
salesmanager	string	Name of sales manager
dealdescription	string	Dealer entered description of deal
Units	array	Container for an array of Unit objects
Trade	array	Container for an array of Trade objects
Deal Extra Lines	array	Container for an array of Deal Extra Line objects
Downpayment	money	Amount put down on the unit
Salesman2split	int	Salesman 2 deal percentage split
Converted	datetime	Date deal record was converted from prior system (null = not converted)
Salesman1split	int	Salesman 1 deal percentage split
Salesman2split	int	Salesman 1 deal percentage split
Certified	boolean	Specified by dealer for certified used status
lienholderphonenumber	string	Phone number of lien holder
backdateddate	datetime	Date deal finance date was backdated
isbackdated	tinyint	Signifies that the deal was backdated
deposit	money	How much money was put down on the deal
dealid	Bigint	Internal system id of the deal
ContractDate	datetime	Date the customer signed the contracts
Units	array	Container for an array of Unit objects

Trade	array	Container for an array of Trade objects
DealExtraLines	array	Container for an array of Deal Extra Line objects
DealProspect	array	Container for an array of Deal Prospect objects

* Front End Margin: (Unit.Unitprice + Unit.Freight + Unit.TotAccy + Unit.TotInstall + Unit.Handling + SUM(DealExtraLine.Amount with LineType “FE”) - Unit.Tradeall + Unit.Tradeacv) - (Unit.actualcost + Unit.Freightcost + Unit.Accycost + Unit.Installcost + Unit.Handlingcost + SUM(DealExtraLine.Cost with LineType “FE”) - ManufacturerDealerRebate - Unit.Holdback)

**Back End Margin: (Unit.docfees + Unit. LicFees + SUM(Deal.ins1amt(Sum of insurances 1-5) + SUM(DealExtraLine.Amount with LineType “BE”) + Deal.fincharge) - (Unit. LicFeesCost + SUM(Deal.ins1cost(Sum of insurances 1-5) + SUM(DealExtraLine.Cost with LineType “BE”) + Deal.fincost)

Fields – DealDetail.Unit

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId	string	System generated unique identifier
DealNo (key)	string	Deal (Worksheet) Number
FinInvoiceID	int	DMS assigned ID of the deal when finalized
DealUnitID(key)	long	Deal ID of the unit
Newused	string	New or Used
Year	string	Unit model year
Make	string	Maker of the unit
Model	string	Model of the unit
VIN	string	VIN of the unit
Class	string	Dealer assigned unit class
Unitprice	money	Price of the unit
mucost	money	Cost of the unit – Calculated field, view * below for calculation
Freight	money	Price of freight
Freightcost	money	Cost of freight
Handling	money	Price of handling
Handlingcost	money	Cost of handling
Licfees	money	Price of license fees
LicFeesCost	money	Cost of license fees
Totaccy	money	Sum price of accessories on the deal
Totinstall	money	Sum price of labor on the deal
Tradeall	money	Trade allowance amount (unit level rollup)
Tradeacv	money	Trade ACV (unit level rollup)
Accycost	money	Sum cost of accessories on the deal
Installcost	money	Sum cost of labor on the deal
docfees	money	Fee for documentation

actualcost	money	Raw unit cost
DateReceived	date	Date unit was received
servcont	money	Price of service contract
sccost	money	Cost of service contract
probliab	money	Price of Property Liability
plcost	money	Cost of Property Liability
Packamt	money	Pack Amount
Holdbackamt	money	Hold Back Amount
unitttype	string	Description of unit
SalesType	string	R=Retail, W=Wholesale **
UnitSoldPrice	money	Unitprice + freight + handling -Tradeall + Traceacv + Totaccy + totinstall
UnitSoldCost	money	Mucost + freightcost + handlingcost + accycost + installcost
TotalPartsAmount	money	Sum(qty*price)
DaysInStore	int	(CurrentTime) – DateReceived displayed in days
UnitLine1	money	Amount from user configurable field
UnitLine2	money	Amount from user configurable field
UnitLine3	money	Amount from user configurable field
UnitLine4	money	Amount from user configurable field
UnitLine5	money	Amount from user configurable field
UnitLine6	money	Amount from user configurable field
UnitLine7	money	Amount from user configurable field
UnitLine8	money	Amount from user configurable field
UnitLine9	money	Amount from user configurable field
UnitLine10	money	Amount from user configurable field
UnitLine11	money	Amount from user configurable field
UnitLine12	money	Amount from user configurable field
UnitLine13	money	Amount from user configurable field
UnitLine14	money	Amount from user configurable field
UnitLine15	money	Amount from user configurable field
UnitLine16	money	Amount from user configurable field
UnitLine17	money	Amount from user configurable field
UnitLine18	money	Amount from user configurable field
UnitLine19	money	Amount from user configurable field
UnitLine20	money	Amount from user configurable field
UnitLine1cost	money	Amount from user configurable field
UnitLine2cost	money	Amount from user configurable field
UnitLine3cost	money	Amount from user configurable field
UnitLine4cost	money	Amount from user configurable field
UnitLine5cost	money	Amount from user configurable field
UnitLine6cost	money	Amount from user configurable field
UnitLine7cost	money	Amount from user configurable field
UnitLine8cost	money	Amount from user configurable field
UnitLine9cost	money	Amount from user configurable field
UnitLine10cost	money	Amount from user configurable field
UnitLine11cost	money	Amount from user configurable field
UnitLine12cost	money	Amount from user configurable field

UnitLine13cost	money	Amount from user configurable field
UnitLine14cost	money	Amount from user configurable field
UnitLine15cost	money	Amount from user configurable field
UnitLine16cost	money	Amount from user configurable field
UnitLine17cost	money	Amount from user configurable field
UnitLine18cost	money	Amount from user configurable field
UnitLine19cost	money	Amount from user configurable field
UnitLine20cost	money	Amount from user configurable field
Color	string	Color of the unit
Odometer	string	Mileage of the unit at time of deal
stocknumber	string	In store identifier of the unit
bodytype	string	Body type of unit
enginenumbr	string	Engine number of unit
cylinders	string	Cylinder count of unit engine
gvwr	string	Gross vehicle weight rating
fueltype	string	Type of fuel used by unit engine
majorunitsalescategory	string	Category of the unit
Vehicletaxtotal (unit)	money	Sales tax on the individual unit
Taxableamounttotal	money	Amount of the unit that is taxable
Totaltax	money	Total taxes on the unit
taxpercent	money	Tax percentage of the unit
salestaxpercent	money	Sale tax percentage of the unit
vehicletaxpercent	money	Vehicle tax percentage of the unit
servcontterm	int	Term of service contract
unitline4term	string	Currently set to 0
unitline5term	string	Currently set to 0
unitline6term	string	Currently set to 0
unitline10term	string	Currently set to 0
unitline11term	string	Currently set to 0
unitline12term	string	Currently set to 0
plateno	string	License plate number of unit
customerunitid	int	Currently set to the unitid
packageid	long	Major unit header id of unit
unitID	string	Major unit header id of unit
modelname	string	Alternate model name of the unit
majorunitid	int	System identifier corresponds to majorunitheaderid record
manufacturer	string	Manufacturer of the unit
msrp	money	MSRP of unit at time of sale
partscustomeraddtaxablecost	money	Sum of cost of parts added to the unit as customer add that are taxable
partscustomeraddnontaxablecost	money	Sum of cost of parts added to the unit as customer add that are non-taxable
partsdealeraddtaxablecost	money	Sum of cost of parts added to the unit as dealer add that are taxable
partsdealeraddnontaxablecost	money	Sum of cost of parts added to the unit as dealer add that are non-taxable
laborcustomeraddtaxablecost	money	Sum of cost of labor added to the unit as customer add that are taxable

laborcustomeraddnontaxablecost	money	Sum of cost of labor added to the unit as customer add that are non-taxable
labordealeraddtaxablecost	money	Sum of cost of labor added to the unit as dealer add that are taxable
labordealeraddnontaxablecost	money	Sum of cost of labor added to the unit as dealer add that are non-taxable
ManufToDealerRebateAmt	money	Rebate to dealer set from manufacturer
PriceProtectionRebateAmt	money	Price Protection Rebate from the manufacturer if retail changes for the dealer
YearEndDiscountAmt	money	Discount on unit at the end of the year
internalunitid	bigint	Internal system id for the unit on the deal
isprimary	int	Indicator if the units is the primary vehicle of a package
primaryunitid	long	References the primary units DealUnitId if in a package
Parts	array	Container for an array of Parts objects
Labor	array	Container for an array of Labor objects

*** MUCost:** (Unit.actualcost + Unit.Freightcost + Unit.Handlingcost + Unit.Accycost + Unit.Installcost) - (Unit.Holdback + ManufacturerDealerRebate + PriceProtection + YearEndDiscount)

**** SalesType:** Sales type is used to identify if the unit is being sold as a retail or wholesale. We use the below criteria to determine which. If the first criteria is not met then we move into the second criteria.

1st Criteria:

Unit.UnitPrice + Unit.Freight + Unit.Handling - Unit.Tradeall + Unit.Tradeacv = \$0.00

THEN "Wholesale"

2nd Criteria:

Unit.UnitPrice + Unit.Freight + Unit.Handling - Unit.Tradeall + Unit.Tradeacv > \$250

AND

Unit.mucost + Unit.Freightcost + Unit.Handlingcost <> \$0.00

AND

Unit.UnitPrice + Unit.Freight + Unit.Handling - Unit.Tradeall + Unit.Tradeacv + Unit.mucost + Unit.Freightcost + Unit.Handlingcost <> \$0.00

AND

(Unit.UnitPrice + Unit.Freight + Unit.Handling - Unit.Tradeall + Unit.Tradeacv + Unit.mucost + Unit.Freightcost + Unit.Handlingcost) / (Unit.UnitPrice + Unit.Freight + Unit.Handling - Unit.Tradeall + Unit.Tradeacv) >= 5% margin

OR

Unit.docfees + Unit.servcont + Unit.propliab + Deal.CLPrice + Deal.AHPrice <> \$0.00

OR

Unit.Taxableamounttotal > \$0.00

THEN “Retail”

ELSE “Wholesale”

Fields – DealDetail.Unit.Part

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo(key)	string	Deal (Worksheet) Number
DealUnitId(key)	int	Deal ID of the Unit
MajorUnitPartsId(key)	long	DMS assigned ID for the part associated with the unit
PartNumber	string	Primary part identifier
SupplierCode	string	Maker of part
RequestedQty	int	Amount of part being requested
SpecialOrderQty	int	Amount of part being special ordered
Qty	int	Amount sold of part
Cost	money	Cost of part on the deal after being sold from the parts department
Price	money	Price of the part on the deal
Retail	money	Standard price of the part
SetupInstall	string	S – setup, I - Installed
Description	string	Part description in ‘Parts’ child element
dealstate	int	5 = Finalized
internaltype	int	0 = undefined (rare), 1 = Prep, 2 = Dealer Add (installed), 3 = Customer Add (not-installed), 4 = Warranty

Fields – DealDetail.Unit.Labor

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo(key)	string	Deal (Worksheet) Number
DealUnitId(key)	int	Deal ID of the Unit
MajorUnitLaborId	Int	DMS assigned ID for the labor associated with the unit
MajorUnitHeaderId	int	Major unit header id of unit
RepairOrderID	int	DMS internal identifier of RO
RepairOrderNumber	int	DMS external (customer facing) RO identifier
rostatus	string	Status identifier of the repair order – Cashed
RepairOrderJobTitle	string	Free form title of RO job
Description	string	Free form description of RO job

SetupInstall	string	P – Prep, S – setup, I - Installed
RetailPrice	money	Set labor price matching LaborCost from the service department
LaborPrice	money	Price of the labor on the deal
LaborCost	money	Cost of labor on the deal after being cashiered from the service department
SubletPrice	money	Price of the sublet on the deal
SubletRetailPrice	money	Set sublet price matching subletcost from the service department
SubletCost	money	Cost of the sublet on the deal after being cashiered from the service department

Fields – DealDetail.Trade

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo(key)	string	Deal (Worksheet) Number
DealTradeId(key)	long	DMS assigned ID for the trade unit
VIN	string	Trade VIN
StdMake	string	Trade Standardized Make
StdModel	string	Trade Standardized Model
StdYear	string	Trade Standardized Year
StdCategory	string	Trade Standardized Category
allowance	money	Trade allowance
acv	money	Trade ACV (actual cash value)
payoff	money	Amount required for dealer to payoff current loan on trade
lienholder	string	Name of lien holder for Payoff
unitclass	string	Dealer defined class of trade unit
color	string	Color of trade unit
odometer	long	Odometer of trade unit
manufacturer	string	Manufacturer of trade unit
note	string	Dealer notes of trade unit
unittype	string	Dealer defined type of unit

Fields – DealDetail.DealExtraLines

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo (key)	string	Deal (Worksheet) Number
DealUnitID (key)	long	Deal ID of the unit that the extra line corresponds to
FinInvoiceID	int	DMS assigned ID of the deal when finalized – Corresponds to FinInvoiceID in DealDetail

LineName	string	Extra line description
ExtraLineNumber(key)	string	Number of extra line in deal
LineType	string	Specifies front end FE or back end BE
Amount	money	Amount on the extra line
Cost	money	Cost of the extra line
Term	int	Term of the extra line
arcustomer	string	AR customer of unit extra line
apvendor	string	AP vendor of unit extra line
mappingtype	string	Description of what the extra line maps to: • UNDEFINED • BATTERY_COVERAGE • BATTERY_FEE • CREDIT_CARD_FEES • DISCOUNT • DOC_AND_ADMIN_FEES • FREIGHT_SETUP_HANDLING • GAP • GIFT_CARDS • INSURANCE • LABOR • LENDER_FEES • LOYALTY_PROGRAMS • OEM_PROMOTIONS • OTHER • PAINT_AND_FABRIC • PREPAID_MAINTENANCE • ROADSIDE_ASSISTANCE • ROADSIDE_HAZARD • SECURITY • SERVICE_CONTRACT • SURFACE_PROTECTION • TAXES • TIRE_AND_WHEEL • TITLE_AND_REG_FEES • TRAVEL_ASSISTANCE

Fields – DealDetail.DealProspect

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo(key)	string	Deal (Worksheet) Number

DealId(key)	string	DMS assigned ID of the deal
Sourceprospectid(key)	string	Unique ID of the prospect
prospectsourceid	string	Source of the prospect
prospectstate	string	Status of the prospect
Createdate	datetime	Date when lead was created
Make	string	Make of the unit on the prospect
Model	string	Model of the unit on the prospect
Year	string	Year of the model on the prospect
VIN	string	VIN of the model on the prospect
StockNumber	string	Stock Number of the prospect

Notes: Use FinanceDate or FinInvoiceId to determine changes

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "DealId": "732445581656847988",
    "DealNo": "26091",
    "FinInvoiceId": 22099459,
    "CommonInvoiceID": 758538927162461200,
    "FinanceDate": "2022-12-03T16:11:21.298",
    "OriginatingDate": "2022-04-23T09:53:25.782",
    "DeliveryDate": "2022-12-03T00:00:00",
    "lastmodifieddate": "2022-12-03T23:11:33.44",
    "salesmanid": 212866,
    "clpremium": 0,
    "clcost": 0,
    "sourcetype": "NONE",
    "ahpremium": 0,
    "ahcost": 0,
    "CustID": "17687973",
    "lienholder": "NONE",
    "AmtFinanced": 0,
    "Term": 0,
    "Rate": 0,
    "Payment": 0,
    "totaldownpayment": 14685.78,
    "fincharge": 0,
    "fincost": 0,
    "DaysToFirst": 0,
    "SalesmanName": "Craig Wilcox",
    "lienaddressfirstline": "",
    "lienaddresssecondline": "",
    "liencity": ""
  }
]
```

```

"lienzip": "",
"lienstate": "",
"cobuyercustid": "0",
"cobuyername": "",
"cobuyeraddr": "",
"cobuyeraddr2": "",
"cobuyercity": "",
"cobuyerstate": "",
"cobuyerzip": "",
"cobuyercounty": "",
"cobuyerhomephone": "",
"cobuyerworkphone": "",
"cobuyer cellphone": "",
"cobuyeremail": "",
"stagename": "DELIVERED",
"source": "REPEAT CUSTOMER",
"cobuyerbirthdate": "1910-01-01T00:00:00",
"Salesman2name": "Travis Boyd",
"Salesman2id": 2128765,
"Salesmanfi1id": 212866,
"Salesmanfi1name": "Craig Wilcox",
"Salesmanfi2id": null,
"Salesmanfi2name": "",
"Fincoستooverride": 0,
"Salesman1split": 100,
"Salesman2split": 0,
"Salestaxtotal": 0,
"Vehicletaxtotal": 699.32,
"Insurancetaxtotal": 0,
"totalcashprice": 14685.78,
"totalprevpymt": 14685.78,
"additionalpymttoday": 0,
"deferredamt": 0,
"extralamt": 0,
"balancetofinance": 0,
"totalofpayments": 0,
"addonrate": 0,
"aprbuyrate": 0,
"addonbuyrate": 0,
"balloonterm": 0,
"balloonpayment": 0,
"ahprice": 0,
"clprice": 0,
"ins1amt": 0,
"ins1cost": 0,
"ins2amt": 0,
"ins2cost": 0,
"ins3amt": 0,
"ins3cost": 0,
"ins4amt": 0,
"ins4cost": 0,

```

```

"ins5amt": 0,
"ins5cost": 0,
"ins6amt": 0,
"ins6cost": 0,
"insurancetaxtotal": 0,
"femargin": 1177.52,
"bemargin": 399,
"createdate": "2022-04-23T09:53:25.782",
"customerextraline": "",
"customernotes": null,
"salesmanusername": " Craig Wilcox",
"fincostoverride": 0,
"isfincostoverride": false,
"firstlienaddressfirstline": "",
"firstlienaddresssecondline": "",
"firstliencity": "",
"firstlienzip": "",
"firstlienstate": "",
"salestaxtotal": 0,
"vehicletaxtotal": 699.32,
"salesagent1": "",
"salesagent2": "",
"salesagent3": "",
"salesmanager": "Brian Bodine",
"dealdescription": "Kodiak 450 EPS SE",
"backdateddate": "1000-01-01T00:00:00",
"isbackdated": 0,
"deposit": 14685.78,
"dealid": 12345678912345678,
"ContractDate": "2022-12-03T00:00:00",
"Units": [
  {
    "DealerId": "",
    "DealId": "732445581656847988",
    "DealUnitId": 22096313,
    "internalunitid": 123454589798,
    "FinInvoiceId": 22099459,
    "Newused": "N",
    "Year": "2023",
    "Make": "YAMAHA",
    "Model": "YF45KPSPL",
    "VIN": "5Y4AJ78W1PA305073",
    "Class": "A",
    "Unitprice": 10499,
    "mucost": 12393.94,
    "Freight": 699,
    "Freightcost": 350,
    "Handling": 350,
    "Handlingcost": 221.48,
    "LicFees": 0,
    "LicFeesCost": 0,
  }
]

```

```

"Totaccy": 1442.96,
"Totinstall": 580.5,
"Tradeall": 0,
"Tradeacv": 0,
"Accycost": 1442.96,
"Installcost": 580.5,
"docfees": 399,
"actualcost": 10082,
"DateReceived": "2022-11-24T00:00:00",
"servcont": 0,
"sccost": 0,
"propliab": 0,
"plcost": 0,
"PackAmt": 0,
"HoldbackAmt": 283,
"unitttype": "ATV",
"SalesType": "R",
"UnitSoldPrice": 13571.46,
"UnitSoldCost": 14988.88,
"TotalPartsAmount": 1442.96,
"DaysInStore": 12,
"UnitLine1": 16,
"UnitLine2": 0,
"UnitLine3": 0,
"UnitLine4": 0,
"UnitLine5": 0,
"UnitLine6": 0,
"UnitLine7": 0,
"UnitLine8": 0,
"UnitLine9": 0,
"UnitLine10": 0,
"UnitLine11": 0,
"UnitLine12": 0,
"UnitLine13": 0,
"UnitLine14": 0,
"UnitLine15": 0,
"UnitLine16": 0,
"UnitLine17": 0,
"UnitLine18": 0,
"UnitLine19": 0,
"UnitLine20": 0,
"UnitLine1cost": 16,
"UnitLine2cost": 0,
"UnitLine3cost": 0,
"UnitLine4cost": 0,
"UnitLine5cost": 0,
"UnitLine6cost": 0,
"UnitLine7cost": 0,
"UnitLine8cost": 0,
"UnitLine9cost": 0,
"UnitLine10cost": 0,

```

```

"UnitLine11cost": 0,
"UnitLine12cost": 0,
"UnitLine13cost": 0,
"UnitLine14cost": 0,
"UnitLine15cost": 0,
"UnitLine16cost": 0,
"UnitLine17cost": 0,
"UnitLine18cost": 0,
"UnitLine19cost": 0,
"UnitLine20cost": 0,
"Color": "STEEL BLUE",
"Odometer": "0",
"stocknumber": "YF307773",
"bodytype": "",
"enginenum": "",
"cylinders": "0",
"gvwr": "0",
"fueltype": "",
"majorunitsalescategory": "NEW YAMAHA ATV",
"Vehicletaxtotal": 699.32,
"Taxableamounttotal": 13986.46,
"Totaltax": 699.32,
"taxpercent": 5,
"salestaxpercent": 0,
"vehicletaxpercent": 5,
"servcontterm": 0,
"unitline4term": "0",
"unitline5term": "0",
"unitline6term": "0",
"unitline10term": "0",
"unitline11term": "0",
"unitline12term": "0",
"plateno": "",
"customerunitid": -1456272399,
"packageid": 22096177,
"modelname": "KODIAK 450 SE",
"majorunitid": 22096177,
"manufacturer": "YAMAHA",
"msrp": 10499,
"partscustomeraddtaxablecost": 0,
"partscustomeraddnontaxablecost": 0,
"partsdealeraddtaxablecost": 1442.96,
"partsdealeraddnontaxablecost": 0,
"laborcustomeraddtaxablecost": 0,
"laborcustomeraddnontaxablecost": 0,
"labordealeraddtaxablecost": 580.5,
"labordealeraddnontaxablecost": 0,
"ManufToDealerRebateAmt": "600.00",
"PriceProtectionRebateAmt": "900.00",
"YearEndDiscountAmt": "1500.00",
"isprimary": 1,

```

```

"primaryunitid": 0,
"Parts": [
  {
    "DealerId": "",
    "MajorUnitPartsId": 758424869952180700,
    "PartNumber": "373995",
    "SupplierCode": "KP",
    "RequestedQty": 0,
    "SpecialOrderQty": 0,
    "Qty": 1,
    "Cost": 549.99,
    "Price": 549.99,
    "Retail": 549.99,
    "SetupInstall": "I",
    "Description": "PUSH FRAME CNG1.5 ATV",
    "dealstate": 5,
    "internaltype": 2
  },
  {
    "DealerId": "",
    "MajorUnitPartsId": 758428755129692800,
    "PartNumber": "176002",
    "SupplierCode": "KP",
    "RequestedQty": 0,
    "SpecialOrderQty": 0,
    "Qty": 1,
    "Cost": 272.99,
    "Price": 272.99,
    "Retail": 272.99,
    "SetupInstall": "I",
    "Description": "HEAT DEMON GRIPS",
    "dealstate": 5,
    "internaltype": 2
  },
  {
    "DealerId": "",
    "MajorUnitPartsId": 758424869952180700,
    "PartNumber": "373951",
    "SupplierCode": "KP",
    "RequestedQty": 0,
    "SpecialOrderQty": 0,
    "Qty": 1,
    "Cost": 219.99,
    "Price": 219.99,
    "Retail": 219.99,
    "SetupInstall": "I",
    "Description": "PLOW BRACKET CNGO 1.5 & 2 ALL",
    "dealstate": 5,
    "internaltype": 2
  },
  {

```

```

        "DealerId": "",
        "MajorUnitPartsId": 758424869952180700,
        "PartNumber": "373952",
        "SupplierCode": "KP",
        "RequestedQty": 0,
        "SpecialOrderQty": 0,
        "Qty": 1,
        "Cost": 399.99,
        "Price": 399.99,
        "Retail": 399.99,
        "SetupInstall": "I",
        "Description": "BLADE 54 INCHES FOR CLICK & GO",
        "dealstate": 5,
        "internaltype": 2
    },
    {
        "DealerId": "",
        "MajorUnitPartsId": 758267346220724700,
        "PartNumber": "SAE51",
        "SupplierCode": "HO",
        "RequestedQty": 0,
        "SpecialOrderQty": 0,
        "Qty": 1,
        "Cost": 7.99,
        "Price": 0,
        "Retail": 7.99,
        "SetupInstall": "S",
        "Description": "HONDA CONECTOR",
        "dealstate": 5,
        "internaltype": 1
    }
],
"Labor": [
    {
        "DealerId": "",
        "MajorUnitLaborId": 22098327,
        "MajorUnitHeaderId": 22096177,
        "RepairOrderID": 22098517,
        "RepairOrderNumber": 122040,
        "rostatus": "Cashiered",
        "RepairOrderJobTitle": "INSTALL PLOW ATV",
        "Description": "INSTALL PLOW ATV",
        "SetupInstall": "Dealer Add",
        "RetailPrice": 387,
        "LaborPrice": 387,
        "LaborCost": 387,
        "SubletPrice": 0,
        "SubletRetailPrice": 0,
        "SubletCost": 0
    },
    {

```

```

        "DealerId": "",
        "MajorUnitLaborId": 22098557,
        "MajorUnitHeaderId": 22096177,
        "RepairOrderID": 22098517,
        "RepairOrderNumber": 122040,
        "rostatus": "Cashiered",
        "RepairOrderJobTitle": "INSTALL HEATED GRIPS",
        "Description": "INSTALL HEATED GRIPS",
        "SetupInstall": "Dealer Add",
        "RetailPrice": 193.5,
        "LaborPrice": 193.5,
        "LaborCost": 193.5,
        "SubletPrice": 0,
        "SubletRetailPrice": 0,
        "SubletCost": 0
    },
    {
        "DealerId": "",
        "MajorUnitLaborId": 22096317,
        "MajorUnitHeaderId": 22096177,
        "RepairOrderID": 22096316,
        "RepairOrderNumber": 122032,
        "rostatus": "Cashiered",
        "RepairOrderJobTitle": "PDI - BUILD AND PDI ALL BRAND ATV",
        "Description": "UNCRATE UNIT, ASSEMBLE, CHECK FOR DAMAGE, MAKE SURE
UNIT OPERATES CORRECTLY",
        "SetupInstall": "Prep",
        "RetailPrice": 213.49,
        "LaborPrice": 0,
        "LaborCost": 213.49,
        "SubletPrice": 0,
        "SubletRetailPrice": 0,
        "SubletCost": 0
    }
]
},
"Trade": [],
"DealExtraLines": [
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "EVR",
        "ExtraLineNumber": "17",
        "LineType": "BE18",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
    }
]

```

```

        "apvendor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "CERAMIC COAT",
        "ExtraLineNumber": "4",
        "LineType": "BE5",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "AH Cost",
        "ExtraLineNumber": "13",
        "LineType": "BE14",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Delivery Fee",
        "ExtraLineNumber": "5",
        "LineType": "FE6",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Extras 19",
        "ExtraLineNumber": "18",
        "LineType": "FE19",
    }

```

```

"MappingType": "UNDEFINED",
  "Amount": 0,
  "Cost": 0,
  "Term": 0,
  "arcustomer": null,
  "apvendedor": null
},
{
  "DealerId": "",
  "DealUnitId": 22096313,
  "FinInvoiceId": "22099459",
  "LineName": "Tire & Rim",
  "ExtraLineNumber": "9",
  "LineType": "BE10",
  "MappingType": "UNDEFINED",
  "Amount": 0,
  "Cost": 0,
  "Term": 0,
  "arcustomer": null,
  "apvendedor": null
},
{
  "DealerId": "",
  "DealUnitId": 22096313,
  "FinInvoiceId": "22099459",
  "LineName": "Priority Maintenance",
  "ExtraLineNumber": "1",
  "LineType": "BE2",
  "MappingType": "UNDEFINED",
  "Amount": 0,
  "Cost": 0,
  "Term": 0,
  "arcustomer": null,
  "apvendedor": null
},
{
  "DealerId": "",
  "DealUnitId": 22096313,
  "FinInvoiceId": "22099459",
  "LineName": "(not used)",
  "ExtraLineNumber": "8",
  "LineType": "BE9",
  "MappingType": "UNDEFINED",
  "Amount": 0,
  "Cost": 0,
  "Term": 0,
  "arcustomer": null,
  "apvendedor": null
},
{
  "DealerId": "",

```

```

        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Etch",
        "ExtraLineNumber": "10",
        "LineType": "BE11",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "CL Cost",
        "ExtraLineNumber": "12",
        "LineType": "BE13",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Gift Card ",
        "ExtraLineNumber": "16",
        "LineType": "FE17",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Service Contract",
        "ExtraLineNumber": "6",
        "LineType": "BE7",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,

```

```

        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Property / Liability",
        "ExtraLineNumber": "7",
        "LineType": "BE8",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Lifetime Battery",
        "ExtraLineNumber": "2",
        "LineType": "BE3",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Credit Card Charges",
        "ExtraLineNumber": "15",
        "LineType": "FE16",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Lien Registration",
        "ExtraLineNumber": "11",

```

```

        "LineType": "BE12",
"MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Tire Levy",
        "ExtraLineNumber": "0",
        "LineType": "FE1",
"MappingType": "UNDEFINED",
        "Amount": 16,
        "Cost": 16,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Extras 20",
        "ExtraLineNumber": "19",
        "LineType": "FE20",
"MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {
        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "GAP INSURANCE",
        "ExtraLineNumber": "3",
        "LineType": "BE4",
"MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null
    },
    {

```

```

        "DealerId": "",
        "DealUnitId": 22096313,
        "FinInvoiceId": "22099459",
        "LineName": "Customer Rebate",
        "ExtraLineNumber": "14",
        "LineType": "FE15",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendor": null
    }
],
    "DealProspect": []
}
]

```

CUSTOMER – CUSTOMER INFORMATION

Note: This data set has fields for CCPA compliancy.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Customer/76156733>

Fields - Customer

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
CustomerId (key)	bigint	Internal ID of customer
storename	string	Displays the store this customer record belongs to
DateGathered	datetime	Date when customer record was last updated
CustFullName	string	Full name of customer
FirstName	string	First name of customer
MiddleName	string	Middle name of customer
LastName	string	Last name of customer
attention	string	Attention field of the customer record
Companyname	string	Company Name on record
Address1	string	Address of customer
Address2	string	Additional address of customer
City	string	City of customer location
State	string	State/Province of customer location
Zip	string	Zip code of customer
County	string	County of customer location
Country	string	Country of customer location
AlternateAddress1	string	Alternate address of customer

AlternateAddress2	string	Additional alternate address of customer
AlternateCity	string	Alternate city of customer location
AlternateState	string	Alternate State/Province of customer location
AlternateZip	string	Alternate Zip code of customer
AlternateCounty	string	Alternate County of customer location
AlternateCountry	string	Alternate Country of customer location
HomePhone	string	Home phone of customer
WorkPhone	string	Work phone of customer
CellPhone	string	Cell phone of customer
EMail	string	Must match 'something@something.domain' or a blank will be returned
Birthdate	date	Birthdate of customer
HasDriversLicenseNumber	tinyint	1 – Yes, 0 - No
LoyaltyCustomer	tinyint	0 – Not on Loyalty 1 – Has Loyalty
CustomerType	string	Dealer assigned customer type
optoutmarketing	boolean	When true the dealership will not market directly to the customer
optoutsharedata	boolean	When true the dealership will not share customer data with third parties
optoutselldata	boolean	When true the dealership will not sell customer data to third parties
removepersonalinformation	boolean	When true the dealership has removed personal information from the customer record
comments	string	Dealer entered comments added to customer record
optoutlimituse	boolean	When true, only limited use of the customer record is allowed.

Notes:

1. Use DateGathered to determine changes
2. If optoutsharedata or removepersonalinformation are true then no data will be returned for the customer other than the CustomerId. All other fields will be blank or null.
3. The Customer endpoint will display ALL customer records in the Lightspeed instance. To filter out customers that apply to a particular store you must filter by store name.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "CustomerId": 52631007,
    "storename": "LS Powersports",
    "DateGathered": "2021-01-25T12:19:08.356",
```

```

    "CustFullName": "Chuck Norris",
    "FirstName": "Chuck",
    "MiddleName": "",
    "LastName": "Norris",
    "attention": "",
    "Companyname": "",
    "Address1": "1234 Walker Texas Ranch",
    "Address2": "",
    "City": "Salt Lake City ",
    "State": "Utah",
    "Zip": "84117",
    "County": "U.S.A.",
    "Country": "",
    "AlternateAddress1": "1234 Walker Texas Ranch",
    "AlternateAddress2": "",
    "AlternateCity": "Salt Lake City ",
    "AlternateState": "Utah",
    "AlternateZip": "84117",
    "AlternateCounty": "U.S.A.",
    "AlternateCountry": "",
    "HomePhone": "",
    "WorkPhone": "",
    "CellPhone": "8087245292",
    "EMail": "robert.parker@mail.com",
    "Birthdate": "2019-06-05T00:00:00",
    "HasDriversLicenseNumber": 0,
    "LoyaltyCustomer": 1,
    "CustomerType": "Customer",
    "optoutmarketing": false,
    "optoutsharedata": false,
    "optoutselldata": false,
    "removepersonalinformation": false,
    "comments": "Only Robert Parker is allowed to work with Chuck Norris.
\nDo not touch any units in EVO associated with Chuck. \n",
    "optoutlimituse": false,
  }
]

```

SERVICESUM – SERVICE SUMMARY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/ServiceSum/76156733>

Fields – ServiceSum

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)

ROHeaderID(key)	int	DMS internal identifier of RO
ROUnitID(key)	int	Unit identifier on the RO
ROJobID(key)	int	Job identifier on the RO
rono	string	DMS external (customer facing) RO identifier
CommonInvoiceId	int	DMS assigned ID of the repair order when cashiered
JobDescription	string	Free form description of RO job
JobTitle	string	Free form title of RO job
InternalJob	byte	1 – Internal, 0 – Not internal
WarrantyJob	byte	1 – Warranty, 0 – Not warranty
VIN	string	VIN of unit
Make	string	Maker of the unit
Model	string	Model of the unit
Year	string	Model year of the unit
CashieredDate	date	Date RO was paid
PartsPrice	money	Price of all parts on the RO
LaborPrice	money	Price of all labor on the RO
shopsupply	money	Price of shop supplies on the RO
MiscPrice	money	Sum of all misc charges on the RO
custid	string	DMS customer identifier

Notes:

1. Use ROHeaderId or CashieredDate to determine changes
2. ServiceSum displays the summary of each job on the repair order

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "ROHeaderID": 51946186,
    "ROUnitID": 51946192,
    "ROJobID": 51946217,
    "rono": "300686",
    "CommonInvoiceID": 52111352,
    "JobDescription": "",
    "JobTitle": "",
    "InternalJob": 0,
    "WarrantyJob": 0,
    "VIN": "4546546VIN",
    "Make": "HD",
    "Model": "Sportster",
    "Year": "2015",
    "CashieredDate": "2016-02-03T14:00:58.841",
    "PartsPrice": 0.0,
    "LaborPrice": 75.0,
    "shopsupply": 0.0,
    "MiscPrice": 11.25,
    "custid": "51682166"
  }
]
```

```

    },
    {
      "Cmf": "76156733",
      "DealerId": "",
      "ROHeaderID": 51946186,
      "ROUnitID": 51946192,
      "ROJobID": 51946207,
      "rono": "300686",
      "CommonInvoiceID": 52111352,
      "JobDescription": "Fill tank with stabilizer treated fuel.\nCheck battery level (If required).\nCheck coolant/anti-freeze strength & level.\nCheck tire pressures.\nChange oil & install new oil filter.\nFlush/change brake fluid.\nWarm engine & \"fog\" with oil/preservative.\nInstall battery tender adapter/pigtail (Optional).\n\n",
      "JobTitle": "Winterization - Street Bike",
      "InternalJob": 0,
      "WarrantyJob": 0,
      "VIN": "4546546VIN",
      "Make": "HD",
      "Model": "Sportster",
      "Year": "2015",
      "CashieredDate": "2016-02-03T14:00:58.841",
      "PartsPrice": 18.47,
      "LaborPrice": 75.0,
      "shopsupply": 10.0,
      "MiscPrice": 0.0,
      "custid": "51682166"
    }
  ]

```

SERVICEDET – SERVICE DETAIL

Example URL

<https://int.Lightspeeddataservices.com/lsapi/ServiceDet/76156733>

Fields - ServiceDet

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
rono	string	DMS external (customer facing) RO identifier
ROMiscInvoiceID	bigint	
CommonInvoiceID		
CustID	bigint	DMS customer identifier
datein	date	Date unit was brought in
closedate	date	Date RO work was finished
pudate	date	Date RO was paid
lastmodifieddate	datetime	Date when RO record was last modified

datecreated	date	Date when the RO record was made
shopsupply	money	Amount charged to customer for shop supplies if settings dictate amount on header level
MiscCharge1	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge2	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge3	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge4	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
ServiceWriterName	string	Name of service writer
ServiceWriterUsername	string	DMS user name of service writer
TotsubCost	money	Total cost of sublet work
TotsubSales	money	Total price of sublet work
ServiceWriterid	bigint	DMS ID of service writer
Salestaxwarr	money	Tax on warranty work
Salestaxmu	money	Tax on unit work
Salestaxnw	money	Tax on non-warranty work
Totaltax	money	Tax on entire service
Category	string	Category assigned to RO
Totalowed	money	Total amount due from customer including tax
promiseddate	date	Promise date of completion
Unit	array	Container for an array of Unit objects
ROSubletID	long	System generated ID of sublet item
Requestedqty	int	Amount of parts requested
Specialorderqty	int	Amount of parts special ordered
Promiseddate	date	Date promised to customer for RO completion
oemronumber	long	If the RO came from an RO lead, this is the RO number given by the lead provider

Fields – ServiceDet.Unit

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID(key)	int	Unit identifier on the RO
VIN	string	VIN of unit
Make	string	Maker of the unit
Model	string	Model of the unit
Year	string	Model year of the unit
Engineno	string	Number of unit engine

Class	string	Dealer assigned unit class
Odometer	int	Mileage of unit
StockNumber	string	Internal dealer unit identifier
manufacturer	string	Manufacturer of the unit
Keyboardnumber	string	Key location on the key board
Modelname	string	Name of the model
MajorUnitHeaderId	int	MajorUnitHeaderId associated with the Unit/SoldUnit endpoint
Job	array	Container for an array of Job objects

Fields – ServiceDet.Unit.Job

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
ROJobID(key)	int	Job identifier on the RO
JobDescription	string	Free form description of RO job
JobTitle	string	Free form title of RO job
InternalJob	byte	1 – Internal, 0 – Not internal
WarrantyJob	byte	1 – Warranty, 0 – Not warranty
shopsupply	money	Amount charged to customer for shop supplies charges if settings dictate amount on job level
misccharge 1	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 2	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 3	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 4	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
Partsonly	int	Specifies if the job is parts only and has no labor
Warrantyapproved	int	Signifies if the warranty work was approved
Warrantyclaimnumber	string	Claim number of the warranty
Recommendations	string	Job recommendations
Resolution	string	Job resolution
Salestype	string	Repair Order sales type description defined by dealer
Technotes	string	Technician entered notes from mobile app
Internalwarrantynumber	int	Warranty number entered by dealer
Failedate	datetime	Date component failed to warrant warranty
Customercontentioncode	string	Manufacturer specified contention code

Customercontention	string	Manufacturer specified contention description
Problemcode	string	Manufacturer specified problem code
Problemdescription	string	Manufacturer specified problem description
Customitem1	string	Field provided for additional information
Customitem2	string	Field provided for additional information
Customitem3	string	Field provided for additional information
Customitem4	string	Field provided for additional information
Claimamountparts	money	Dollar amount of parts at cost
Claimamounthandling	money	Dollar amount of margin
Claimamountlabor	money	Dollar amount of labor
Claimamountsublet	money	Dollar amount of sublet
Claimamountfreight	money	Dollar amount of freight
Claimamounttax	money	Dollar amount of tax
Claimamounttotal	money	Total of all claim amounts
Partsdeductiblealloc	money	Deductible amount allocated to parts
Subletdeductiblealloc	money	Deductible amount allocated to sublet
Handlingdeductiblealloc	money	Deductible amount allocated to freight
Claimamountdeductible	money	Total deductible amount
Claimamountdeductibletax	money	Total tax on deductible amount
Authorizationid	string	Manufacturer issued authorization id
Auth1	string	Additional authorization field
Auth2	string	Additional authorization field
Auth3	string	Additional authorization field
Auth4	string	Additional authorization field
Auth5	string	Additional authorization field
Auth6	string	Additional authorization field
Auth7	string	Additional authorization field
Auth8	string	Additional authorization field
Extrahours1	int	Additional requested hours for repair
Extrahours2	int	Additional requested hours for repair
Extrareason1	string	Explanation for additional hours
Extrareason2	string	Explanation for additional hours
Extralabordateclosed	datetime	Date when additional hours were completed
Previousrepairordernumber	string	Associated previous repair order number pertaining to warranty
Previousinvoicenum	string	Associated previous invoice number pertaining to warranty
Previousinvoicedate	datetime	Date of previous invoice number pertaining to warranty
Previoushours	int	Amount of hours specified in previous repair order pertaining to warranty
Previousodometer	int	Odometer of unit in previous repair order pertaining to warranty
Claimtype	string	Type of warranty claim – N/A, Vehicle, Part, Transportation
Warrantystatus	string	Status of warranty claim – Undefined, Not Submitted, Submitted, Rejected, Suspended, Approved, or 'blank'

Isnonusmodel	int	Specifies if unit is US or non-US, 0=US, 1=non-US
Failedpartnumber	string	Part number of failed part in warranty
Carriernumber	string	Identification of carrier
Carrierinvoicenum	string	Invoice number from carrier
Carrierinvoicedate	datetime	Date of carrier invoice
Carrierdatefiled	datetime	Date submitted to carrier
Controlsequencenumber	string	Manufacturer provided control sequence number
Reasonfordelay	string	Notes field provided for delay
Actiontaken	string	Action taken for delay
Oejobtitle	string	Normalized job title sourced from OE
Oejobtitleid	bigint	OE specified ID for the OE job title
customerapproval	int	Was the approval approved or declined
Parts	array	Container for an array of Parts objects
Labor	array	Container for an array of Labor objects

Fields – ServiceDet.Unit.Job.Parts

DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
ROJobID (key)	int	Job identifier on the RO
ROPartID(key)	int	Part identifier on RO
PartNumber	string	Part identifier
PartDescription	string	Description of part
SourceCode	string	Abbreviated maker of part
Qty	decimal	Amount of part sold on RO
RequestedQty	decimal	Amount of part requested
SpecialOrderQty	decimal	Amount of part special ordered
Cost	money	Cost of the part after being sold from parts dept
Price	money	Price of the part
ExtPrice	money	Extended Price of the part
DiscountPrice	money	Price of part after discount
Hasspecialorder	int	False = part was not special ordered, True = part was special ordered

Fields – ServiceDet.Unit.Job.Labor

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
ROJobID (key)	int	Job identifier on the RO
ROLaborID(key)	int	Labor identifier on part

JobDescription	string	Description of labor item
Hours	decimal	Hours billed for the labor
Rate	decimal	Hourly rate of the labor
Total	decimal	Hours * Rate
ActualHours	decimal	Actual amount of hours recorded to complete labor
TechnicianName	string	Name of service technician doing the labor
Technicianusername	string	System user name of tech
TechnicianID	int	System ID of technician
Jobcode	string	Dealer definable code for job
DiscountTotalCharge	money	Price of the labor after discounts
TotalCharge	money	Price of the labor
Technicianrate	money	Hourly rate of tech
Closetime	datetime	Date/Time when labor was closed

Notes: Use ROHeaderId or Pupdate to determine changes

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "ROHeaderID": 51946186,
    "rono": "300686",
    "ROMiscInvoiceID": 52111352,
    "CommonInvoiceID": 52111352,
    "CustID": 51682166,
    "datein": "2015-09-29T14:49:20.202",
    "closedate": "2016-02-03T14:00:21.996",
    "pupdate": "2016-02-03T14:00:58.841",
    "lastmodifieddate": "2016-02-03T14:00:59.071",
    "datecreated": "2015-09-29T14:49:20.202",
    "shopsupply": 10.0,
    "MiscCharge1": 0.0,
    "MiscCharge2": 0.0,
    "MiscCharge3": 0.0,
    "MiscCharge4": 0.0,
    "ServiceWriterName": "David O Martin",
    "ServiceWriterUserName": "DLM",
    "TotsubCost": 0.0,
    "TotsubSales": 0.0,
    "Servicewriterid": 51682108,
    "Salestaxwarr": 0.0,
    "Salestaxmu": 0.0,
    "Salestaxnw": 23.96,
    "Totaltax": 23.96,
    "category": null,
  }
]
```

```

"totalowed": 223.68,
"promiseddate": "2015-09-29T14:49:20.202",
"oemronumber": 123456789,
"Unit": [
  {
    "DealerId": "",
    "ROUnitID": 51946192,
    "VIN": "4546546VIN",
    "Make": "HD",
    "Model": "Sportster",
    "Year": "2015",
    "Engineno": "",
    "Class": "M",
    "Odometer": 3330,
    "StockNumber": "",
    "manufacturer": "",
    "keyboardnumber": "",
    "modelname": "",
    "MajorUnitHeaderID": "5682134",
    "Job": [
      {
        "DealerId": "",
        "ROJobID": 51946207,
        "JobDescription": "Fill tank with stabilizer treated
fuel.\nCheck battery level (If required).\nCheck coolant/anti-freeze strength &
level.\nCheck tire pressures.\nChange oil & install new oil filter.\nFlush/change
brake fluid.\nWarm engine & \"fog\" with oil/preservative.\nInstall battery
tender adapter/pigtail (Optional).\n\n",
        "JobTitle": "Winterization - Street Bike",
        "InternalJob": 0,
        "WarrantyJob": 0,
        "ShopSupply": 10.0,
        "misccharge1": "0.00000000",
        "misccharge2": "0.00000000",
        "misccharge3": "0.00000000",
        "misccharge4": "0.00000000",
        "partsonly": false,
        "warrantyapproved": false,
        "warrantyclaimnumber": "",
        "recommendations": "",
        "resolution": "",
        "salestype": "CUSTOMER - TAXABLE",
        "technotes": "",
        "internalwarrantynumber": null,
        "failedate": null,
        "customercontentioncode": null,
        "customercontention": null,
        "problemcode": null,
        "problemdescription": null,
        "customitem1": null,
        "customitem2": null,
      }
    ]
  }
]

```

```

"customitem3": null,
"customitem4": null,
"claimamountparts": null,
"claimamounthandling": null,
"claimamountlabor": null,
"claimamountsublet": null,
"claimamountfreight": null,
"claimamounttax": null,
"claimamounttotal": null,
"partsdeductiblealloc": null,
"subletdeductiblealloc": null,
"handlingdeductiblealloc": null,
"claimamountdeductible": null,
"claimamountdeductibletax": null,
"authorizationid": null,
"auth1": null,
"auth2": null,
"auth3": null,
"auth4": null,
"auth5": null,
"auth6": null,
"auth7": null,
"auth8": null,
"extrahours1": null,
"extrahours2": null,
"extrareason1": null,
"extrareason2": null,
"extralabordateclosed": null,
"previousrepairordernumber": null,
"previousinvoicenum": null,
"previousinvoicedate": null,
"previoushours": null,
"previousodometer": null,
"claimtype": null,
"warrantystatus": "",
"isonusmodel": null,
"failedpartnumber": null,
"carrierid": null,
"carrierinvoicenum": null,
"carrierinvoicedate": null,
"carrierdatefiled": null,
"controlsequencenum": null,
"reasonfordelay": null,
"actiontaken": null,
"oejobtitle": "",
"oejobtitleid": null,
"customerapproval": "APPROVED",
"Parts": [
    {
        "DealerId": "",
        "ROPartID": 51946215,

```

```

        "PartNumber": "530049",
        "PartDescription": "FOGGING OIL 10 OZ.",
        "SourceCode": "TR",
        "Qty": 1.0,
        "requestedqty": 1.0,
        "specialorderqty": 1.0,
        "Cost": 4.45,
        "Price": 6.99,
        "ExtPrice": 6.99,
        "DiscountPrice": 6.99,
        "Hasspecialorder": false
    },
    {
        "DealerId": "",
        "ROPartID": 51946216,
        "PartNumber": "08208-28100050E",
        "PartDescription": "BRAKE FLUID DOT4",
        "SourceCode": "H0",
        "Qty": 1.0,
        "requestedqty": 1.0,
        "specialorderqty": 1.0,
        "Cost": 2.95,
        "Price": 4.99,
        "ExtPrice": 4.99,
        "DiscountPrice": 4.99,
        "Hasspecialorder": false
    },
    {
        "DealerId": "",
        "ROPartID": 51946214,
        "PartNumber": "08732-0800",
        "PartDescription": "STABILIZER, FUEL",
        "SourceCode": "H0",
        "Qty": 1.0,
        "requestedqty": 1.0,
        "specialorderqty": 1.0,
        "Cost": 3.2,
        "Price": 6.49,
        "ExtPrice": 6.49,
        "DiscountPrice": 6.49,
        "Hasspecialorder": false
    }
],
"Labor": [
    {
        "DealerId": "",
        "ROLaborID": 51946208,
        "JobDescription": "Winterization Labor - Street
Bike",
        "Hours": 1.0,
        "Rate": 75.0,

```

```

        "Total": 75.0,
        "Actualhours": 0.0,
        "TechnicianName": "Chris Brown",
        "technicianusername": "BROWN",
        "technicianid": 211598,
        "jobcode": "Winter1",
        "DiscountTotalCharge": 75.0,
        "TotalCharge": 75.0,
        "technicianrate": 45.0,
        "closetime": "2016-02-03T14:00:21.994"
    }
]
},
{
    "DealerId": "",
    "ROJobID": 51946193,
    "JobDescription": "",
    "JobTitle": "",
    "InternalJob": 0,
    "WarrantyJob": 0,
    "ShopSupply": 0.0,
    "misccharge1": "0.00000000",
    "misccharge2": "0.00000000",
    "misccharge3": "0.00000000",
    "misccharge4": "0.00000000",
    "partsonly": false,
    "warrantyapproved": false,
    "warrantyclaimnumber": "",
    "recommendations": "",
    "resolution": "",
    "salestype": "CUSTOMER - TAXABLE",
    "technotes": "",
    "internalwarrantynumber": null,
    "failedate": null,
    "customercontentioncode": null,
    "customercontention": null,
    "problemcode": null,
    "problemdescription": null,
    "customitem1": null,
    "customitem2": null,
    "customitem3": null,
    "customitem4": null,
    "claimamountparts": null,
    "claimamounthandling": null,
    "claimamountlabor": null,
    "claimamountsublet": null,
    "claimamountfreight": null,
    "claimamounttax": null,
    "claimamounttotal": null,
    "partsdeductiblealloc": null,
    "subletdeductiblealloc": null,

```

```

        "handlingdeductiblealloc": null,
        "claimamountdeductible": null,
        "claimamountdeductibletax": null,
        "authorizationid": null,
        "auth1": null,
        "auth2": null,
        "auth3": null,
        "auth4": null,
        "auth5": null,
        "auth6": null,
        "auth7": null,
        "auth8": null,
        "extrahours1": null,
        "extrahours2": null,
        "extrareason1": null,
        "extrareason2": null,
        "extralabordateclosed": null,
        "previousrepairordernumber": null,
        "previousinvoicenum": null,
        "previousinvoicedate": null,
        "previoushours": null,
        "previousodometer": null,
        "claimtype": null,
        "warrantystatus": "",
        "isnonusmodel": null,
        "failedpartnumber": null,
        "carriernumber": null,
        "carrierinvoicenum": null,
        "carrierinvoicedate": null,
        "carrierdatefiled": null,
        "controlsequencenum": null,
        "reasonfordelay": null,
        "actiontaken": null,
        "Parts": [],
        "Labor": []
    },
    {
        "DealerId": "",
        "ROJobID": 51946199,
        "JobDescription": "",
        "JobTitle": "tune up",
        "InternalJob": 0,
        "WarrantyJob": 0,
        "ShopSupply": 0.0,
        "misccharge1": "0.00000000",
        "misccharge2": "0.00000000",
        "misccharge3": "0.00000000",
        "misccharge4": "0.00000000",
        "partsonly": false,
        "warrantyapproved": false,
        "warrantyclaimnumber": "",
    }

```

```

"recommendations": "",
"resolution": "",
"salestype": "CUSTOMER - TAXABLE",
"technotes": "",
"internalwarrantynumber": null,
"failedate": null,
"customercontentioncode": null,
"customercontention": null,
"problemcode": null,
"problemdescription": null,
"customitem1": null,
"customitem2": null,
"customitem3": null,
"customitem4": null,
"claimamountparts": null,
"claimamounthandling": null,
"claimamountlabor": null,
"claimamountsublet": null,
"claimamountfreight": null,
"claimamounttax": null,
"claimamounttotal": null,
"partsdeductiblealloc": null,
"subletdeductiblealloc": null,
"handlingdeductiblealloc": null,
"claimamountdeductible": null,
"claimamountdeductibletax": null,
"authorizationid": null,
"auth1": null,
"auth2": null,
"auth3": null,
"auth4": null,
"auth5": null,
"auth6": null,
"auth7": null,
"auth8": null,
"extrahours1": null,
"extrahours2": null,
"extrareason1": null,
"extrareason2": null,
"extralabordateclosed": null,
"previousrepairordernumber": null,
"previousinvoicenumber": null,
"previousinvoicedate": null,
"previoushours": null,
"previousodometer": null,
"claimtype": null,
"warrantystatus": "",
"isnonusmodel": null,
"failedpartnumber": null,
"carriernumber": null,
"carrierinvoicenumber": null,

```

```

"carrierinvoicedate": null,
"carrierdatefiled": null,
"controlsequencenumber": null,
"reasonfordelay": null,
"actiontaken": null,
"Parts": [],
"Labor": [
  {
    "DealerId": "",
    "ROLaborID": 51946200,
    "JobDescription": "",
    "Hours": 0.0,
    "Rate": 75.0,
    "Total": 0.0,
    "Actualhours": 0.0,
    "TechnicianName": "Brian Bodine",
    "technicianusername": "B0",
    "technicianid": 2118585,
    "jobcode": "",
    "DiscountTotalCharge": 0.0,
    "TotalCharge": 0.0,
    "technicianrate": 45.0,
    "closetime": "2016-02-03T14:00:19.278"
  }
],
},
{
  "DealerId": "",
  "ROJobID": 51946217,
  "JobDescription": "",
  "JobTitle": "",
  "InternalJob": 0,
  "WarrantyJob": 0,
  "ShopSupply": 0.0,
  "misccharge1": "11.2500000",
  "misccharge2": "0.00000000",
  "misccharge3": "0.00000000",
  "misccharge4": "0.00000000",
  "partsonly": false,
  "warrantyapproved": false,
  "warrantyclaimnumber": "",
  "recommendations": "",
  "resolution": "",
  "salestype": "CUSTOMER - TAXABLE",
  "technotes": "",
  "internalwarrantynumber": null,
  "failedate": null,
  "customercontentioncode": null,
  "customercontention": null,
  "problemcode": null,
  "problemdescription": null,

```

```

"customitem1": null,
"customitem2": null,
"customitem3": null,
"customitem4": null,
"claimamountparts": null,
"claimamounthandling": null,
"claimamountlabor": null,
"claimamountsublet": null,
"claimamountfreight": null,
"claimamounttax": null,
"claimamounttotal": null,
"partsdeductiblealloc": null,
"subletdeductiblealloc": null,
"handlingdeductiblealloc": null,
"claimamountdeductible": null,
"claimamountdeductibletax": null,
"authorizationid": null,
"auth1": null,
"auth2": null,
"auth3": null,
"auth4": null,
"auth5": null,
"auth6": null,
"auth7": null,
"auth8": null,
"extrahours1": null,
"extrahours2": null,
"extrareason1": null,
"extrareason2": null,
"extralabordateclosed": null,
"previousrepairordernumber": null,
"previousinvoicenum": null,
"previousinvoicedate": null,
"previoushours": null,
"previousodometer": null,
"claimtype": null,
"warrantystatus": "",
"isonusmodel": null,
"failedpartnumber": null,
"carrierid": null,
"carrierinvoicenum": null,
"carrierinvoicedate": null,
"carrierdatefiled": null,
"controlsequencenum": null,
"reasonfordelay": null,
"actiontaken": null,
"Parts": [],
"Labor": [
    {
        "DealerId": "",
        "ROLaborID": 51946218,
    }
]

```

```

    "JobDescription": "",
    "Hours": 1.0,
    "Rate": 75.0,
    "Total": 75.0,
    "Actualhours": 0.0,
    "TechnicianName": "Dave Mackenzie",
    "technicianusername": "DMAC",
    "technicianid": 2128656,
    "jobcode": "",
    "DiscountTotalCharge": 75.0,
    "TotalCharge": 75.0,
    "technicianrate": 45.0,
    "closetime": "2016-02-03T14:00:21.996"
  }
}
]

```

OPENSERVICEDET – SERVICE DETAIL FOR OPEN REPAIR ORDERS

Example URL

<https://int.Lightspeeddataservices.com/lsapi/OpenServiceDet/76156733>

Fields - OpenServiceDet

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
rono	string	DMS external (customer facing) RO identifier
ROMiscInvoiceID		DMS assigned ID of the repair order when cashiered
CommonInvoiceID		DMS assigned ID of the repair order when cashiered
Rostatus	int	Status identifier of the repair order – 0 = Estimate, 1 = New repair order – No activity at all, 3 = Canceled repair order,

		4 = Outstanding parts requests, 5 = Outstanding parts special orders, 6 = In process – Parts assigned, no labor, 7 = In process – Labor assigned, no parts, 8 = In process – No parts or labor assigned 9 = Partially completed 10 = Completed – Missing warranty info, 11 = Completed – Ready for cashiering 12 = Cancelled Estimate 13 = Waiting for Customer Approval 14 = Customer Declined
CustID	bigint	DMS customer identifier
datein	date	Date unit was brought in
closedate	date	Date RO work was finished
pudate	date	Date RO was paid
lastmodifieddate	datetime	Date when RO record was last modified
datecreated	date	Date when RO record was made
shopsupply	money	Amount charged to customer for shop supplies if settings dictate amount on header level
MiscCharge1	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge2	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge3	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
MiscCharge4	money	Amount charged to customer for dealer defined charges if settings dictate amount on header level
ServiceWriterName	string	Name of service writer
ServiceWriterUsername	string	DMS user name of service writer
ServiceWriterId	bigint	DMS ID of service writer
TotsubCost	money	Total cost of sublet work
TotsubSales	money	Total price of sublet work

Category	string	Category assigned to RO
Status	string	Status code of open RO
Salestaxwarr	money	Tax on warranty work
Salestaxmu	money	Tax on unit work
Salestaxnw	money	Tax on non-warranty work
Totaltax	money	Tax on entire service
Totalowed	money	Amount due from customer including tax
Promiseddate	date	Promise date of completion
oemronumber	long	If the RO came from and RO lead, this the RO number provided by the lead source
Unit	array	Container for an array of Unit objects

Fields - OpenServiceDet.Unit

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
VIN	string	VIN of unit
Make	string	Maker of the unit
Model	string	Model of the unit
Year	string	Model year of the unit
Engineno	string	Number of unit engine
Class	string	Dealer assigned unit class
Odometer	int	Mileage of unit
StockNumber	string	Internal dealer unit identifier
manufacturer	string	Manufacturer of the unit
keyboardnumber	string	Location of the key on the board
modelname	string	Long-form name of unit model
MajorUnitHeaderId	int	MajorUnitHeaderId associated with the Unit/SoldUnit endpoint
Job	array	Container for an array of Job objects

Fields - OpenServiceDet.Unit.Job

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
ROJobID (key)	int	Job identifier on the RO
JobDescription	string	Free form description of RO job
JobTitle	string	Free form title of RO job
InternalJob	byte	1 - Internal, 0 - Not internal
WarrantyJob	byte	1 - Warranty, 0 - Not warranty

ShopSupply	money	Amount charged to customer for shop supplies charges if settings dictate amount on job level
misccharge 1	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 2	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 3	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
misccharge 4	string	Amount charged to customer for dealer defined charges if settings dictate amount on job level
status	string	RO status value
partsonly	int	Denotes if job only has parts an no labor
warrantyapproved	int	Denotes if warranty has been approved
warrantyclaimnumber	string	Claim number of the warranty
recommendations	string	Job recommendations
resolution	string	Job resolution
salestype	string	Repair Order sales type description defined by dealer
technotes	string	Technician entered notes from mobile app
internalwarrantynumber	int	Warranty number entered by dealer
failedate	datetime	Date component failed to warrant warranty
customercontentioncode	string	Manufacturer specified contention code
customercontention	string	Manufacturer specified contention description
problemcode	string	Manufacturer specified problem code
problemdescription	string	Manufacturer specified problem description
customitem1	string	Field provided for additional information
customitem2	string	Field provided for additional information
customitem3	string	Field provided for additional information
customitem4	string	Field provided for additional information
claimamountparts	money	Dollar amount of parts at cost
claimamounthandling	money	Dollar amount of margin
claimamountlabor	money	Dollar amount of labor
claimamountsublet	money	Dollar amount of sublet
claimamountfreight	money	Dollar amount of freight
claimamounttax	money	Dollar amount of tax
claimamounttotal	money	Total of all claim amounts
partsdeductiblealloc	money	Deductible amount allocated to parts
subletdeductiblealloc	money	Deductible amount allocated to sublet
handlingdeductiblealloc	money	Deductible amount allocated to freight
claimamountdeductible	money	Total deductible amount
claimamountdeductibletax	money	Total tax on deductible amount
authorizationid	string	Manufacturer issued authorization id
auth1	string	Additional authorization field

auth2	string	Additional authorization field
auth3	string	Additional authorization field
auth4	string	Additional authorization field
auth5	string	Additional authorization field
auth6	string	Additional authorization field
auth7	string	Additional authorization field
auth8	string	Additional authorization field
extrahours1	int	Additional requested hours for repair
extrahours2	int	Additional requested hours for repair
extrareason1	string	Explanation for additional hours
extrareason2	string	Explanation for additional hours
extralabordateclosed	datetime	Date when additional hours were completed
previousrepairordernumber	string	Associated previous repair order number pertaining to warranty
previousinvoicenum	string	Associated previous invoice number pertaining to warranty
previousinvoicedate	datetime	Date of previous invoice number pertaining to warranty
previoushours	int	Amount of hours specified in previous repair order pertaining to warranty
previousodometer	int	Odometer of unit in previous repair order pertaining to warranty
claimtype	string	Type of warranty claim – N/A, Vehicle, Part, Transportation
warrantystatus	string	Status of warranty claim – Undefined, Not Submitted, Submitted, Rejected, Suspended, Approved, or 'blank'
isnonusmodel	int	Specifies if unit is US or non-US, 0=US, 1=non-US
failedpartnumber	string	Part number of failed part in warranty
carriernumber	string	Identification of carrier
carrierinvoicenum	string	Invoice number from carrier
carrierinvoicedate	datetime	Date of carrier invoice
carrierdatefiled	datetime	Date submitted to carrier
controlsequencenum	string	Manufacturer provided control sequence number
reasonfordelay	string	Notes field provided for delay
actiontake	string	Action taken for delay
customerapproval	int	Was the work approved or declined
Parts	array	Container for an array of Parts objects
Labor	array	Container for an array of Labor objects

Fields – OpenServiceDet.Unit.Job.Parts

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO

ROUnitID (key)	int	Unit identifier on the RO
ROJobID (key)	int	Job identifier on the RO
ROPartID (key)	int	Part identifier on RO
PartNumber	string	Part identifier
PartDescription	string	Description of part
SourceCode	string	Abbreviated maker of part
Qty	int	Amount of part sold on RO
Requestedqty	int	Amount of parts requested
Specialorderqty	int	Amount of parts special ordered
Cost	money	Cost of the part after being sold from parts dept
Price	money	Price of the part
ExtPrice	money	Extended Price of the part
DiscountPrice	money	Price of labor after discount

Fields – OpenServiceDet.Unit.Job.Labor

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROHeaderID (key)	int	DMS internal identifier of RO
ROUnitID (key)	int	Unit identifier on the RO
ROJobID (key)	int	Job identifier on the RO
ROLaborID (key)	int	Labor identifier on part
JobDescription	string	Description of labor item
Hours	decimal	Hours billed for the labor
Rate	decimal	Hourly rate of the labor
Total	decimal	Hours * Rate
Actualhours	decimal	Actual amount of hours needed to complete labor
TechnicianName	string	Name of service technician doing the labor
technicianusername	string	System user name of tech
technicianid	int	System ID of technician
Jobcode	string	Dealer definable code for job
DiscountTotalCharge	money	Price of the labor after discounts
TotalCharge	money	Price of the labor
technicianrate	money	Hourly rate of tech
closetime	datetime	DateTime when labor was closed

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "ROHeaderID": 52862163,
    "rono": "302184",
```

```

"ROMiscInvoiceID": null,
"CommonInvoiceID": null,
"Rostatus": 4,
"CustID": 7588237,
"datein": "2020-10-19T17:16:03.914",
"closedate": "1000-01-01T00:00:00",
"pudate": "1000-01-01T00:00:00",
"lastmodifieddate": "2022-01-04T19:07:39.948",
"datecreated": "2020-10-19T17:16:03.914",
"shopsupply": 10.0,
"MiscCharge1": 0.0,
"MiscCharge2": 0.0,
"MiscCharge3": 0.0,
"MiscCharge4": 0.0,
"ServiceWriterName": "CR Giteree",
"ServiceWriterUserName": "SMP1",
"ServiceWriterId": 685858665543887510,
"TotsubCost": 0.0,
"TotsubSales": 0.0,
"category": null,
"status": "Not Ready - Need to Special Order Parts",
"Salestaxwarr": 0.0,
"Salestaxmu": 0.0,
"Salestaxnw": 0.0,
"Totaltax": 0.0,
"totalowed": 547.74,
"promiseddate": "2020-10-19T17:16:03.914",
"oemronumber": 12344556,
"Unit": [
  {
    "DealerId": "",
    "ROUnitID": 52862164,
    "VIN": "",
    "Make": "Honda",
    "Model": "GL1800D",
    "Year": "2018",
    "Engineno": "",
    "Class": "M",
    "Odometer": 0,
    "StockNumber": "",
    "manufacturer": "",
    "keyboardnumber": "",
    "modelname": "",
    "MajorUnitHeaderID": "5682166",
    "Job": [
      {
        "DealerId": "",
        "ROJobID": 53219097,
        "JobDescription": "",
        "JobTitle": "Oil and Filter Change",
        "InternalJob": 0,

```

```

"WarrantyJob": 0,
"ShopSupply": 8.18,
"misccharge1": "24.5300000",
"misccharge2": "0.00000000",
"misccharge3": "0.00000000",
"misccharge4": "0.00000000",
"status": "Not Ready - Need to Special Order Parts",
"partsonly": false,
"warrantyapproved": false,
"warrantyclaimnumber": "",
"recommendations": "",
"resolution": "",
"salestype": "CUSTOMER - TAX EXEMPT",
"technotes": "",
"internalwarrantynumber": null,
"failedate": null,
"customercontentioncode": null,
"customercontention": null,
"problemcode": null,
"problemdescription": null,
"customitem1": null,
"customitem2": null,
"customitem3": null,
"customitem4": null,
"claimamountparts": null,
"claimamounthandling": null,
"claimamountlabor": null,
"claimamountsublet": null,
"claimamountfreight": null,
"claimamounttax": null,
"claimamounttotal": null,
"partsdeductiblealloc": null,
"subletdeductiblealloc": null,
"handlingdeductiblealloc": null,
"claimamountdeductible": null,
"claimamountdeductibletax": null,
"authorizationid": null,
"auth1": null,
"auth2": null,
"auth3": null,
"auth4": null,
"auth5": null,
"auth6": null,
"auth7": null,
"auth8": null,
"extrahours1": null,
"extrahours2": null,
"extrareason1": null,
"extrareason2": null,
"extralabordateclosed": null,
"previousrepairordernumber": null,

```

```

"previousinvoicenum": null,
"previousinvoicedate": null,
"previoushours": null,
"previousodometer": null,
"claimtype": null,
"warrantystatus": "",
"isonusmodel": null,
"failedpartnumber": null,
"carriernumber": null,
"carrierinvoicenum": null,
"carrierinvoicedate": null,
"carrierdatefiled": null,
"controlsequencenum": null,
"reasonfordelay": null,
"actiontaken": null,
"customerapproval": "APPROVED",
"Parts": [
  {
    "DealerId": "",
    "ROPartID": 53219100,
    "PartNumber": "YAM-1040 QT",
    "PartDescription": "yamaha oil",
    "SourceCode": "YA",
    "Qty": 0,
    "requestedqty": 3,
    "specialorderqty": 0,
    "Cost": 0.0,
    "Price": 9.95,
    "ExtPrice": 0.0,
    "DiscountPrice": 0.0
  },
  {
    "DealerId": "",
    "ROPartID": 53219099,
    "PartNumber": "11427721779",
    "PartDescription": "OIL FILTER",
    "SourceCode": "BM",
    "Qty": 0,
    "requestedqty": 1,
    "specialorderqty": 0,
    "Cost": 10.77,
    "Price": 19.79,
    "ExtPrice": 17.23,
    "DiscountPrice": 17.23
  }
],
"Labor": [
  {
    "DealerId": "",
    "ROLaborID": 53219098,
    "JobDescription": "Oil and filter change",

```

```

        "Hours": 1.5,
        "Rate": 109.0,
        "Total": 163.5,
        "Actualhours": 0.0,
        "TechnicianName": null,
        "technicianusername": null,
        "technicianid": null,
        "jobcode": "",
        "DiscountTotalCharge": 163.5,
        "TotalCharge": 163.5,
        "technicianrate": null,
        "closetime": "1000-01-01T00:00:00"
    }
}
],
{
    "DealerId": "",
    "ROJobID": 52862165,
    "JobDescription": "",
    "JobTitle": "8K Service",
    "InternalJob": 0,
    "WarrantyJob": 0,
    "ShopSupply": 0.0,
    "misccharge1": "30.0000000",
    "misccharge2": "0.00000000",
    "misccharge3": "0.00000000",
    "misccharge4": "0.00000000",
    "status": "Ready to Work",
    "partsonly": false,
    "warrantyapproved": false,
    "warrantyclaimnumber": "",
    "recommendations": "",
    "resolution": "",
    "salestype": "CUSTOMER - TAX EXEMPT",
    "technotes": "",
    "internalwarrantynumber": null,
    "failedate": null,
    "customercontentioncode": null,
    "customercontention": null,
    "problemcode": null,
    "problemdescription": null,
    "customitem1": null,
    "customitem2": null,
    "customitem3": null,
    "customitem4": null,
    "claimamountparts": null,
    "claimamounthandling": null,
    "claimamountlabor": null,
    "claimamountsublet": null,
    "claimamountfreight": null,
    "claimamounttax": null,

```

```

"claimamounttotal": null,
"partsdeductiblealloc": null,
"subletdeductiblealloc": null,
"handlingdeductiblealloc": null,
"claimamountdeductible": null,
"claimamountdeductibletax": null,
"authorizationid": null,
"auth1": null,
"auth2": null,
"auth3": null,
"auth4": null,
"auth5": null,
"auth6": null,
"auth7": null,
"auth8": null,
"extrahours1": null,
"extrahours2": null,
"extrareason1": null,
"extrareason2": null,
"extralabordateclosed": null,
"previousrepairordernumber": null,
"previousinvoicenumber": null,
"previousinvoicedate": null,
"previoushours": null,
"previousodometer": null,
"claimtype": null,
"warrantystatus": "",
"isnonusmodel": null,
"failedpartnumber": null,
"carrierid": null,
"carrierinvoicenumber": null,
"carrierinvoicedate": null,
"carrierdatefiled": null,
"controlsequencenumber": null,
"reasonfordelay": null,
"actiontaken": null,
"Parts": [],
"Labor": [
    {
        "DealerId": "",
        "ROLaborID": 52862166,
        "JobDescription": "8K MILE SERVICE",
        "Hours": 2.7,
        "Rate": 109.0,
        "Total": 294.3,
        "Actualhours": 0.0,
        "TechnicianName": null,
        "technicianusername": null,
        "technicianid": null,
        "jobcode": "13494",
        "DiscountTotalCharge": 294.3,
    }
]

```

```

    "TotalCharge": 294.3,
    "technicianrate": null,
    "closetime": "1000-01-01T00:00:00"
  }
]

```

Notes:

RO Status

State	Description
0	Estimate
1	New repair order
3	Cancelled repair order
4	Outstanding parts requests
5	Outstanding parts special orders
6	In process - parts assigned, but no labor
7	In Process - labor assigned, but no parts
8	In process - parts and labor assigned
9	Partially completed
10	Completed missing warranty information
11	Completed (ready for cashiering)

Status

- **No Activity** – RO has no parts, labor or sublet entries across all jobs.
- **Not Available** – The “Unit on Lot” box is not checked for a unit on the RO.
- **Not Ready-Warranty Not Approved** – The Warranty box is checked for the job and the Warranty Approved check box has not been checked.
- **Not Ready-Need to Special Order Parts** – Parts not in stock requested and not yet invoiced to order.
- **Not Ready-Waiting for Parts to PO** – Parts on Special Order invoice but not yet ordered.
- **Not Ready-Waiting, Parts Ordered** – Parts on order, not received.
- **Special Order Received** – Special order items received but not yet invoiced to RO.

- **Ready to Work** – All parts are in stock or no parts requested. Note that a job will show Ready to Work if the requested parts are in inventory event though they are not yet invoiced.
- Once a job reaches the Ready to Work status, the service manager knows it is ready to schedule and would add it to the service scheduler.
- **Scheduled** – Job is scheduled for work on the Service Scheduler. Note that if the job was scheduled on a past date and has not been completed, the status reverts to Ready to Work.
- **Clocked-in Labor** – Tech has clocked in on the job (any labor line on the job has a clock-in).
- **Clocked out Labor** – Tech has clocked out on the current date.
- Clocked out generally means it is time for the service writer to close the labor on the job.
- If the labor is not closed the same day, or the job has been rescheduled the assumption is that more work is needed. The clock-out is ignored and whatever status is applicable is displayed.
- **Sublet** – An unclosed Sublet line remains while other parts and labor are complete.
- **Labor Closed** – Labor lines closed out on the job.
- **Labor Closed Parts Requested** – Parts are still in requested status, available, and perhaps even installed, but not yet invoiced to the RO.
- **Ready to Cashier** – All parts are taken and all Labor is closed out and sublet is complete. Note that all jobs must show Ready to Cashier to enable cashiering the repair order.
- **Cashiered** – RO has been cashiered.

INVOICESUM – INVOICING SUMMARY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/InvoiceSum/76156733>

Fields - InvoiceSum

Field Name	Data Type	Description, Example
Cmf (key)	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
InvoiceId (key)	int	Internal DMS invoice identifier
InvoiceNo	string	External DMS invoice identifier
InvoiceDate	date	Date of invoice
salesmanId	string	DMS Id of salesman (cashier)
Custid	string	DMS customer identifier
Sales	money	Total price of the invoice
Salestype	string	M – Major Unit; R – RO; C - Customer

Notes: Use InvoiceID or InvoiceDate to determine changes

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "invoiceId": 52398358,
    "InvoiceNo": "14708",
    "InvoiceDate": "2018-07-31T07:11:45.017",
    "salesmanId": "JE",
    "custid": "52106857",
    "Sales": 36.59,
    "SalesType": "C"
  }
]
```

INVOICEDT – INVOICING DETAIL

Example URL

<https://int.Lightspeeddataservices.com/lsapi/InvoiceDet/76156733>

Fields - InvoiceDet

Field Name	Data Type	Description, Example
Cmf(key)	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
invoiceId(key)	int	Internal DMS invoice identifier
InvoiceNo	string	External DMS invoice identifier
CommonInvoiceID		Internal DMS identifier for accounting record
InvoiceDate	date	Date of invoice
InvoiceLineNo(key)	bigint	Line ID of the invoice
CustID	string	DMS customer identifier
salesmanId	string	DMS id of the salesman (cashier)
salesmanname	string	Name of salesman
cost	money	Cost of the part
price	money	Price of the part
partno	string	Part identifier
source	string	Abbreviated maker of the part
partdesc	string	Description of the part
qty	int	Amount sold of the part
pu	int	Amount of the part picked up from a special order
so	int	Amount of the part that was special ordered
lay	int	Amount of the part that was put on layaway

lost	int	Amount of the part that was considered a lost sale due to lack of inventory
stdprice	money	Standard price of the part
category	string	Dealer assigned part category
FlagInternal	int	0 = Sold to customer, 1 = Sold to internal department
SalesType	string	M – Major Unit; R – RO; C - Customer
cashiername	string	Name of cashier
comment	string	Comment field on invoice
datecreated	date	Date when invoice record was made
discontrate	money	Set to 0
discounttype	string	Set to 'blank'
invoicecollectamt	money	Amount due
invoicehandlingamt	money	Amount due for shipping
invoicediscount	money	Discount total from invoice
exttotalprice	money	Extended price on entire invoice
exttotalcost	money	Extended cost on entire invoice
totalmargin	money	Margin on entire invoice
invoicesubtotal	money	Subtotal on entire invoice
invoicetax	money	Tax on entire invoice
pickedupamountcollected	money	Special order deposits already collected
soldnowdiscount	money	Discount applied to invoice at time of sale
soldnownontaxable	money	Sum of nontaxable parts price on invoice
soldnowprepaidamount	money	Sum of previously paid special order deposits
soldnowsubtotal	money	Sum of parts price before taxes
soldnowtax	money	Sum of taxes on invoice
soldnowtaxable	money	Sum of taxable parts price on invoice
soldnowtotals	money	Total amount due at time of sale
specialorderdiscount	money	Discount applied to special order amount
specialordernontaxable	money	Sum of nontaxable parts price on special order
specialordersubtotal	money	Sum of parts price on special order before taxes
specialordertax	money	Sum of taxes on special order
specialordertaxsubtotal	money	Subtotal including tax prior to deposit
specialordertaxable	money	Sum of taxable parts prices on special order
specialordertotals	money	Total amount of parts prices without taxes on special order
majorunitid	long	MU id if part is sold to unit
ponumber	string	Convenience field for dealer to enter in PO number associated to the invoice
repairorderid	long	RO id if part is sold to service
isresale	int	Denotes from customer record if the customer should be sold to at wholesale - Can be treated like a bool
saletypedescription	string	Dealer specified description of sale
shippingvendor	string	Name of selected shipping carrier
shippingmethod	string	Name of shipping method
shipmentcompletedate	date	Date shipment was picked up
isspecialorder	Int	Denotes if invoice is a special order - Can be treated like a bool

specialordercollectamount	money	Denotes how much the special order deposit should be
specialordernumber	int	SO number if part is on SO
layawaynumber	int	Layaway number if part is on Lay
taxresalenumbers	string	Tax ID from customer record if invoice is resale
trackingnumbers	string	Convenience field for dealer to enter in a tracking number for shipment
dealadjustmentprice	money	Deposit amount generated when invoice is associated with a deal
depositapplied	money	Sum of previously taken deposits on invoice
eachprice	money	Price of individual parts
totalreturn	money	Sum of parts price returned
inventorysource	int	Denotes if part was added to invoice via price book record or inventory record - 1 = inventory, 0 = price book
layawaypickup	int	Denotes if invoice is a layaway
linediscount	int	Denotes if discount was applied to part directly
miscellaneousline	int	Denotes if part is a misc part
specialorderpickup	int	Denotes if part is a special order pickup
istaxable	int	Denotes if part should be taxed - Can be treated like a bool
warranty	int	Denotes if part is associated with a warranty
taxcategoryid	long	ID of the parts tax category
weborderpartnumber	string	Part number received from web order
ordertype	string	Order type requested when part is a special order
taxcategorydescription	string	Description of tax category used
totalqty	int	Total requested quantity of part
webordernumber	String	Order number for web order

Notes: Use InvoiceId or InvoiceDate to determine changes.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "invoiceId": 52398358,
    "InvoiceNo": 14708,
    "CommonInvoiceID": 52398361,
    "InvoiceDate": "2018-07-31T07:11:45.017",
    "invoicelineno": 52398360,
    "CustID": "52106857",
    "salesmanId": "JE",
    "salesmanname": "Jake Evans",
    "cost": 20.19,
    "price": 34.99,
    "partno": "04189404",
    "source": "BE",
    "partdesc": "OIL-25W40 FCW I/O-I/B 5QT@4/CS",
  }
]
```

```

"qty": 1,
"pu": 0,
"so": 0,
"lay": 0,
"lost": 0,
"stdprice": 34.99,
"category": "ACC",
"FlagInternal": 0,
"SalesType": "C",
"cashiername": "Jake Evans",
"comment": "",
"datecreated": "2018-07-31T07:05:56.312",
"discontrate": 0.0,
"discounttype": "Undefined",
"invoicecollectamt": 39.21,
"invoicehandlingamt": 0.0,
"invoicediscount": 0.0,
"exttotalprice": 36.59,
"exttotalcost": 21.19,
"totalmargin": 15.4,
"invoicesubtotal": 36.59,
"invoice tax": 2.62,
"pickedupamountcollected": 0.0,
"soldnowdiscount": 0.0,
"soldnownontaxable": 0.0,
"soldnowprepaidamount": 0.0,
"soldnowsubtotal": 39.21,
"soldnowtax": 2.62,
"soldnowtaxable": 36.59,
"soldnowtotals": 36.59,
"specialorderdiscount": 0.0,
"specialordernontaxable": 0.0,
"specialordersubtotal": 0.0,
"specialordertax": 0.0,
"specialordertaxsubtotal": 0.0,
"specialordertaxable": 0.0,
"specialordertotals": 0.0,
"majorunitid": null,
"ponumber": "",
"repairorderid": null,
"isresale": 1,
"saletypedescription": "CUSTOMER - TAXABLE",
"shippingvendor": "",
"shippingmethod": "",
"shipmentcompletedate": "1000-01-01T00:00:00",
"isspecialorder": 0,
"specialordercollectamount": 0.0,
"specialordernumber": null,
"layawaynumber": null,
"taxresalenum": "",
"trackingnumbers": "",

```

```

    "dealadjustmentprice": 0.0,
    "depositapplied": 0.0,
    "eachprice": 34.99,
    "totalreturn": 34.99,
    "inventorysource": 1,
    "layawaypickup": 0,
    "linediscount": 0,
    "miscellaneousline": 0,
    "specialorderpickup": 0,
    "istaxable": 1,
    "warranty": 0,
    "taxcategoryid": 534220983665618092,
    "weborderpartnumber": null,
    "ordertype": null,
    "taxcategorydescription": "Tax",
    "totalqty": 1,
    "webordernumber": 12345
  },
  {
    "Cmf": "76156733",
    "DealerId": "",
    "invoiceId": 52398358,
    "InvoiceNo": 14708,
    "CommonInvoiceID": 52398361,
    "InvoiceDate": "2018-07-31T07:11:45.017",
    "invoicelineno": 52398359,
    "CustID": "52106857",
    "salesmanId": "JE",
    "salesmanname": "Jake Evans",
    "cost": 1.0,
    "price": 1.6,
    "partno": "Super Gas",
    "source": "AC",
    "partdesc": "Super",
    "qty": 1,
    "pu": 0,
    "so": 0,
    "lay": 0,
    "lost": 0,
    "stdprice": 1.6,
    "category": "GEN",
    "FlagInternal": 0,
    "SalesType": "C",
    "cashiername": "Jake Evans",
    "comment": "",
    "datecreated": "2018-07-31T07:05:56.312",
    "discontrate": 0.0,
    "discounttype": "Undefined",
    "invoicecollectamt": 39.21,
    "invoicehandlingamt": 0.0,
    "invoicediscount": 0.0,

```

```

"exttotalprice": 36.59,
"exttotalcost": 21.19,
"totalmargin": 15.4,
"invoicesubtotal": 36.59,
"invoicetax": 2.62,
"pickedupamountcollected": 0.0,
"soldnowdiscount": 0.0,
"soldnownontaxable": 0.0,
"soldnowprepaidamount": 0.0,
"soldnowsubtotal": 39.21,
"soldnowtax": 2.62,
"soldnowtaxable": 36.59,
"soldnowtotals": 36.59,
"specialorderdiscount": 0.0,
"specialordernontaxable": 0.0,
"specialordersubtotal": 0.0,
"specialordertax": 0.0,
"specialordertaxsubtotal": 0.0,
"specialordertaxable": 0.0,
"specialordertotals": 0.0,
"majorunitid": null,
"ponumber": "",
"repairorderid": null,
"isresale": 1,
"saletypedescription": "CUSTOMER - TAXABLE",
"shippingvendor": "",
"shippingmethod": "",
"shipmentcompletedate": "1000-01-01T00:00:00",
"isspecialorder": 0,
"specialordercollectamount": 0.0,
"specialordernumber": null,
"layawaynumber": null,
"taxresalenumbers": "",
"trackingnumbers": "",
"dealadjustmentprice": 0.0,
"depositapplied": 0.0,
"eachprice": 1.6,
"totalreturn": 1.6,
"inventorysource": 1,
"layawaypickup": 0,
"linediscount": 0,
"miscellaneousline": 0,
"specialorderpickup": 0,
"istaxable": 1,
"warranty": 0,
"taxcategoryid": 534220983665618092,
"weborderpartnumber": null,
"ordertype": null,
"taxcategorydescription": "Tax",
"totalqty": 1,
"webordernumber": 12345

```

```
}
]
```

OPENDEALDETAIL – OPEN SALES DEALS DETAIL

Notes: Because of the volatility of the open deal data set we suggest you treat the data as a snapshot and consume it as a whole instead of looking for changes in IDs or dates.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/OpenDealDetail/76156733>

Fields - OpenDealDetail

Field Name	Data Type	Description, Example
Cmf(key)	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId (key)	string	System generated unique identifier
DealNo	string	External DMS deal identifier
FinInvoiceID	int	Internal DMS deal identifier
FinanceDate	date	Date deal was finalized
OriginatingDate	date	Date deal was created
DeliveryDate	date	Date unit was delivered to customer
lastmodifieddate	datetime	Date deal record was last modified
salesmanid	id	DMS Id of salesperson
dealstate	string	State of the deal – Quote, Deal, Lead, Canceled Quote, Voided Deal, Inactive Deal
sourcetype	string	Lead type of source
clpremium	money	Price of CL on deal
clcost	money	Cost of CL on deal
ahpremium	money	Price of Accident & Health insurance on deal
ahcost	money	Cost of Accident & Health insurance on deal
CustID	string	DMS customer identifier
lienholder	string	Lien holder on the deal
lienaddressfirstline	string	Address of Lienholder
lienaddressesecondline	string	Address of Lienholder
liencity	string	City of Lienholder
lienzip	string	Zip of Lienholder
lienstate	string	State/Providence of Lienholder
AmtFinanced	money	Amount financed on deal
Term	int	Term of financing
Rate	money	Rate of financing
Payment	money	Monthly payment of financing
DaysToFirst	int	How many days until first payment
SalesmanName	string	Name of salesperson
totaldownpayment	money	Total monies received for down payment
fincharge	money	Financing charge

fincost	money	Cost of financing
cobuyercustid	string	In store identifier of co-buyer
cobuyername	string	Name of co-buyer
cobuyeraddr	string	Address of co-buyer
cobuyeraddr2	string	Additional address of co-buyer
cobuyercity	string	City of co-buyer
cobuyerstate	string	State of co-buyer
cobuyerzip	string	Zip code of co-buyer
cobuyercounty	string	County of co-buyer
cobuyerhomephone	string	Home phone of co-buyer
cobuyerworkphone	string	Work phone of co-buyer
cobuyercellphone	string	Cell phone of co-buyer
cobuyeremail	string	Email of co-buyer
cobuyerbirthdate	string	Birthdate of co-buyer
Salesman2name	string	Name of the second salesman on the deal
Salesman2id	int	ID of the second salesman on the deal
Salesmanfi1id	int	ID of the first F&I person on the deal
Salesmanfi1name	string	Name of the first F&I person on the deal
Salesmanfi2id	int	ID of the second F&I person on the deal
Salesmanfi2name	string	Name of the second F&I person on the deal
Salesman1split	money	Percentage of the deal that goes to the first salesman
Salesman2split	money	Percentage of the deal that goes to the second salesman
stagename	string	Description of deal's current stage
source	string	Description of where the deal originated
totalcashprice	money	Total price of the unit, options, freight, prep, fees and extras, and tax
totalprevpymt	money	Total of all previous deposits
additionalpymtoday	money	Additional deposits required
deferredamt	money	Deferred payment amount used in financing
extra1amt	money	User defined amount field
balancetofinance	money	Balance prior to financing
totalofpayments	money	Balance after financing
addonrate	money	Additional interest rate on APR
aprbuyrate	money	APR buy rate
addonbuyrate	money	Additional interest on APR buy rate
balloonterm	money	Duration of balloon finance
balloonpayment	money	Calculated payment for balloon financing
ins1amt	money	Calculated insurance price from formula
ins1cost	money	Calculated insurance cost from formula
ins2amt	money	Calculated insurance price from formula
ins2cost	money	Calculated insurance cost from formula
ins3amt	money	Calculated insurance price from formula
ins3cost	money	Calculated insurance cost from formula
ins4amt	money	Calculated insurance price from formula

ins4cost	money	Calculated insurance cost from formula
ins5amt	money	Calculated insurance price from formula
ins5cost	money	Calculated insurance cost from formula
ins6amt	money	Calculated insurance price from formula
ins6cost	money	Calculated insurance cost from formula
insurancetaxtotal	money	Total sum tax calculated from insurance prices
femargin	money	Front end margin
bemargin	money	Back end margin
createdate	datetime	Date deal record was created
customerextraline	string	Dealer notes pertaining to deal
customernotes	string	Dealer notes pertaining to customer
salesmanusername	string	User name of deal sales person
fincostoverride	money	Dealer specified finance cost
isfincostoverride	boolean	Denotes if dealer is overriding finance cost
firstlienaddressfirstline	string	First address line of first lienholder
firstlienaddressesecondline	string	Second address line of first lienholder
firstliency	string	City of first lienholder
firstlienzip	string	Zip code of first lienholder
firstlienstate	string	State/Prov of first lienholder
salestaxtotal	money	Sum of all tax under sales tax category
vehicletaxtotal	money	Sum of all tax under vehicle tax category
salesagent1	string	Name of first sales agent
salesagent2	string	Name of second sales agent
salesagent3	string	Name of third sales agent
salesmanager	string	Name of sales manager
dealdescription	string	Dealer entered description of deal
lhphonenumber	string	Phone number of lien holder
Units	array	Container for an array of Unit objects
Trade	array	Container for an array of Trade objects
DealExtraLines	array	Container for an array of Deal Extra Line objects
DealProspect	array	Container for an array of Deal Prospect objects

Fields - OpenDealDetail.Unit

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealUnitID (key)	long	Unit id on the deal
DealNo (key)	string	External DMS deal identifier
Newused	string	N - New, U - Used
Year	string	Model year of unit
Make	string	Maker of unit
Model	string	Model of unit
VIN	string	VIN of unit
unittype	string	Description of type of unit

Class	string	Dealer assigned class for unit
Unitprice	money	Price of the unit
mucost	money	Cost of the unit
Freight	money	Price of freight
Freightcost	money	Cost of freight
Handling	money	Price of handling
Handlingcost	money	Cost of handling
Licfees	money	Price of licensing fees
LicFeesCost	money	Cost of licensing fees
Totaccy	money	Price of all accessories on deal
Totinstall	money	Price of installation
Tradeall	money	Trade allowance on deal
Tradeacv	money	Trade ACV
Accycost	money	Cost of accessories on unit
Installcost	money	Cost of installation
DateReceived	date	Date trade was received
servcont	money	Price of service contract
sccost	money	Cost of service contract
probiab	money	Price of Property Liability
plcost	money	Cost of Property Liability
PackAmt	money	Pack amount
HoldbackAmt	money	Holdback amount
docfees	money	Documentation Feeds
UnitSoldPrice	money	Unitprice+freight+handling- Tradeall+Traceacv+Totaccy+totinstall
UnitSoldCost	money	This is calculated outside of the DMS and intended as a convenience field. MUCost + FreightCost + HandlingCost + AccyCost + InstallCost
TotalPartsAmount	money	Sum(qty*price)
DaysInStore	int	(CurrentTime) – DateReceived displayed in days
UnitLine1	money	Amount from user configurable field
UnitLine2	money	Amount from user configurable field
UnitLine3	money	Amount from user configurable field
UnitLine4	money	Amount from user configurable field
UnitLine5	money	Amount from user configurable field
UnitLine6	money	Amount from user configurable field
UnitLine7	money	Amount from user configurable field
UnitLine8	money	Amount from user configurable field
UnitLine9	money	Amount from user configurable field
UnitLine10	money	Amount from user configurable field
UnitLine11	money	Amount from user configurable field
UnitLine12	money	Amount from user configurable field
UnitLine13	money	Amount from user configurable field
UnitLine14	money	Amount from user configurable field
UnitLine15	money	Amount from user configurable field
UnitLine16	money	Amount from user configurable field
UnitLine17	money	Amount from user configurable field

UnitLine18	money	Amount from user configurable field
UnitLine19	money	Amount from user configurable field
UnitLine20	money	Amount from user configurable field
UnitLine1cost	money	Amount from user configurable field
UnitLine2cost	money	Amount from user configurable field
UnitLine3cost	money	Amount from user configurable field
UnitLine4cost	money	Amount from user configurable field
UnitLine5cost	money	Amount from user configurable field
UnitLine6cost	money	Amount from user configurable field
UnitLine7cost	money	Amount from user configurable field
UnitLine8cost	money	Amount from user configurable field
UnitLine9cost	money	Amount from user configurable field
UnitLine10cost	money	Amount from user configurable field
UnitLine12cost	money	Amount from user configurable field
UnitLine11cost	money	Amount from user configurable field
UnitLine13cost	money	Amount from user configurable field
UnitLine14cost	money	Amount from user configurable field
UnitLine15cost	money	Amount from user configurable field
UnitLine16cost	money	Amount from user configurable field
UnitLine17cost	money	Amount from user configurable field
UnitLine18cost	money	Amount from user configurable field
UnitLine19cost	money	Amount from user configurable field
UnitLine20cost	money	Amount from user configurable field
Color	string	Color of unit
Odometer	string	Mileage of unit
stocknumber	string	Dealer made identifier of unit
deposit	money	Deposit put on deal
bodytype	string	Dealer description of the unit bodytype
enginenum	string	Engine number as input by the dealer
cylinders	int	Number of cylinders in the engine
gvwr	money	Unit GVWR
fueltype	string	Type of fuel the unit takes
majorunitsalescategory	string	Category of unit on deal
servconterm	int	Term of service contract
unitline4term	string	Currently set to 0
unitline5term	string	Currently set to 0
unitline6term	string	Currently set to 0
unitline10term	string	Currently set to 0
unitline11term	string	Currently set to 0
unitline12term	string	Currently set to 0
plateno	string	License plate number of unit
customerunitid	int	Set to the unit ID
packageid	long	Major unit header ID of unit
modelname	string	Alternate model name of unit
majorunitid	int	System identifier corresponds to majorunitheaderid record
manufacturer	string	Manufacturer of the unit
msrp	money	MSRP of the unit

Taxableamounttotal	money	Amount that can be taxed
taxpercent	money	Tax percent of the unit
salestaxpercent	money	Sales tax percent of the unit
vehicletaxpercent	money	Vehicle tax percent of the unit
Certified	boolean	Specified by dealer for certified used status
partscustomeraddtaxablecost	money	Sum of cost of parts added to the unit as customer add that are taxable
partscustomeraddnontaxablecost	money	Sum of cost of parts added to the unit as customer add that are non-taxable
partsdealeraddtaxablecost	money	Sum of cost of parts added to the unit as dealer add that are taxable
partsdealeraddnontaxablecost	money	Sum of cost of parts added to the unit as dealer add that are non-taxable
laborcustomeraddtaxablecost	money	Sum of cost of labor added to the unit as customer add that are taxable
laborcustomeraddnontaxablecost	money	Sum of cost of labor added to the unit as customer add that are non-taxable
labordealeraddtaxablecost	money	Sum of cost of labor added to the unit as dealer add that are taxable
labordealeraddnontaxablecost	money	Sum of cost of labor added to the unit as dealer add that are non-taxable
ManufToDealerRebateAmt	money	Rebate to dealer set from manufacturer
PriceProtectionRebateAmt	money	Price Protection Rebate from the manufacturer if retail changes for the dealer
YearEndDiscountAmt	money	Discount on unit at the end of the year
isprimary	int	Indicator if the units is the primary vehicle of a package
primaryunitid	long	References the primary units DealUnitId if in a package
Parts	array	Container for an array of Part objects

Fields - OpenDealDetail.Unit.Parts

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId (key)	string	System generated unique identifier
DealUnitID (key)	long	Unit id on the deal
MajorUnitPartsId(key)	long	DMS assigned ID for the part associated with the unit
DealNo (key)	string	External DMS deal identifier
PartNumber	string	Part identifier
Suppliercode	string	Abbreviated name of maker
RequestedQty	int	Amount of part being requested
SpecialOrderQty	int	Amount of part being special ordered
Qty	int	Amount of part sold
Cost	money	Cost of the part after being sold from parts dept
Price	money	Price of the part
Retail	money	Standard price of the part

SetupInstall	string	S – Setup, I - Installed
Description	string	Description of part
dealstate	int	Status identifier of the deal – (1,7) = Quote, 2 = Deal, 3 = Canceled Quote, 4 = Voided Deal, 8 = Lead, 9 = Inactive Deal
internaltype	int	Defines part type on deal – 0=Undefined, 1=Prep, 2=Dealer Add (installed), 3=Customer Add (not-installed), 4=Warranty

Fields – OpenDealDetail.Unit.Labor

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId(key)	string	System generated unique identifier
DealUnitId(key)	int	Deal ID of the Unit
MajorUnitLaborId	Int	DMS assigned ID for the labor associated with the unit
MajorUnitHeaderId	int	Major unit header id of unit
DealNo	string	External DMS deal identifier
RepairOrderID	int	DMS internal identifier of RO
RepairOrderNumber	int	DMS external (customer facing) RO identifier
rostatus	string	Status identifier of the repair order – Cashiered
RepairOrderJobTitle	string	Free form title of RO job
Description	string	Free form description of RO job
SetupInstall	string	P – Prep, S – setup, I - Installed
RetailPrice	money	Set labor price matching LaborCost from the service department
LaborPrice	money	Price of the labor on the deal
LaborCost	money	Cost of labor on the deal after being cashiered from the service department
SubletPrice	money	Price of the sublet on the deal
SubletRetailPrice	money	Set sublet price matching subletcost from the service department
SubletCost	money	Cost of the sublet on the deal after being cashiered from the service department

Fields – OpenDealDetail.Trade

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealId(key)	string	System generated unique identifier
DealTradeId	long	DMS assigned ID for the trade unit
VIN	string	Trade VIN

StdMake	string	Trade Standardized Make
StdModel	string	Trade Standardized Model
StdYear	string	Trade Standardized Year
StdCategory	string	Trade Standardized Category
allowance	money	Allowance on the trade
acv	money	ACV of the trade
payoff	money	Amount required for dealer to payoff current loan on trade
lienholder	string	Name of lien holder for Payoff
unitclass	string	Dealer defined class of trade unit
color	string	Color of the trade unit
odometer	long	Odometer of trade unit
manufacturer	string	Manufacturer of trade unit
note	string	Dealer notes of trade unit
unittype	string	Dealer defined type of unit

Fields - OpenDealDetail.DealExtraLines

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealUnitID(key)	long	Unit id on the deal
DealId(key)	string	System generated unique identifier
FinInvoiceID	int	Internal DMS deal identifier set to 0, populates when deal is finalized
DealNo	string	External DMS deal identifier
LineName	string	Extra line description
ExtraLineNumber(key)	string	Number of extra line in deal
LineType	string	Specifies front end FE or back end BE
Amount	money	Amount on the extra line
Cost	money	Cost of the extra line
Term	int	Term of the extra line
arcustomer	string	AR Customer of unit extra line
apvendor	string	AP Vendor of unit extra line
mappingtype	string	Description of what the extra line maps to: • UNDEFINED • BATTERY_COVERAGE • BATTERY_FEE • CREDIT_CARD_FEES • DISCOUNT • DOC_AND_ADMIN_FEES • FREIGHT_SETUP_HANDLING • GAP • GIFT_CARDS • INSURANCE • LABOR

		• LENDER_FEES • LOYALTY_PROGRAMS • OEM_PROMOTIONS • OTHER • PAINT_AND_FABRIC • PREPAID_MAINTENANCE • ROADSIDE_ASSISTANCE • ROADSIDE_HAZARD • SECURITY • SERVICE_CONTRACT • SURFACE_PROTECTION • TAXES • TIRE_AND_WHEEL • TITLE_AND_REG_FEES • TRAVEL_ASSISTANCE
--	--	---

Fields – OpenDealDetail.DealProspect

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo	string	Deal (Worksheet) Number
Dealid(key)	string	DMS assigned ID of the deal
Sourceprospectid(key)	string	Unique ID of the prospect
prospectsourceid	string	Source of the prospect
prospectstate	string	Status of the prospect
Createdate	Datetime	Date when prospect was created
Make	String	Make of the unit on the prospect
Model	string	Model of the unit on the prospect
Year	string	Year of the model on the prospect
VIN	string	VIN of the model on the prospect
StockNumber	string	Stock Number of the prospect

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "DealId": "732445581656847988",
    "DealNo": "4009844",
    "FinInvoiceId": 0,
    "FinanceDate": "1000-01-01T00:00:00",
    "OriginatingDate": "2022-02-18T16:44:00.794",
```

```

"DeliveryDate": "2022-12-09T17:00:00",
"lastmodifieddate": "2022-12-07T19:28:30.058",
"salesmanid": 2128766,
"dealstate": "Deal",
"sourcetype": "PHONE",
"clpremium": 0,
"clcost": 0,
"ahpremium": 0,
"ahcost": 0,
"CustID": "32431068",
"lienholder": " ",
"lienaddressfirstline": "",
"lienaddresssecondline": "",
"liencity": "",
"lienzip": "",
"lienstate": "",
"AmtFinanced": 19360.4,
"Term": 60,
"Rate": 10,
"Payment": 411.35,
"DaysToFirst": 30,
"SalesmanName": "CRAIG WILCOX",
"totaldownpayment": 750,
"fincharge": 5320.6,
"fincost": 0,
"cobuyercustid": "0",
"cobuyername": "",
"cobuyeraddr": "",
"cobuyeraddr2": "",
"cobuyercity": "",
"cobuyerstate": "",
"cobuyerzip": "",
"cobuyercounty": "",
"cobuyerhomephone": "",
"cobuyerworkphone": "",
"cobuyer cellphone": "",
"cobuyeremail": "",
"cobuyerbirthdate": "1910-01-01T00:00:00",
"Salesman2name": "Travis Boyd",
"Salesman2id": 2128667,
"Salesmanfi1id": 2128766,
"Salesmanfi1name": "CRAIG WILCOX",
"Salesmanfi2id": "",
"Salesmanfi2name": "",
"Salesman1split": 100,
"Salesman2split": 0,
"stagename": "Deliver",
"source": "Phone",
"totalcashprice": 20110.4,
"totalprevpymt": 750,
"additionalpymttoday": 0,

```

```

"deferredamt": 0,
"extra1amt": 0,
"balancetofinance": 19360.4,
"totalofpayments": 24681,
"addonrate": 0,
"aprbuyrate": 0,
"addonbuyrate": 0,
"balloonterm": 0,
"balloonpayment": 0,
"ins1amt": 0,
"ins1cost": 0,
"ins2amt": 0,
"ins2cost": 0,
"ins3amt": 0,
"ins3cost": 0,
"ins4amt": 0,
"ins4cost": 0,
"ins5amt": 0,
"ins5cost": 0,
"ins6amt": 0,
"ins6cost": 0,
"insurancetaxtotal": 0,
"femargin": 963.97,
"bemargin": 5445.6,
"createdate": "2022-02-18T16:44:00.794",
"customerextraline": "",
"customernotes": "- 12 Months BRP Limited Warranty + $750 in Ski-Doo
Accessories and Apparel at MSRP (Maintenance items excluded other exclusions
apply)\n- Must pay in full by 10/31/2022 or within 15 days of dealer notification
of unit arrival (whichever is later)\n- Pricing and Surcharges are assigned by
the OEM and are subject to change without notice\n",
"salesmanusername": "CW",
"firstlienaddressfirstline": "",
"firstlienaddressesecondline": "",
"firstliencity": "",
"firstlienzip": "",
"firstlienstate": "",
"salestaxtotal": 105.98,
"vehicletaxtotal": 0,
"salesagent1": "",
"salesagent2": "",
"salesagent3": "",
"salesmanager": "BRIAN BODINE",
"dealdescription": "2023 Spring Sales Event *2023 Ski Doo Renegade X-RS 850
E-Tec 1.5 Ice Ripper ",
"lhphonenumber": "",
"Units": [
{
"DealerId": "",
"DealUnitId": 32431256,
"DealNo": "4009844",

```

```

"Newused": "N",
"Year": "2023",
"Make": "SKI-D00",
"Model": "ULPV",
"VIN": "2BPSULPV0PV025149",
"unitttype": "SNOWMOBILE",
"Class": "N",
"Unitprice": 17350,
"mucoast": 18915.45,
"Freight": 505,
"Freightcost": 0,
"Handling": 216,
"Handlingcost": 198,
"LicFees": 0,
"LicFeesCost": 0,
"Totaccy": 654.46,
"Totinstall": 753.96,
"Tradeall": 0,
"Tradeacv": 0,
"Accycost": 654.46,
"Installcost": 753.96,
"DateReceived": "2022-11-30T00:00:00",
"servcont": 0,
"sccost": 0,
"propliab": 0,
"plcost": 0,
"PackAmt": 0,
"HolbackAmt": 578.97,
"docfees": 125,
"UnitSoldPrice": 19479.42,
"UnitSoldCost": 20521.87,
"TotalPartsAmount": 382.47,
"DaysInStore": 7,
"UnitLine1": 400,
"UnitLine2": 0,
"UnitLine3": 0,
"UnitLine4": 0,
"UnitLine5": 0,
"UnitLine6": 0,
"UnitLine7": 0,
"UnitLine8": 0,
"UnitLine9": 0,
"UnitLine10": 0,
"UnitLine11": 0,
"UnitLine12": 0,
"UnitLine13": 0,
"UnitLine14": 0,
"UnitLine15": 0,
"UnitLine16": 0,
"UnitLine17": 0,
"UnitLine18": 0,

```

```

"UnitLine19": 0,
"UnitLine20": 0,
"UnitLine1cost": 0,
"UnitLine2cost": 0,
"UnitLine3cost": 0,
"UnitLine4cost": 0,
"UnitLine5cost": 0,
"UnitLine6cost": 0,
"UnitLine7cost": 0,
"UnitLine8cost": 0,
"UnitLine9cost": 0,
"UnitLine10cost": 0,
"UnitLine11cost": 0,
"UnitLine12cost": 0,
"UnitLine13cost": 0,
"UnitLine14cost": 0,
"UnitLine15cost": 0,
"UnitLine16cost": 0,
"UnitLine17cost": 0,
"UnitLine18cost": 0,
"UnitLine19cost": 0,
"UnitLine20cost": 0,
"Color": "Black",
"Odometer": "0",
"stocknumber": "SB23-000149",
"deposit": 750,
"bodytype": "",
"enginenum": "MC1606595",
"cylinders": "0",
"gvwr": "0",
"fueltype": "",
"majorunitsalescategory": "New Units - BRP Snowmobile",
"servcontterm": 0,
"unitline4term": "0",
"unitline5term": "0",
"unitline6term": "0",
"unitline10term": "0",
"unitline11term": "0",
"unitline12term": "0",
"plateno": "",
"customerunitid": 0,
"packageid": 32431255,
"modelname": "Renegade X-RS 850 E-TEC Ice Ripper XT 1.5\" E.S. w/ Smart-
Shox w/ 10.25\" Touchscreen",
"majorunitid": 32431255,
"manufacturer": "",
"msrp": 19299,
"Taxableamounttotal": 1408.42,
"taxpercent": 7.525,
"salestaxpercent": 7.525,
"vehicletaxpercent": 0,

```

```

"partscustomeraddtaxablecost": 654.46,
"partscustomeraddnontaxablecost": 0,
"partsdealeraddtaxablecost": 0,
"partsdealeraddnontaxablecost": 0,
"laborcustomeraddtaxablecost": 753.96,
"laborcustomeraddnontaxablecost": 0,
"labordealeraddtaxablecost": 0,
"labordealeraddnontaxablecost": 0,
"ManufToDealerRebateAmt": "600.00",
"PriceProtectionRebateAmt": "900.00",
"YearEndDiscountAmt": "1500.00",

"Parts": [
  {
    "DealerId": "",
    "MajorUnitPartsId": 735504200733130000,
    "PartNumber": "860202428",
    "SupplierCode": "SD",
    "Qty": 0,
    "Cost": 271.99,
    "Price": 271.99,
    "Retail": 319.99,
    "SetupInstall": "I",
    "Description": "LIGHT_AUXILIARY LAT KIT",
    "dealstate": 2,
    "internaltype": 3
  },
  {
    "DealerId": "",
    "MajorUnitPartsId": 735504200733130000,
    "PartNumber": "860202449",
    "SupplierCode": "SD",
    "Qty": 1,
    "Cost": 174.24,
    "Price": 174.24,
    "Retail": 174.24,
    "SetupInstall": "I",
    "Description": "BAG_STORAGE TUNNEL LINQ",
    "dealstate": 2,
    "internaltype": 3
  },
  {
    "DealerId": "",
    "MajorUnitPartsId": 735504200733130000,
    "PartNumber": "860202433",
    "SupplierCode": "SD",
    "Qty": 1,
    "Cost": 46.74,
    "Price": 46.74,
    "Retail": 54.99,
    "SetupInstall": "I",
  }
]

```

```

        "Description": "USB INTELLIGENT POWER  OUTLET KIT G4/G5/NEO",
        "dealstate": 2,
        "internaltype": 3
    },
    {
        "DealerId": "",
        "MajorUnitPartsId": 735504200733130000,
        "PartNumber": "860202420",
        "SupplierCode": "SD",
        "Qty": 1,
        "Cost": 161.49,
        "Price": 161.49,
        "Retail": 189.99,
        "SetupInstall": "I",
        "Description": "SKID PLATE REV5 BLACK",
        "dealstate": 2,
        "internaltype": 3
    }
],
"Labor": [
    {
        "DealerId": "",
        "MajorUnitLaborId": 33023115,
        "MajorUnitHeaderId": 32431255,
        "DealNo": "4009844",
        "RepairOrderID": 32507439,
        "RepairOrderNumber": 101865,
        "rostatus": "In Process",
        "RepairOrderJobTitle": "INSTALL PAC (2)",
        "Description": "",
        "SetupInstall": "Customer Add",
        "RetailPrice": 132,
        "LaborPrice": 132,
        "LaborCost": 132,
        "SubletPrice": 0,
        "SubletRetailPrice": 0,
        "SubletCost": 0
    },
    {
        "DealerId": "",
        "MajorUnitLaborId": 33023124,
        "MajorUnitHeaderId": 32431255,
        "DealNo": "4009844",
        "RepairOrderID": 32507439,
        "RepairOrderNumber": 101865,
        "rostatus": "In Process",
        "RepairOrderJobTitle": "ASM & PDI",
        "Description": "ASSEMBLE AND PDI CHECKLIST\n\n1. VERIFY CRATE/ VIN
NUMBER\n2. TAKE PHOTOS OF CRATE\n3. NOTE ANY DAMAGE\n4. VERIFY UNIT VIN
NUMBER\n5. FOLLOW MANUFACTURERS ASSEMBLE AND PDI GUIDELINES\n6. VERIFY ALL PAC IS
INSTALLED IF NECESSARY\n7. FINAL WALK AROUND NOTING ANY DAMAGE, BLEMISHES,

```

IMPERFECTIONS OR CONCERNS\n8. SCAN PDI SHEETS\n9. TURN IN PAPERWORK\n10. ADDRESS ALL PREVIOUS LINES IN TECH NOTES",

```

    "SetupInstall": "Prep",
    "RetailPrice": 198,
    "LaborPrice": 0,
    "LaborCost": 198,
    "SubletPrice": 0,
    "SubletRetailPrice": 0,
    "SubletCost": 0
  },
  {
    "DealerId": "",
    "MajorUnitLaborId": 32507440,
    "MajorUnitHeaderId": 32431255,
    "DealNo": "4009844",
    "RepairOrderID": 32507439,
    "RepairOrderNumber": 101865,
    "rostatus": "In Process",
    "RepairOrderJobTitle": "INSTALL PAC",
    "Description": "",
    "SetupInstall": "Customer Add",
    "RetailPrice": 236.5,
    "LaborPrice": 236.5,
    "LaborCost": 236.5,
    "SubletPrice": 0,
    "SubletRetailPrice": 0,
    "SubletCost": 0
  }
]
},
"Trade": [],
"DealExtraLines": [
  {
    "DealerId": "",
    "DealUnitId": 32431256,
    "FinInvoiceId": "0",
    "DealNo": "4009844",
    "LineName": "Extras 15",
    "ExtraLineNumber": "14",
    "LineType": "BE15",
    "MappingType": "UNDEFINED",
    "Amount": 0,
    "Cost": 0,
    "Term": 0,
    "arcustomer": null,
    "apvendor": null
  },
  {
    "DealerId": "",
    "DealUnitId": 32431256,
    "FinInvoiceId": "0",

```

```

        "DealNo": "4009844",
        "LineName": "(not used)",
        "ExtraLineNumber": "10",
        "LineType": "BE11",
        "MappingType": "UNDEFINED",
        "Amount": 0,
        "Cost": 0,
        "Term": 0,
        "arcustomer": null,
        "apvendedor": null    }
    ],
    "DealProspect": []
}
]
```

DELETEDPART – PARTS DELETED FROM INVENTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/DeletedPart/76156733>

Fields - DeletedPart

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
partnumber(key)	string	Part identifier
Suppliercode(key)	string	Abbreviated name of maker
dtstamp	datetime	Date when the part was deleted

Example JSON Result

```

[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "partnumber": "3084866",
    "suppliercode": "PO",
    "dtstamp": "2018-12-18T17:36:20.232"
  }
]
```

INACTIVEPART – PARTS INACTIVATED FROM INVENTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/InactivePart/76156733>

Fields - InactivePart

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
partnumber (key)	string	Part identifier
suppliercode(key)	string	Abbreviated name of maker
inactivatedate	date	Date the part was made inactive

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "partnumber": "140051",
    "suppliercode": "TR",
    "inactivatedate": "2022-06-01T18:38:11.497",
  }
]
```

ACCTBALANCE – ACCOUNT BALANCES BY YEAR

Example URL

<https://int.Lightspeeddataservices.com/lsapi/AcctBalance/76156733>

Fields - AcctBalance

Field Name	Data Type	Description, Example
Cmf	string	dealer number
DealerId	string	Internal Dealer Identifier (intentionally left blank)
AcctCode (key)	string	Account Code
DeptCode (key)	string	Department Code
FiscalYear (key)	short	Year record is report on
BeginningBalance	decimal	Account balance at beginning of fiscal year
Month1	decimal	Ending balance at end of month 1 of fiscal year
Month2	decimal	Ending balance at end of month 2 of fiscal year

Month3	decimal	Ending balance at end of month 3 of fiscal year
Month4	decimal	Ending balance at end of month 4 of fiscal year
Month5	decimal	Ending balance at end of month 5 of fiscal year
Month6	decimal	Ending balance at end of month 6 of fiscal year
Month7	decimal	Ending balance at end of month 7 of fiscal year
Month8	decimal	Ending balance at end of month 8 of fiscal year
Month9	decimal	Ending balance at end of month 9 of fiscal year
Month10	decimal	Ending balance at end of month 10 of fiscal year
Month11	decimal	Ending balance at end of month 11 of fiscal year
Month12	decimal	Ending balance at end of month 12 of fiscal year
accountdepartment	string	Account dept number
glaccounttype	string	Type of GL account
accountingid	long	ID of accounting database
active	bool	Status of GL account
consolidationind	string	Indicates GL account consolidates into another account
debitcredit	string	Indicates account is debit or credit
acctdesc	string	Description of account
headerdetailtotalcons	string	Indicates the account type
profitbalance	string	Indicates whether profit or balance
schedule	string	Indicates which scheduled account record is associated with
sequencenumber	int	Sequence account appears in PL statement
deptname	string	Name of account department
consacctdept	string	Consolidated account number

It is suggested to utilize a filter against FiscalYear.

Note: For shared accounting, combine beginning balance with fiscal year and dept code to receive shared beginning balance.

Example JSON Result

```
[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "AcctCode": "20221",
    "DeptCode": "",
    "FiscalYear": 2023,
    "BeginningBalance": 56882.56,
    "Month1": -37487.88,
    "Month2": 0,
    "Month3": 0,
    "Month4": 0,
  }
]
```

```

    "Month5": 0,
    "Month6": 0,
    "Month7": 0,
    "Month8": 0,
    "Month9": 0,
    "Month10": 0,
    "Month11": 0,
    "Month12": 0,
    "accountdepartment": "20221",
    "glaccounttype": "Asset",
    "accountingid": 1,
    "active": true,
    "consolidationind": "Does Not Consolidate",
    "debitcredit": "Debit",
    "acctdesc": "PWB - Used Purchasing",
    "headerdetailtotalcons": "Detail",
    "profitbalance": "Balance",
    "schedule": "None",
    "sequencenumber": 7000,
    "deptname": "Consolidated Company",
    "consacctdept": null
  }
]

```

AWAITINGTRADES

Example URL

<https://int.Lightspeeddataservices.com/lsapi/AwaitingTrades/76156733>

Fields - AwaitingTrades

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Fininvoiceid	int	Deal ID - will be 0 on anything that is an open deal
Dealno	string	Dealer number or worksheet number
Dealstate	string	State of deal – Lead, Quote, Deal
Dealid(key)	long	Actual deal Id
Dealtradeid(key)	long	Trade ID associated to the trade record on the deal
Dealunitid	long	Deal unit ID associated to the trade record on the deal
Modelyear	int	Model year of the trade
Make	string	Make of the trade
Model	string	Model of the trade
Vin	string	VIN of the trade
Class	string	Dealer defined unit class of the trade
Color	string	Color of the trade

Odometer	long	Odometer reading of the trade
Allowance	money	Offered amount for trade on the deal
Payoff	money	Remaining payoff value of the trade to the lender
Acv	money	Actual cash value of trade = Allowance - Payoff

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "fininvoiceid": 0,
    "dealstate": "Deal",
    "dealid": 663234075704589868,
    "dealtradeid": 664937366680489032,
    "dealunitid": 663234075711929932,
    "modelyear": 2020,
    "make": "HD",
    "model": "FLHCS",
    "vin": "1HD1YBK13LB027618",
    "Class": "",
    "color": "",
    "odometer": 0,
    "allowance": 4800.0,
    "payoff": 0.0,
    "acv": 4800.0
  }
]
```

DEALSTAGEHISTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/DealStageHistory/76156733>

Fields - DealStageHistory

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Dealno(key)	string	Deal number or worksheet number
Changeddatetime	datetime	Date when deal stage changed
Username	string	Name of user that changed deal state
Dealevent	string	Description of what occurred to change deal state

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "dealno": "4001096",
    "changeddatetime": "2020-05-18T17:24:05.852",
    "username": "Craig Wilcox",
    "dealevent": "Added Stage: Identify Major Unit"
  },
  {
    "Cmf": "76156733",
    "DealerId": "",
    "dealno": "4001112",
    "changeddatetime": "2020-06-01T18:38:11.497",
    "username": "Dustin Adamson",
    "dealevent": "Added Stage: Ask Questions"
  },
  {
    "Cmf": "76156733",
    "DealerId": "",
    "dealno": "4001108",
    "changeddatetime": "2020-06-18T22:04:04.283",
    "username": "Craig Wilcox",
    "dealevent": "Added Stage: Identify Major Unit"
  }
]
```

PARTADJUSTMENT

Example URL

<https://int.Lightspeeddataservices.com/lsapi/PartAdjustment/76156733>

Fields - PartAdjustment

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Partnumber(key)	string	Main part number of inventory item
Suppliercode(key)	string	Short code of part supplier
Adjustmenttype	string	Reason for adjustment – Unknown, Purchase Order, Part Inventory, Supplier Return, Price Update, Count Sheet, Bar Code, Suggest Order, Cost Update From PO
Adjustmentcost	money	Cost of each individual part
Adjustmentqty	int	Quantity of part being added or removed from inventory
Changecode	int	Internal change code value of adjustment type

Costadjustmentcost	money	Cost adjustment amount to part inventory records cost at time of receiving due to difference original inventory cost and current cost
Costadjustmentqty	int	Difference between the parts current replacement cost and its most recent history replacement cost.
Dategathered(key)	date	Date when part adjustment record was created
Employeeenamel	string	Name of employee that did the adjustment
Packingslip	string	Packing slip number the adjustment is associated with
Specialordernumber	int	Special order the adjustment is associated with
Returnnumber	int	Dealer facing supplier return number
Supplierreturnnumber	string	System generated supplier return number
Sraccounting	string	Account Type
Srnotes	string	Notes on account

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "partnumber": "981540",
    "suppliercode": "TR",
    "adjustmenttype": "Cost Update From PO",
    "adjustmentcost": 0.0,
    "adjustmentqty": 0,
    "change code": 8,
    "costadjustmentcost": -46.98,
    "costadjustmentqty": 0,
    "dategathered": "2021-07-10T06:42:14.424",
    "employeeenamel": "Brandon",
    "packingslip": "12",
    "specialordernumber": 0,
    "returnnumber": null,
    "supplierreturnnumber": null,
    "sraccounting": "",
    "srnotes": null
  },
  {
    "Cmf": "76156733",
    "DealerId": "",
    "partnumber": "981540",
    "suppliercode": "TR",
    "adjustmenttype": "Purchase Order",
    "adjustmentcost": 90.99,
    "adjustmentqty": 1,
    "change code": 1,
    "costadjustmentcost": 0.0,
```

```

    "costadjustmentqty": 0,
    "dategathered": "2021-07-10T06:42:14.433",
    "employeenname": "Brandon",
    "packingslip": "12",
    "specialordernumber": 1950,
    "returnnumber": null,
    "supplierreturnnumber": null,
    "sraccounting": "",
    "srnotes": null
  }
]

```

GLHISTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/GLHistory/76156733>

Fields - GLHistory

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
glhistoryid(key)	long	Id for history record
journralentryid(key)	long	Id for journal entry record
accountdepartment(key)	string	GL Account number
description	string	Description of GL account
debit	money	Debit amount of transaction
credit	money	Credit amount of transaction
documentnumber(key)	string	Dealer specified document identifier
date	date	Date of GL History record
scheduleid	bigint	Foreign identifier to scheduled accounts
journal	string	Journal entry type – All Others, Manual Batch 1, Manual Batch 2, Recurring Batch, and 'blank'
schedxrefid	bigint	Foreign identifier to accounting transactions
scheddocid	bigint	Foreign identifier to accounting document
schedacctid	string	Foreign identifier – VendorId, MajorunitId, CustomerId, PartshipmentId
locationdocumenttype	string	Origination of accounting document – Parts Invoice, Special Order Deposit, Miscellaneous Receipt, Paid Out, Parts Inventory Update, Bar Code Inventory Update, Part Receiving Document, Part Return Document, Repair Order, Repair Order Deposit, Warranty Claim Credit, Reverse Repair Order, Sublet Closeout, Reverse Sublet Closeout, Sales Deal, Sales Deposit, Major Unit, Trade Purchase, RO Cancel Adjustment, Sales Deal Unfinalize, Trade Un-Purchase, Major Unit Receiving to AP, Major

		Unit Transfer Send, Major Unit Transfer Receive, Resolving Adjustment, Reservation Charge, Rental Payment, Rental Posting, Reservation Invoice, Rental Receivables Conversion, Bank Deposit, AR Credit Card Payment, 'blank'
customername	string	Full customer name
arcustomername	string	Full customer name on the AR record
apvendorname	string	Name of AP vendor
stocknumber	string	Major Unit stock number
lienholder	string	Name of lienholder on deal
creationdate	date	Date when GL record was posted
AppliedDocId	long	Associated ID for applied documents, references to the schedxrefid.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "accountdepartment": "27600",
    "description": "Polaris - Parts - test",
    "debit": 0.0,
    "credit": 0.0,
    "documentnumber": "123456",
    "date": "2018-02-13T00:00:00",
    "scheduleid": 0,
    "journal": "All Others",
    "schedxrefid": 0,
    "scheddocid": 0,
    "schedacctid": "0",
    "locationdocumenttype": "",
    "customername": "",
    "arcustomername": "",
    "apvendorname": "",
    "stocknumber": "",
    "lienholder": "",
    "creationdate": "2018-02-13T00:00:00",
    "glhistoryid": 123456789012345,
    "journalentryid": 1234567891234589,
    "AppliedDocId": 1234567891234589
  }
]
```

TAX

*Note: Information regarding the customer may be removed if the customer has opted out of sharing their personal (PII) data.

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Tax/76156733>

Fields - Tax

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
customernumber	int	System identifier of customer
customername	string	Full name of customer*
address	string	Address of customer*
county	string	County of customer*
city	string	City of customer*
state	string	State of customer*
zip	string	Zip code of customer*
documentnumber	int	Dealer facing transaction number
documentdescription	string	Tax category description
documentdate	datetime	Date document is scheduled to be applied
transactiondate	datetime	Actual date tax record was created
department	string	Department associated with tax record – Parts, Service, Sales, Rental, None
documenttypenumber	int	System identifier for the document type
documenttypedescription	string	Description of document type - Parts Invoice, Special Order Deposit, Miscellaneous Receipt, Paid Out, Parts Inventory Update, Bar Code Inventory Update, Part Receiving Document, Part Return Document, Repair Order, Repair Order Deposit, Warranty Claim Credit, Reverse Repair Order, Sublet Closeout, Reverse Sublet Closeout, Sales Deal, Sales Deposit, Major Unit, Trade Purchase, RO Cancel Adjustment, Sales Deal Unfinalize, Trade Un-Purchase, Major Unit Receiving to AP, Major Unit Transfer Send, Major Unit Transfer Receive, Resolving Adjustment, Reservation Charge, Rental Payment, Rental Posting, Reservation Invoice, Rental Receivables Conversion, Bank Deposit, AR Credit Card Payment, 'blank'
taxableamount	money	Total amount taxable
taxabletype	string	Taxable type description – Taxable, Non-Taxable, Tax-Exempt, Internal, 'blank'
taxamountdue	money	Calculated tax amount
majorunitprice	money	Price of major unit on the deal if the tax record corresponds to a deal
tradeallowanceamt	money	Trade allowance on deal if the tax record corresponds to a deal
tradetaxreduction	money	Trade allowance amount that reduces taxable amount on deal
taxcategory	string	Tax category description

min	money	Minimum collectable tax
max	money	Maximum collectable tax
threshold	money	Lower limit of transaction price before tax is calculated
rate	double	Tax rate on the transaction
licensefeetype	string	License type description – On Road, Off Road, 'blank'
unittype	string	Dealer defined type of unit
majorunitsalescategory	string	Dealer defined category of sale for major unit
unitmake	string	Dealer defined manufacturer of unit
model	string	Dealer defined model of unit
glaccount	string	GL account tax amount is being sent to
sequence	int	Sub tax category relating to the tax category

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "customernumber": 126,
    "customername": "Chappel, Shauna",
    "address": "776 Flower Rose Way",
    "county": "",
    "city": "New York City",
    "state": "NY",
    "zip": "10033",
    "documentnumber": 1039,
    "documentdescription": "Sales Tax",
    "documentdate": "2005-11-01T14:34:35.838",
    "transactiondate": "2005-11-01T14:34:50.963",
    "department": "Parts",
    "documenttypenumber": 1001,
    "documenttypedescription": "Parts Invoice",
    "taxableamount": 3.04,
    "taxabletype": "Taxable",
    "taxamountdue": 0.19,
    "majorunitprice": null,
    "tradeallowanceamt": null,
    "tradetaxreduction": null,
    "taxcategory": "Sales Tax",
    "min": 0.0,
    "max": 0.0,
    "threshold": 0.0,
    "rate": 6.25,
    "licensefeetype": "",
    "unittype": null,
    "majorunitsalescategory": null,
    "unitmake": null,
  }
]
```

```

    "model": null,
    "glaccount": null,
    "sequence": 1
  }
]

```

SPECIALORDERSTATUS

Example URL

<https://int.Lightspeeddataservices.com/lsapi/specialorderstatus/76156733>

Fields - SpecialOrderStatus

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
SpecialOrderId	bigint	System generated unique ID of special order
SpecialOrderLineId(key)	bigint	System generated unique IF of the part on the special order
SpecialOrderNumber(key)	bigint	Dealer facing special order number
SpecialOrderDate	date	Date when special order is first created
CustomerId	bigint	System generated ID for customer associated to the part on the special order
CustomerEmail	string	Email address of customer
SupplierCode	string	Part number short code of manufacturer
PartNumber	string	Primary part identifier
Description	string	Description of part
SpecialOrderQty	int	Amount of part special ordered by the customer
OrderedQty	int	Amount of part special ordered
ReceivedQty	int	Amount of part taken in from purchase order
BackOrderedQty	int	Amount of part on back order from manufacturer
RefundedQty	int	Amount of part refunded on special order
specialordernotes	string	Dealer facing notes field relating to special order
receivingnotes	string	Dealer facing notes field relating to purchase order
dtstamp	string	Date special order last updated
repairordernumber	bigint	Dealer facing repair order number if part is associated to a repair order
vin	string	VIN number of unit if part is associated to a deal unit or major unit prep
stocknumber	string	Stock number of unit if part is associated to a deal unit or major unit prep

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "SpecialOrderId": 52771776,
    "SpecialOrderLineId": 52771768,
    "SpecialOrderNumber": 1764,
    "SpecialOrderDate": "2020-08-05T12:26:00.288",
    "CustomerId": 675272331049077985,
    "CustomerEmail": "sales!@mbg-x.net",
    "SupplierCode": "KT",
    "PartNumber": "54631220000",
    "Description": "FLOAT NEEDLE",
    "SpecialOrderQty": 2,
    "OrderedQty": 2,
    "ReceivedQty": 2,
    "BackOrderedQty": 0,
    "RefundedQty": 0,
    "specialordernotes": "",
    "receivingnotes": "",
    "dtstamp": "2020-08-05T18:25:53.88",
    "repairordernumber": null,
    "vin": null,
    "stocknumber": null
  }
]
```

PARTHISTORY

Example URL

<https://int.Lightspeeddataservices.com/lsapi/PartHistory/76156733>

Fields - PartHistory

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
PartNumber	string	Primary part identifier
SupplierCode	string	Part number short code of manufacturer
LastSoldDate	date	Date when dealer last sold part
DateGathered	date	Date when part history record was created
quantitiesoldlastweek	int	Amount of part sold this week – rolling week
quantitiesoldlast2weeks	int	Amount of part sold in the last two weeks – rolling two weeks
quantitiesoldlast2years	int	Amount of part sold in the last two years – rolling two years
quantitiesoldlast3years	int	Amount of part sold in the last three years – rolling three years

quantitysoldlast4years	int	Amount of part sold in the last four years – rolling four years
quantitysoldlast5years	int	Amount of part sold in the last five years – rolling five years
quantitysoldlast10years	int	Amount of part sold in the last ten years – rolling ten years
lostsaleslastyear	int	Amount of lost sales recorded for part for prior calendar year
lostsalesytd	int	Amount of lost sales recorded for the current calendar year
lostsalesmtd	int	Amount of last sales recorded for the current month
monthsnosale	int	Amount of consecutive months since last sale
saleslastyeartotal	int	Amount of sales for prior calendar year
salesthisyeartotal	int	Amount of sales for current calendar year
repairordernumber	int	
saleslast01 (-12)	int	01 is sales the last month, 02 is the sales the last two months, etc.
specialordersmtd	int	Amount of special orders on the part in current month
specialordersytd	int	Amount of special orders on the part in the current year
lastupdatedate	date	Date when part was last modified.

Example JSON Result

```
[
  {
    "Cmf": "76156733",
    "DealerId": "",
    "PartNumber": "671B2590",
    "SupplierCode": "KA",
    "LastSoldDate": "2021-11-08T21:32:16.859",
    "DateGathered": "2021-11-08T14:32:16.861",
    "quantitysoldlastweek": 0.0,
    "quantitysoldlast2weeks": 0.0,
    "quantitysoldlast2years": 29.0,
    "quantitysoldlast3years": 31.0,
    "quantitysoldlast4years": 31.0,
    "quantitysoldlast5years": 34.0,
    "quantitysoldlast10years": 34.0,
    "lostsaleslastyear": 0,
    "lostsalesytd": 0,
    "lostsalesmtd": 0,
    "monthsnosale": 2,
    "saleslastyeartotal": 29,
    "salesthisyeartotal": 0,
    "saleslast01": 0,
    "saleslast02": 0,
  }
]
```

```

    "saleslast03": 0,
    "saleslast04": 1,
    "saleslast05": 0,
    "saleslast06": 0,
    "saleslast07": 3,
    "saleslast08": 13,
    "saleslast09": 2,
    "saleslast10": 8,
    "saleslast11": 2,
    "saleslast12": 0,
    "salesthis01": 0,
    "salesthis02": 0,
    "salesthis03": 0,
    "salesthis04": 0,
    "salesthis05": 0,
    "salesthis06": 0,
    "salesthis07": 0,
    "salesthis08": 0,
    "salesthis09": 0,
    "salesthis10": 0,
    "salesthis11": 0,
    "salesthis12": 0,
    "specialordersmtd": 0,
    "specialordersytd": 0,
    "lastupdatedate": "2017-03-30T13:19:38.105"
  }
]

```

CUSTOMERLASTTRANSACTION

Example URL

<https://int.Lightspeeddataservices.com/lsapi/Customerlasttransaction/76156733>

Fields - CustomerLastTransaction

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
CustomerId	string	DMS identifier for customer
LastPartsTransaction	datetime	Date of last parts transaction
LastServiceTransaction	datetime	Date of last service transaction
LastSalesTransaction	datetime	Date of last sales transaction

Example JSON Result

```

[
  {
    "Cmf": "76156733",

```

```

    "DealerId": "",
    "CustomerId ": "123456",
    "LastPartsTransaction": "2020-05-18T17:24:05.852",
    "LastServiceTransaction ": "2020-05-18T17:24:05.852",
    "LastSalesTransaction ": "2020-05-18T17:24:05.852"
  }
]

```

TIMECARD

Example URL

<https://int.Lightspeeddataservices.com/lsapi/TimeCard/76156733>

Fields - TimeCard

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
employee	string	Employee name
clockintime	datetime	Clock in date and time
clockouttime	datetime	Clock out date and time
store	string	Name of the store the user clocked into

Example JSON Result

```

[
{
  "Cmf": "76010000",
  "DealerId": "",
  "employee": "JIM TEST",
  "clockintime": "2019-01-28T08:45:00",
  "clockouttime": "2019-01-28T18:30:00",
  "store": "TestDealerShip"
},
{
  "Cmf": "76010000",
  "DealerId": "",
  "employee": "JIM TEST",
  "clockintime": "2019-01-29T08:55:00",
  "clockouttime": "2019-01-29T18:15:00",
  "store": "TestDealerShip"
},
{
  "Cmf": "76010000",
  "DealerId": "",
  "employee": "JIM TEST",
  "clockintime": "2019-01-30T08:45:00",
  "clockouttime": "2019-01-30T18:10:00",
  "store": "TestDealerShip"
},
]

```

```
{
  "Cmf": "76010000",
  "DealerId": "",
  "employee": "JIM TEST",
  "clockintime": "2019-01-31T08:15:00",
  "clockouttime": "2019-01-31T18:10:00",
  "store": "TestDealerShip"
},
{
  "Cmf": "76010000",
  "DealerId": "",
  "employee": "JIM TEST",
  "clockintime": "2019-02-01T08:50:00",
  "clockouttime": "2019-02-01T18:05:00",
  "store": "TestDealerShip"
}
]
```

RENTALUNIT

Example URL

<https://int.Lightspeeddataservices.com/lsapi/RentalUnit/76156733>

Fields – RentalUnit

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
rentalitemnumber	string	DMS item number; like a part number
itemdescription	string	Description of rental item
rentaltypedescription	string	Small description of the type of rental
rentalgroup	string	Description of rental group the item is in
rentalrate	money	Rental rate
ratedescription	string	Description of the rental rate
depositttype	string	Description of type of deposit
depositpercent	integer	Percentage required of deposit before reservation can start
depositnumberofperiods	integer	Time periods allows to elapse before deposit it required
depositfixedamount	money	Specified deposit amount required
securitydepositttype	string	Description of security deposit
securitydepositpercent	integer	Percentage required of security deposit before reservation can start
securitynumberofperiods	integer	Time periods allows to elapse before security deposit it required
securitydepositfixedamount	money	Specified security deposit amount required
reservationnumber	integer	Customer facing reservation number
contractstartdate	datetime	Date when rental contract starts

contractenddate	datetime	Date when rental contract ends
noenddate	tinyint	1 = no end date, 0 = has end date

Example JSON Result

```
[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "rentalitemnumber": "OSR1S12",
    "itemdescription": "OUTDOOR STORAGE",
    "rentaltypedescription": "Outdoor Storage Rental",
    "rentalgroup": "Storage",
    "rentalrate": 26.45,
    "ratedescription": "Outdoor Winter Seasonal - Customer Trailer",
    "deposittype": "Fixed Amount",
    "depositpercent": 0,
    "depositnumberofperiods": 0,
    "depositfixedamount": 0,
    "securitydeposittype": "Fixed Amount",
    "securitydepositpercent": 0,
    "securitynumberofperiods": 0,
    "securitydepositfixedamount": 0,
    "reservationnumber": 46,
    "contractstartdate": "2022-07-05T00:00:00",
    "contractenddate": "2022-07-31T12:05:51.74",
    "noenddate": 0
  },
  {
    "Cmf": "76010000",
    "DealerId": "",
    "rentalitemnumber": "OSR1S25",
    "itemdescription": "OUTDOOR STORAGE",
    "rentaltypedescription": "Outdoor Storage Rental",
    "rentalgroup": "Storage",
    "rentalrate": 26.45,
    "ratedescription": "Outdoor Winter Seasonal - Customer Trailer",
    "deposittype": "Fixed Amount",
    "depositpercent": 0,
    "depositnumberofperiods": 0,
    "depositfixedamount": 0,
    "securitydeposittype": "Fixed Amount",
    "securitydepositpercent": 0,
    "securitynumberofperiods": 0,
    "securitydepositfixedamount": 0,
    "reservationnumber": null,
    "contractstartdate": null,
    "contractenddate": null,
    "noenddate": null
  }
]
```

]

RESERVATION

Example URL

<https://int.Lightspeeddataservices.com/lapi/Reservation/76010000>

Fields – Reservation

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
Reservationnumber (key)	integer	Number (customer facing) of the reservation
reservationid (key)	bigint	ID of the reservation record
creationdate	datetime	Date the reservation was created
finalizeddate	datetime	Date the reservation was finalized
reservationstate	string	State of the reservation – Future, Active, Waiting List, Finalized, Canceled, Partial, Unknown
contractsigned	string	Indicates if contract signed or not – True/False
saletype	string	Indicates type of sale
insname	string	Name of insurance provider
insuranceaddress1	string	Insurance provider address line 1
insuranceaddress2	string	Insurance provider address line 2
insurancecity	string	Insurance provider address city
insurancestate	string	Insurance provider address state
insurancezip	string	Insurance provider address zip
insurancephone	string	Insurance provider address phone
insurancefax	string	Insurance provider address fax
insuranceattention	string	Insurance provider address attention
insurancepolicynumber	string	Insurance policy number
insuranceexpirationdate	datetime	Date when policy expires
latefeeoverridden	string	Indicates if late fee is overridden
latefeeoverrideamt	money	Indicates how much of the late fee is overridden
allowcharges	string	Indicates if charges are allowed – True/False
paymenttype	string	Full amount required for payment or pay per period – Full Sum, Per Period
sendstatement	string	Indicates if statement is to be sent each month – True/False
rentalamountcharged	money	Amount already charged to customer
rentalamountfuture	money	Future amount to be charged to customer
rentalamounttotal	money	Amount already charged plus future amount to be charged
repeatingcharged	money	Reoccurring charges customer has already paid
repeatingfuture	money	Reoccurring charges pending customer pay

repeatingtotal	money	Sum of already paid and future payments
onetimecharged	money	One time charge customer has already paid
onetimefuture	money	One time charge has pending
taxescharged	money	Tax amount customer has already paid
taxesfuture	money	Tax amount for pending customer pay
taxestotal	money	Sum of taxes charged and taxes future
chargedtodatetotal	money	Total amount of all charged amounts
estimatedfuturechargestotal	money	Total amount of all future payments
totalcharges	money	Total sum of all charged fields
securitydepositowed	money	Amount remaining for security deposit
securitydeposittaken	money	Amount taken for security deposit
securitydepositapplied	money	Amount applied to security deposit
rentaldepositapplied	money	Amount applied for rental deposit
totaldeposit	money	Sum of rental and security deposit
totaldeposittaken	money	Sum of taken rental and security deposit
totaldepositapplied	money	Sum of applied rental and security deposit
securitydeposit	money	Amount required for security deposit
rentaldeposit	money	Amount required for rental deposit
rentaldeposittaken	money	Amount taken for rental deposit
rentaldepositowed	money	Amount still owed for rental deposit

Example JSON Result

```
[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "reservationid": 617570132452721234,
    "reservationnumber": 12345,
    "creationdate": "2020-08-30T16:10:51.847",
    "finalizeddate": "2021-06-17T14:57:10.261",
    "reservationstate": "Finalized",
    "contractsigned": "True",
    "saletype": "CUSTOMER - NON TAXABLE",
    "insname": "STATE NATIONAL LIFE INSURANCE",
    "insuranceaddress1": "GLOBAL INSURANCE AGENCY",
    "insuranceaddress2": "PROGRAM GROUP, LLC",
    "insurancecity": "",
    "insurancestate": "",
    "insurancezip": "",
    "insurancephone": "",
    "insurancefax": "",
    "insuranceattention": "",
    "insurancepolicynumber": "1234",
    "insuranceexpirationdate": "2019-08-19T00:00:00",
    "latefeeoverridden": "False",
    "latefeeoverrideamt": 0,
    "allowcharges": "True",
    "paymenttype": ""
  }
]
```

```

        "sendstatement": "False",
        "rentalamountcharged": 4508.25,
        "rentalamountfuture": 0,
        "rentalamounttotal": 4508.25,
        "repeatingcharged": 0,
        "repeatingfuture": 0,
        "repeatingtotal": 0,
        "onetimecharged": 570,
        "onetimefuture": 0,
        "taxescharged": 0,
        "taxesfuture": 0,
        "taxestotal": 0,
        "chargedtodatetotal": 5078.25,
        "estimatedfuturechargestotal": 0,
        "totalcharges": 5078.25,
        "securitydepositowed": 0,
        "securitydeposittaken": 0,
        "securitydepositapplied": 0,
        "rentaldepositapplied": 0,
        "totaldeposit": 0,
        "totaldeposittaken": 5078.25,
        "totaldepositapplied": 0,
        "securitydeposit": 0,
        "rentaldeposit": 0,
        "rentaldeposittaken": 5078.25,
        "rentaldepositowed": 0
    }
}
]

```

RESERVATIONCUSTOMER

Example URL

<https://int.Lightspeeddataservices.com/lsapi/ReservationCustomer/76010000>

Fields – ReservationCustomer

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
reservationcustid (key)	bigint	ID off the reservation customer record
reservationid (key)	bigint	ID of the reservation the customer record belongs too
customerid (key)	bigint	ID of the customer record
isprimaryrenter	string	Indicates if the customer is the primary renter
custprefixname	string	Prefix of the customer
custfirstname	string	First name of the customer
custmiddlename	string	Middle name of the customer
custlastname	string	Last name of the customer
custsuffixname	string	Suffix of the customer

custcompanyname	string	Customer company name
custsearchname	string	Combination of first and last name
custaddress1	string	Address line 1 of the customer
custaddress2	string	Address line 2 of the customer
custcounty	string	Address county
custcity	string	Address city
custzipcode	string	Address zip code
custstateprovince	string	Address state or providence
custcountry	string	Address country
custhomephone	string	Customer home phone number
custpagerphone	string	Customer pager number
custmobilephone	string	Customer mobile phone number
custfaxphone	string	Customer fax number
dtstamp	datetime	Time stamp of the record
custbirthdate	datetime	Birthdate of the customer
hasdriverslicensenum	string	Indicates if the customer has a drivers license

Example JSON Result

```
[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "reservationcustid": 643014839632412345,
    "reservationid": 643014839632411200,
    "customerid": 0,
    "isprimaryrenter": "False",
    "custprefixname": "",
    "custfirstname": "",
    "custmiddlename": "",
    "custlastname": "",
    "custsuffixname": "",
    "custcompanyname": "",
    "custsearchname": "",
    "custaddress1": "",
    "custaddress2": "",
    "custcounty": "",
    "custcity": "",
    "custzipcode": "",
    "custstateprovince": "",
    "custcountry": "",
    "custhomephone": "",
    "custpagerphone": "",
    "custmobilephone": "",
    "custfaxphone": "",
    "dtstamp": "2019-06-07T19:44:35.046",
    "custbirthdate": "1910-01-01T00:00:00",
    "hasdriverslicensenum": "False"
  }
]
```

]

RESERVATIONITEM

Example URL

<https://int.Lightspeeddataservices.com/lsapi/ReservationItem/76010000>

Fields – ReservationItem

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
reservationitemid (key)	bigint	ID of the reservation item record
reservationid (key)	bigint	ID of the reservation
rentalitemid (key)	bigint	ID of the rental item
state	string	Sate of the reservation item – Unknown, Future, Active, Waiting, Closed, Pending Active, Pending Closed, Transferred, 'blank'
securitydeposit	money	Amount of security deposit
rentaldeposit	money	Amount of rental deposit
startmileage	bigint	Milage at the start of the rental
endmileage	bigint	Milage at the end of the rental
rateamt	money	Rate of the rental
ratetype	string	Type of rate – By Period, By Period and Length, By Period and Area
perperiodamt	money	Rental amount per period
conditionbefore	string	Condition of item before rental
conditionafter	string	Condition of item after rental
rentaldeposittaken	money	Amount taken for the rental deposit
rentaldepositapplied	money	Amount applied to deposit for the rental
contractstartdate	datetime	Date when rental contract started
contractenddate	datetime	Date when rental contract ended
actualstartdate	datetime	Date when rental actually started
actualenddate	datetime	Date when rental actually ended
rentalperiods	double	Number of periods accrued during the rental
periodscharged	double	Number of periods charged for the rental
timeperiod	integer	ID of the time period type
timeperioddescription	string	Description of the time period type
totalamount	money	Total amount charged for the item rental
chargeablewidth	double	Charge amount for width of rental space
chargeablelength	double	Charge amount for length of rental space
totalamountoverride	string	Indicates if total amount was overridden – True/False
noenddate	string	Indicates if the item rental has an end date
rentalratedescription	test	Description of the rental rate
stocknumber	test	Stock number of the rental item
majorunitid	integer	Major unit ID of the rental item

Example JSON Result

```
[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "reservationitemid": 685132152969112345,
    "reservationid": 685132152967041234,
    "rentalitemid": 351325873980810300,
    "state": "Closed",
    "securitydeposit": 0.00,
    "rentaldeposit": 0.00,
    "startmileage": 0,
    "endmileage": 0,
    "rateamt": 17.75,
    "ratetype": "By Period and Length",
    "perperiodamt": 461.50,
    "conditionbefore": "",
    "conditionafter": "",
    "rentaldeposittaken": 0.00,
    "rentaldepositapplied": 0.00,
    "contractstartdate": "2020-09-16T00:00:00",
    "contractenddate": "2021-05-13T23:59:59.999",
    "actualstartdate": "1000-01-01T00:00:00",
    "actualenddate": "1000-01-01T00:00:00",
    "rentalperiods": 7.9032,
    "periodscharged": 0.0,
    "timeperiod": 1,
    "timeperioddescription": "Monthly",
    "totalamount": 3647.33,
    "chargeablewidth": 0.0,
    "chargeablelength": 26.0,
    "totalamountoverride": "False",
    "noenddate": "False",
    "rentalratedescription": "Winter Storage - 26+ ft up to 8'6\" beam",
    "stocknumber": null,
    "majorunitid": null
  }
]
```

CRM FOLLOWUP

Example URL

<https://int.lightspeeddataservices.com/lsapi/CRMFollowup/76010000>

Fields – CRMFollowup

Field Name	Data Type	Description, Example
------------	-----------	----------------------

DealerId	string	Internal Dealer Identifier (intentionally left blank)
FollowUpId (key)	bigint	ID off the follow up record
DealNumber	bigint	Deal Number associated to the follow up record
DealId	bigint	Deal ID (internal) associated to the follow up record
CreateDate	datetime	Date when follow up was created
NextInteractionDate	datetime	Date of next interaction
CompletionDate	datetime	Date when follow up was completed
FollowUpType	string	Type of follow up
State	string	State of follow up
CameToAppointment	boolean	True/False if the lead came to appointment
ConfirmedAppointment	boolean	True/False if the lead confirmed appointment
Description	string	Additional data on the follow up
AssignedUser	string	User assigned to follow up
Contacted	boolean	True/False is the follow up has been contacted
RepairOrderNumber	bigint	Repair Order number of associated follow up
RepairOrderId	bigint	ID (internal) of the RO on the follow up
CustomerName	string	Name of the follow up
MobilePhone	string	Mobile Phone of the follow up
HomePhone	string	Home Phone of the follow up
WorkPhone	string	Work Phone of the follow up
IsPartInvoice	boolean	True/False Is this follow associated to a parts invoice
Notes	string	Additional notes

Example JSON Result

```
[
  {
    Cmf: '76010000',
    DealerId: '',
    FollowUpId: 688535013779566836n,
    DealNumber: '',
    DealId: 88645526,
    CreateDate: '2020-10-21T23:29:18.582',
    NextInteractionDate: '2020-10-21T23:29:18.582',
    CompletionDate: '1000-01-01T00:00:00.000',
    FollowUpType: 'OUTBOUND_CALL',
    State: 'OPEN',
    CameToAppointment: false,
    ConfirmedAppointment: false,
    Description: 'Online Lead Follow Up',
    AssignedUser: 'BRITTANY MARKS',
    Contacted: false,
    RepairOrderNumber: null,
    RepairOrderId: null,
    CustomerName: 'Burke, Andres',
    MobilePhone: '(626)336-2928',
```

```

    HomePhone: '(804)568-1350',
    WorkPhone: '(804)568-1351',
    IsPartInvoice: false,
    Notes: ''
  }
]

```

DEALCRMOnlineLead

Example URL

<https://int.lightspeeddataservices.com/lsapi/DealCRMOnlineLead/76010000>

Fields – DealCRMOnlineLead

Field Name	Data Type	Description, Example
DealerId	string	Internal Dealer Identifier (intentionally left blank)
DealNo	string	Deal Number associated to the lead
dealid	String	Internal system ID of the deal associated to the lead
sourceprospectid	String	ID of the source for the lead
prospectsourceid	String	ID of the lead
prospectstate	String	Status of the lead
createdate	String	When the lead was created
Model	string	Model of the unit associated to the lead
Year	String	Model year of the unit associated to the lead
VIN	String	VIN/HIN/PID of the unit associated to the lead
StockNumber	string	Stock number in the system of the unit associated to the lead

Example JSON Result

```

[
  {
    "Cmf": "76010000",
    "DealerId": "",
    "DealNo": "",
    "dealid": "751447824366937000",
    "sourceprospectid": "1AE74510-EAAF-4FC4-808F-E33B62C31000",
    "prospectsourceid": "WebsiteProvider",
    "prospectstate": "Active",
    "createdate": "2022-09-16T09:41:27.779",
    "Model": "",
    "Year": "",
    "VIN": "",
    "StockNumber": ""
  }
]

```

SERVICELABOR

Example URL

<https://int.lightspeeddataservices.com/lsapi/ServiceLabor/76010000>

Fields - ServiceLabor

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
ROLaborSessionID	long	Unique Record ID
ROLaborID	long	Internal system ID of the repair order associated to the ServiceDet.Labor/OpenServiceDet.Labor object
ROHeaderID	long	ID of the source for the repair order
Rono	string	Repair Order Number
TechnicianID	long	Unique identifier for the assigned technician
TechnicianName	string	Service Technician Name
TechnicianRate	decimal	Labor Rate assigned to the session
ActualHours	decimal	Actual hours to perform the session
CreditedHours	decimal	Hours credited to the technician for performing the service
IsAdjusted	int	Indicator if the labor session been adjusted
IsCreditedHoursAdjusted	int	Indicator if the credited hours has been adjusted
IsLoggedOut	int	Indicator if the technician signed out of the labor session
StartTime	datetime	Log in time for the technician for the session
EndTime	datetime	Log out time for the technician for the session
LastUpdatedDate	datetime	Last time the session was modified

Example JSON Result

```
{
  "Cmf": "88888888",
  "DealerId": "",
  "ROLaborSessionID": 589007103818796900,
  "ROLaborID": 588730529450234200,
  "ROHeaderID": 7761613,
  "Rono": "50266",
  "TechnicianID": 760888513576064400,
  "TechnicianName": "Jerry L Spitz",
  "TechnicianRate": 0,
  "ActualHours": 2.82,
```

```

    "CreditedHours": 4.5,
    "IsAdjusted": 1,
    "IsCreditedHoursAdjusted": 1,
    "IsLoggedOut": 0,
    "StartTime": "1000-01-01T00:00:00.000",
    "EndTime": "1000-01-01T00:00:00.000",
    "LastUpdatedDate": "2017-10-19T16:35:14.553"
  }

```

TECHNICIAN

Example URL

<https://int.lightspeeddataservices.com/lsapi/Technician/76010000>

Fields – Technician

Field Name	Data Type	Description, Example
Cmf	string	Lightspeed Dealer Identifier
DealerId	string	Internal Dealer Identifier (intentionally left blank)
TechnicianID	long	Unique identifier for the assigned technician
UserID	long	Unique identifier for the user account assigned to the technician record
Name	string	Service Technician Name
IsActive	int	Indicator if the technician is active in the system
TechnicianPayRate	decimal	Technicians pay rate
SundayHours	decimal	Hours assigned for Sunday
MondayHours	decimal	Hours assigned for Monday
TuesdayHours	decimal	Hours assigned for Tuesday
WednesdayHours	decimal	Hours assigned for Wednesday
ThursdayHours	decimal	Hours assigned for Thursday
FridayHours	decimal	Hours assigned for Fridayday
SaturdayHours	decimal	Hours assigned for Saturday

Example JSON Result

```

{
  "Cmf": "88888888",
  "DealerId": "",
  "TechnicianID": 824753236308925700,
  "UserID": 249758297,
  "Name": "Jason Reed",
  "IsActive": 1,
  "TechnicianPayRate": 27,
  "SundayHours": 0,
  "MondayHours": 0,

```

```
"TuesdayHours": 0,  
"WednesdayHours": 0,  
"ThursdayHours": 0,  
"FridayHours": 0,  
"SaturdayHours": 0  
}
```