Evolve OS handoff, November 6, 2026

For the next session picking up Evolve OS for Jackson Cole (Evolve Entertainment Studios, Auburn, AL). Read this first, then `evolve-os/docs/EVOLVE_BUILD_LEDGER.md` for the full history.

1. RULES JACKSON SET. FOLLOW THEM EXACTLY.

- Do not create, move or delete a calendar event without telling him. Never send an email or a message on his behalf, draft only. Never write to ClickUp.
- Never invent a fact, a date, a price or a status. Undecided stays undecided and comes back to him.
- Never make him feel behind. Nothing is overdue, things are carried.
- Plain everyday language. Short. No jargon. No em dashes or en dashes, ever.
- One question at a time, multiple choice, each option with a one line preview.
- No new visible wording on the board or the app without his approval. Show a screenshot first.
- He cannot open .md files. Give him PDF, DOCX or images.
- Deleting data needs his OK.
- Never put a model identifier in commits, PRs or anything pushed.
- Outbound messages open with "Good morning/afternoon/evening"; on first contact, "My name is Jackson Cole".
- Never ask him to paste a secret into chat. Use the secure credential form (request_credential). Never put keys in environment variables or setup scripts. The Supabase URL and publishable key are public and fine anywhere.
- Laurel Oaks / LOVC: no outbound.
- He is frustrated by guesswork. Make a plan, check things the way his Mac will, and only hand him something once it is verified.

2. WHERE EVERYTHING IS

Thing	Where
The claude.ai board (Evolve OS)	https://claude.ai/artifact/KmwskLGeZxU6vG284njSfR, live V185, artifact version 190
Board source and patches	`EVOLVEENTERTAINMENT/INTERNAL`, `evolve-os/` (`src/EvolveOS_V185.html`, `patches/vNNN.py`)
Mac app	same repo, `evolve-desktop/`
Working branch	`claude/kind-cerf-4hh0hw` (the only dev branch; also the default)
Installer branch	`mac-builds` (newest installers only, Git LFS, force pushed by CI)
Installer link for Jackson	https://github.com/EVOLVEENTERTAINMENT/INTERNAL/raw/mac-builds/Evolve-OS-Apple-chip.dmg (Intel: `Evolve-OS-Intel.dmg`)
Phone site (parked)	`gh-pages` branch, https://evolveentertainment.github.io/INTERNAL/
Lead engine	`EVOLVEENTERTAINMENT/evolve-lead-engine` (private, pushed to `main`)

Database	Supabase project EVOLVE OPS, ref `agjtcdbxlqomlgqgoutd`, https://agjtcdbxlqomlgqgoutd.supabase.co, org Evolve Entertainment Studios (free), us-east-1
Cloud environment	"Evolve OS" (personal). Allowed hosts: api.supabase.com, agjtcdbxlqomlgqgoutd.supabase.co. Network secret: Supabase access token (sbp_) for api.supabase.com
Build history	`evolve-os/docs/EVOLVE_BUILD_LEDGER.md` (append to it every session)
Plan he approved	`evolve-os/docs/EvolveOS_MacAppPlan_v3_26-11-06.pdf`

The INTERNAL repo is public. Never commit his data or any key. Board code and the publishable key are fine.

3. THE PLAN AND WHERE IT STANDS

Mac first. The iPhone app waits until he says the Mac is done.

1. **Prove it on a real Mac. Done.** Every build opens the packaged app on GitHub's Apple chip Mac with a made up board (`test/make-sample-board.js`), clicks all 11 tabs and Settings, and prints small screenshots into the log (`TOUR_JPG` lines). Errors so far: none.
2. **Installer. Done.** `Evolve-OS-Apple-chip.dmg` and `Evolve-OS-Intel.dmg`, ad hoc signed, checked like a download before they are pushed. First open needs System Settings, Privacy & Security, Open Anyway (no Apple approval yet).
3. **Automatic updates. Board part done.** The app pulls new board versions from Supabase Storage by itself. App updates that replace the app itself need Apple approval, which he will set up later.
4. **First run on his Mac. Waiting on him.** He has the installer and has opened it. Next: Download data on the claude.ai board, then bring it in or sign in.
5. **Everything working.** Feature by feature checklist against the claude.ai board on his Mac. Not started.
6. **iPhone app.** Later. Same board, TestFlight first. Needs the Apple Developer account ($99 a year, covers Mac and iPhone).

He asked whether to keep building before switching. Answer given: yes. Every board change goes to both the artifact and the app. Hold the data move until he is ready to switch for good, so records do not split.

4. HOW THE MAC APP WORKS

Electron 33.2.1. The board is the same HTML as the artifact. The app serves it from `evolve://app/` and injects `app/shim/claude-shim.js`, which answers the board's `window.claude.use()` calls over IPC.

File	Job
`app/main.js`	windows, menu, the evolve:// protocol, IPC, settings channels, test hooks (EVOLVE_DATA_DIR, EVOLVE_SNAPSHOT, EVOLVE_SHOT, EVOLVE_EVAL, EVOLVE_TOUR, EVOLVE_SETTINGS_SHOT)
`app/store.js`	LocalStore, a JSON store with the artifact db rules (nested paths, deep merge update, `__delete__`, where/orderBy/limit, versions)

`app/supabase-store.js`	same methods on Supabase: sendLink/finishLink sign in, live changes, count, importRows, saveKey
`app/link-catch.js`	sign in by emailed link. The link opens http://127.0.0.1:45813/signed-in and the app trades the code (PKCE)
`app/automove.js`	first sign in to an empty Supabase: copies the newest `Evolve_OS_Data_*.json` from Downloads plus local records. Never runs once Supabase has records
`app/board-updates.js`	board self update: manifest at `/storage/v1/object/public/board/manifest.json`, sha256 per file, switches after 60 s idle, falls back if a version does not start
`app/ai.js`	Claude on his own Anthropic key, three tiers (quick, default, complex)
`app/google.js`	Google sign in (loopback, PKCE), Calendar and Gmail in the connector result shapes. Gmail read only. Needs his Google Cloud desktop OAuth client
`app/imessage.js`	Messages read only from chat.db, needs Full Disk Access
`app/capture.js`	the board's "Capture Line" (get_pending, mark_filed) served from the captures collection
`app/config.js`	settings plus secrets encrypted with the Mac keychain (safeStorage)
`app/settings.html`	Settings window (Cmd + comma): Claude key, Google, Messages, Supabase sign in
`tools/publish-board.js`	puts a board version up for installed apps
`tools/evoldb.py`	ArtifactData style CLI on Supabase, for the nightly tasks after the switch
`routines/PREAMBLE.txt`	what to add to each nightly task on switch day

Supabase side (`supabase/`): `schema.sql` (one `docs` table, owner row level security, `doc_set` / `doc_update` with deep merge and version checks, owner trigger, `app_secrets` with no read policy, `save_app_secret`), functions `claude` (phone Claude, owner only, key from `app_secrets` or `ANTHROPIC_API_KEY`) and `capture` (voice notes and texts into `captures`). Function secrets set: OWNER_EMAIL, CAPTURE_KEY, OWNER_PHONE. Not set: ANTHROPIC_API_KEY (comes from the app instead), TWILIO_AUTH_TOKEN (no number yet).

Auth: one user, jackson@evolveentertain.com, no password, sign ups off. Supabase's built in email sends the sign in link (free plan cannot change the template). The real email has never been tried; his first sign in is the test.

5. HOW TO DO THE COMMON JOBS

Change the board

1. Read the live artifact first (Artifact read), compare with `evolve-os/src/` latest.
2. Write `evolve-os/patches/vNNN.py`: anchored replacements, each anchor asserted to occur once, bump `const BUILD`.
3. Screenshot any new wording and get his OK.
4. Publish with the Artifact tool to the artifact URL. Omit `capabilities` so they carry forward. Never declare `capabilities.permissions`.
5. Copy the same file to `evolve-desktop/app/board/index.html`, run `tools/publish-board.js` (below), commit.

Supabase admin. Management API through the proxy: `https://api.supabase.com/v1/projects/agjtcdbxlqomlgqgoutd/...` (database/query, functions/deploy, secrets, config/auth, api-keys). When the service key is needed (publish-board, admin calls), fetch it from `api-keys?reveal=true` into a scratch file with umask 077, use it, delete it. Never print it, never store it.

Build the app. Push to the working branch. `.github/workflows/mac-app.yml` runs the tests on Linux with Postgres, then on macos-latest: build, sign, tour, installers, check like a download, push to `mac-builds`.

Read CI logs. `get_job_logs` with `return_content` saves big logs to a file; grep that file. The log blob host is blocked from the sandbox.

Run tests here. Local Postgres 16 at `/var/tmp/pgtest/data`, port 5499. If it is down: remove the stale pid and socket, then `pg_ctl -D /var/tmp/pgtest/data -o '-p 5499 -k /var/tmp/pgtest -c listen_addresses=127.0.0.1' start` as postgres. Then `EVOLVE_TEST_PG=postgresql://postgres@127.0.0.1:5499/postgres npm test` in `evolve-desktop`. The app itself runs under `xvfb-run -a npx electron --no-sandbox .`. Sample board: `node test/make-sample-board.js <dir>`, then `EVOLVE_SNAPSHOT=<dir>`. His Oct 12 data copy is at `/home/user/evolve-data/dev-snapshot` in this container only, never in the repo.

6. THINGS THAT BIT US. DO NOT REPEAT THEM.

- **His board's data cannot be copied out by Claude.** ArtifactData refuses `out_dir` for this artifact and cuts big results at a size cap. The only exact copy is the board's own Download data button (Settings, Backup). V185 made it show "Gathering your data..." and then "Saved N records to your Downloads." or "Not saved. Click Download data to try again."
- **"Damaged" on his Mac** came from a broken ad hoc signature. The fix: build unsigned, `codesign --force --deep --sign -`, `codesign --verify --deep --strict`, make the dmg from that app (`--prepackaged`), then mount it, add a quarantine flag and verify again. spctl saying "rejected" is normal without Apple approval.
- **GitHub releases return 403** for the workflow token. Pushing branches works. Installers over 100 MB go through Git LFS.
- **Big files do not come through the chat.** Give him a download link instead.
- **supabase-js from esm.sh failed inside an edge function.** Call `/auth/v1/user` with fetch instead.
- **The claude.ai publish classifier blocked V182** (the paste feature) because it adds the Claude Code Remote capability. V182 is still unpublished.
- **Do not hand him something you have not checked the way his machine will.** He lost trust when the installer said damaged.

7. OPEN ITEMS

Waiting on Jackson

- First run: click Download data on the board and tell us the record count. Then either File > Bring in board data (look around, Mac only) or sign in (real switch).
- Anthropic key (console.anthropic.com, needs credit), pasted in the app Settings. The app also saves it for the phone.
- Google Cloud desktop OAuth client (ID and secret) for Calendar and Gmail in the app.
- Apple Developer account, later, once the software is further along.
- Optional: a Twilio number for texting the Capture Line (same Twilio account as Boos & Brews).

Ours to do

- Step 5 checklist of every board feature, then check each on his Mac.
- Switch day: put a fresh export in, swap any local test copy, move the 9 nightly tasks to Supabase with `routines/PREAMBLE.txt` and `tools/evoldb.py` (the service key will need to be a network secret for that environment).
- iPhone Shortcut for voice capture: needs a small Settings section that fetches `/functions/v1/capture/key`. New wording, needs his OK.
- Lead engine: the nightly hand-off has never worked (GitHub secrets PLACES_KEY, GDRIVE_SA_KEY and GDRIVE_FOLDER_ID are not set; the Drive sweeps folder is empty). After the switch, write leads straight to Supabase instead.
- Decide what to do with the parked phone site (`gh-pages`) once the iPhone app exists.
- Suggest making the INTERNAL repo private (his call; the installer link and phone site would then need another home).

Other context

- Boos & Brews II (his party app) lives on his Mac at `/Users/rjacksoncole/Projects/boos-brews-ii` and cannot be changed from the cloud. Texts go out through a Netlify scheduler and Twilio, 8 AM to 8 PM CT. My recommendation was to keep guys at $20.