


1. Run the steps given in [README.md](#) in cloudwatch
2. Once complete the below screen should be visible



```
Stack ARN:
arn:aws:cloudformation:us-east-1:83517580251:stack/COMMON/993540c0-b141-11f0-a5ea-0affc669d593


Total time: 317.95s

USERPOOLCLIENT 60 True 3 3od147boolvqjea13hdkc81r4k BuildBoxClient0CD6177C-qpQY78dtsIpE sf8202tihg7b8mgbs4cmpejdhg4e3otif7326941gmpf1bjkro 2025-10-25T01:25:04.030000+00:00 False True
2025-10-25T01:31:18.625000+00:00 1 us-east-1_Vr2ljqfB2
ALLOWEDAUTHFLAWS code
ALLOWEDAUTHSCOPES openid
CALLBACKURLS https://build-build-vjrhvbmhvmi-1806478928.us-east-1.elb.amazonaws.com/oauth2/idpresponse
SUPPORTEDIDENTITYPROVIDERS COGNITO
TOKENVALIDITYUNITS minutes

{
  "User": {
    "Username": "admin",
    "Attributes": [
      {
        "Name": "email",
        "Value": "test@test.com"
      },
      {
        "Name": "sub",
        "Value": "2408c448-d061-709b-969f-41eb82747078"
      }
    ],
    "UserCreateDate": "2025-10-25T01:31:19.943000+00:00",
    "UserLastModifiedDate": "2025-10-25T01:31:19.943000+00:00",
    "Enabled": true,
    "UserStatus": "FORCE_CHANGE_PASSWORD"
  }
}

Login to:
https://Build-Build-VJRHVBMHVMi-1806478928.us-east-1.elb.amazonaws.com
username: admin
password: Password@123
```

3. Copy the login url and enter the credentials
4. Change Password screen will be shown



Change Password

Please enter your new password below.


New Password

Enter New Password Again

- ✓ Password must contain a lower case letter
- ✓ Password must contain an upper case letter
- ✓ Password must contain a number
- ✓ Password must contain at least 8 characters
- ✓ Passwords must match
- ✓ Password must contain a special character or a space
- ✓ Password must not contain a leading or trailing space

Send

5. Now you should be able to see the below jenkins build page





The screenshot shows the Jenkins interface with the 'Build History' tab selected. The 'Build Queue' section on the left indicates 'No builds in the queue.' The 'Build Executor Status' section shows '0/2' executors. The main table lists the build history for the 'Build_ECOM_InventoryModule' pipeline.

S	W	Name ↓	Last Success	Last Failure	Last Duration		
...	☀	Build_ECOM_InventoryModule	N/A	N/A	N/A	▶	📅
...	☀	Build_ECOM_OrderCaptureModule	N/A	N/A	N/A	▶	📅
...	☀	Build_ECOM_OrderManagementModule	N/A	N/A	N/A	▶	📅
...	☀	Clean_ECOM	N/A	N/A	N/A	▶	📅
...	☀	Deploy_ECOM_InventoryModule	N/A	N/A	N/A	▶	📅
...	☀	Deploy_ECOM_OrderCaptureModule	N/A	N/A	N/A	▶	📅
...	☀	Deploy_ECOM_OrderManagementModule	N/A	N/A	N/A	▶	📅

At the bottom, there is a filter bar with 'Icon: S M L' and a pagination control showing '0/2'.

- Run the 'Build_ECOM_InventoryModule' & 'Build_ECOM_OrderCaptureModule' & 'Build_ECOM_OrderManagementModule'. All 3 can be run parallely.
- In each build screen, a build packet name will be displayed as shown below. Copy and save it for use later.

The screenshot shows the Jenkins console output for the 'Build_ECOM_InventoryModule' pipeline. The output displays the build process, including the addition of files, the execution of the 'cp' command, and the final status of the build.

```

adding: utils/QueryGenerator/pom.xml (deflated 69%)
adding: utils/QueryGenerator/src/ (stored 0%)
adding: utils/QueryGenerator/src/main/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/com/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/com/db/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/com/db/rds/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/com/db/rds/Sync.java (deflated 43%)
adding: utils/QueryGenerator/src/main/java/com/db/rds/config/ (stored 0%)
adding: utils/QueryGenerator/src/main/java/com/db/rds/config/Config.java (deflated 65%)
+ cp repo_20251025_0147.zip /home/ec2-user/buildArtifacts/
[Pipeline] echo
Build package name: repo_20251025_0147.zip
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] cleans
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
[WS-CLEANUP] done
[Pipeline] echo
Pipeline completed successfully!
[Pipeline] }
[Pipeline] // stage

```

8. Run the 'Deploy_ECOM_InventoryModule'. Always run this one first. Paste the build packet name copied earlier.

The screenshot shows the Jenkins web interface for configuring a pipeline named 'Pipeline Deploy_ECOM_InventoryModule'. On the left is a sidebar with navigation links: Status, Changes, Build with Parameters, Configure, Delete Pipeline, Stages, Rename, Schedule Build, Pipeline Syntax, and Credentials. The main area is divided into sections. The 'Build Package Name' field contains the text 'repo_20251025_0147.zip'. Below this is the 'Deployment options' section with four checkboxes: 'Deploy Inventory Module' (checked), 'Update Database service', 'Update Supply Demand Op service', and 'Update Availability Op service'. At the bottom is a 'Configuration' section with a green 'Build' button and a grey 'Cancel' button. A 'Builds' panel on the left shows 'No builds'.

9. 'Deploy_ECOM_OrderCaptureModule' can be run in parallel to the inventory module. But the 'Deploy_ECOM_OrderManagementModule' can only be run after the inventory module is complete (as it refers to the inventory module db).

For both paste the correct build packet name copied earlier.

If an incorrect one is pasted it will error out.

Note: If you see an error in OrderCaptureModule for max retries of 2 for api deployment this can be ignored.

10. In the 'Deploy_ECOM_OrderCaptureModule' output search for 'Cloudfront url'. You will see the below output


```
Jenkins / Deploy_ECOM_OrderCapt... / #1 / Console Output


* update-api-key
* update-rest-api

Cloudfront url:
https://d28v2c4v127g9g.cloudfront.net


[Pipeline] echo
Deploy step complete
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (initDB)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
Initialize DB step start
[Pipeline] echo
Executing /home/ec2-user/deploymentworkspace3//modules/OrderCaptureModule/Database/_scripts/initDeployment.sh
[Pipeline] sh
+ /home/ec2-user/deploymentworkspace3//modules/OrderCaptureModule/Database/_scripts/initDeployment.sh
[Pipeline] echo
Initialize DB step complete
```

11. Open the url and you can login and place your order





Click the cart icon on top right to proceed with checkout



On clicking checkout, if you are not already logged in - redirects to sign up page. For a first time user click 'Sign up' and enter your email and verification code.

Sign in with your email and password

Email

name@host.com

Password

Password

[Forgot your password?](#)

Sign in

Need an account? [Sign up](#)

Sign up with a new account

Email

name@host.com

Name

Password

Password

Sign up

Already have an account? [Sign in](#)

Confirm your account


We have sent a code by email to s***@c***. Enter it below to confirm your account.

Verification code

[Confirm account](#)

Didn't receive a code? [Send a new code](#)

On verification you are redirected to the home page, from where cart checkout can be resumed



On checkout you are directed to the address selection page. For a new user need to add an address - click 'To add new address click here'

Order Site

Saved Addresses

To add new address click here

[Confirm](#)

You are directed to the profile address page. Click Add address

Order Site

Vikram E

Cart

User Info

Addresses

Order History

Saved Addresses

Add Address

Add New Address

Address Line 1

Address Line 2

State

City

ZIP/Postal code

Country

Delivery Instructions

Save Address

Fill the details and save. Close the add address dialog.

Order Site

Vikram E

Cart

User Info

Addresses

Order History

Saved Addresses

AL1
AL2
City, State - 10000
India

Edit

Add Address

Now you can proceed to cart -> checkout again

On the address page, select the recently added address if not already done and cluck confirm.

Order Site

Vikram E

Cart

Saved Addresses


AL1
AL2
City, State - 10000
India

☒


To add new address click here

Confirm


You are now directed to a mocked up payment page. Click confirm




An order summary page is shown with your order no



12. To see your order history, click on your profile name (left of the cart) -> profile -> Order history



13. Now to see all orders across the system (not just for a single user) go to jenkins -> 'Deploy_ECOM_OrderManagementModule' output & search for 'Console Login'. You will see the below output




The screenshot shows the Jenkins console output for a job named 'Deploy_ECOM_OrderMan...'. The output displays AWS CloudFormation tags for a stack. A yellow box highlights the 'Console login' section, which includes the URL 'https://main.d79dmam067foo.amplifyapp.com/', the username 'consoleUser', and the password 'Password@123'. Below this, the output shows the completion of the 'Deploy' step and the execution of a script to initialize the database.

```
"Tags": {
  "aws:cloudformation:stack-id": "arn:aws:cloudformation:us-east-1:891377010440:stack/ECOMORDMGM/56c67ba0-b20e-11f0-9f6f-0affe2f2e...",
  "aws:cloudformation:stack-name": "ECOMORDMGM",
  "aws:cloudformation:logical-id": "GetDataHttpApi1CA92554"
}
}
Console login
https://main.d79dmam067foo.amplifyapp.com/
username: consoleUser
password: Password@123
[Pipeline] echo
Deploy step complete
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (initDB)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
Initialize DB step start
[Pipeline] echo
Executing /home/ec2-user/deploymentworkspace2/modules/OrderManagementModule/Database/_scripts/initDeployment.sh
[Pipeline] sh
+ /home/ec2-user/deploymentworkspace2/modules/OrderManagementModule/Database/_scripts/initDeployment.sh
{
```

14. Login in to the url with given credentials. You will be prompted to change the password. Once done, Order console page is shown

15. Here you can search for all orders, errors and statistics

16. Order search



The screenshot shows the 'Order search' interface. It features a search bar for 'Order No' with a placeholder 'Enter Order No' and a 'Match Type' dropdown set to 'Exact'. Below this are fields for 'Entity' (placeholder 'Enter Order Entity'), 'From Date' (placeholder 'dd-mm-yyyy'), and 'To Date' (placeholder 'dd-mm-yyyy'). A 'Sort' section includes radio buttons for 'Asc' (selected), 'Dsc', and 'On', and a group of radio buttons for 'Order Date' (selected), 'Order No', and 'Entity'. A blue 'Search' button is at the bottom.

ConsoleOrdersErrorsStats

Order No	Entity	Order Date	Status
10001	TEST	26-10-2025 07:49:27	Shipped
10002	TEST	26-10-2025 07:50:14	Shipped

Ok

ConsoleOrdersErrorsStats

Order Info

Order No: 10001

Order Date: 2025-10-26T02:19:27.513+00:00

Entity: TEST

Status: Shipped

Item Details

Line No	SKU	Quantity	Status
1	sku0	1	Shipped

Customer Contact

Name: Vikram E

Phone:

Email:

Shipping Address

Address Line 1: AL1

Address Line 2: AL2

City: City

State: State

Country: IND

17. Statistics search. Select the service from service drop down in 'Stats' screen

ConsoleOrdersErrorsStats

Service

▼

From Date

dd-mm-yyyy

To Date

dd-mm-yyyy

Sort

☒ Asc

☐ Dsc

Search

ConsoleOrdersErrorsStats

Service name	Function name	From Time	To Time	Count	Avg.	Max	Min
CreateOrder	OrderService.createOrder	26-10-2025 07:45:00	26-10-2025 07:50:00	1	458	458	458
CreateOrder	PublishOrderStatus.publish	26-10-2025 07:45:00	26-10-2025 07:50:00	1	179	179	179
CreateOrder	OrderService.createOrder	26-10-2025 07:50:00	26-10-2025 07:55:00	1	68	68	68
CreateOrder	PublishOrderStatus.publish	26-10-2025 07:50:00	26-10-2025 07:55:00	1	43	43	43

ConsoleOrdersErrorsStats

Service name	Function name	From Time	To Time	Count	Avg.	Max	Min
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:30:00	26-10-2025 07:35:00	55	8.218181818181819	301	2
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:35:00	26-10-2025 07:40:00	60	2.3	5	2
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:40:00	26-10-2025 07:45:00	59	2.3220338983050848	8	2
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:45:00	26-10-2025 07:50:00	59	37.983050847457626	2094	2
ScheduleOrder	PublishOrderStatus.publish	26-10-2025 07:45:00	26-10-2025 07:50:00	1	166	166	166
ScheduleOrder	ScheduleOrder.executeOrder	26-10-2025 07:45:00	26-10-2025 07:50:00	1	2043	2043	2043
ScheduleOrder	ScheduleOrder.reserveItem	26-10-2025 07:45:00	26-10-2025 07:50:00	1	1676	1676	1676
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:50:00	26-10-2025 07:55:00	60	5.75	212	2
ScheduleOrder	PublishOrderStatus.publish	26-10-2025 07:50:00	26-10-2025 07:55:00	1	49	49	49
ScheduleOrder	ScheduleOrder.executeOrder	26-10-2025 07:50:00	26-10-2025 07:55:00	1	194	194	194
ScheduleOrder	ScheduleOrder.reserveItem	26-10-2025 07:50:00	26-10-2025 07:55:00	2	66	95	37
ScheduleOrder	ScheduleService.executeService	26-10-2025 07:55:00	26-10-2025 08:00:00	59	2.0508474576271185	5	2
ScheduleOrder	ScheduleService.executeService	26-10-2025 08:00:00	26-10-2025 08:05:00	60	2.216666666666667	11	1
ScheduleOrder	ScheduleService.executeService	26-10-2025 08:05:00	26-10-2025 08:10:00	59	2	3	1

Service name	Function name	From Time	To Time	Count	Avg.	Max	Min
ShipOrder	ShipService.executeService	26-10-2025 07:30:00	26-10-2025 07:40:00	1	683	683	683
ShipOrder	ShipService.executeService	26-10-2025 07:40:00	26-10-2025 07:50:00	1	3	3	3
ShipOrder	ShipService.executeService	26-10-2025 07:50:00	26-10-2025 08:00:00	1	704	704	704
ShipOrder	ShipOrder.executeOrder	26-10-2025 07:50:00	26-10-2025 08:00:00	2	637	637	637
ShipOrder	PublishOrderStatus.publish	26-10-2025 07:50:00	26-10-2025 08:00:00	2	594	595	593
ShipOrder	ShipService.executeService	26-10-2025 08:00:00	26-10-2025 08:10:00	1	3	3	3