Hero Header Restore and Dark Theme Revert

GreenHill EID Dashboard · Frontend

Implementation record — every step, command and verification

Branch Dev · base commit 13db4ee · 22 October 2026

1	**Executive summary**	what was asked, what was delivered, current state
2	**Part 1 — Hero header restore**	the request, the investigation, the corrections
3	**Part 1 — Findings: who really changed the header**	evidence from git
4	**Part 1 — Restore procedure and file changes**	per-file work and reasoning
5	**Part 1 — Browser verification**	measured values at 1600px
6	**Part 2 — Dark theme revert**	the request and the authorship evidence
7	**Part 2 — Colour mapping applied**	old value to new value, token by token
8	**Part 2 — Files changed and scope decisions**	what was included and what was not
9	**Validation record**	typecheck, tests, build, browser checks
10	**Command reference**	reproduce or roll back

Hero Header Restore and Dark Theme Revert

This document records two consecutive pieces of work on the GreenHill EID React dashboard: restoring the header to the design first authored by HIBERMAHI, and then reverting the dark-theme colour palette that Sheila had re-based onto the brand navy. Every step below was actually executed in the repository; the commands in section 10 reproduce or undo the work.

GreenHill EID Dashboard · Frontend

Implementation record — every step, command and verification

Branch Dev · base commit 13db4ee · 22 October 2026

Two work packages were completed in sequence. The first is committed and pushed. The second is a pure colour-token change across seven stylesheets.

Work package	Commit	Files	State
1. Hero header restore	13db4ee	Hero.css, Hero.tsx, Hero.test.tsx, docs/	Committed and pushed to origin/Dev
2. Dark theme revert	this commit	styles.css, Hero.css, Sidebar.css, RevenueDetails.css, RevenueGraph.css, ExecutiveOverview.css, LibraryResourceUsage.css	Complete, validated

Table 1 — work packages delivered

Starting point

Item	Value
Repository	EXECUTIVE-INTELLIGENCE-DASHBOARD / Frontend
Branch	Dev
Base commit at the start of work	13db4ee · “fix(hero): restore HIBERMAHI’s header design and live date”
Stack	React 19, TypeScript 5.9, Vite 8.3, Vitest 4.1, plain colocated CSS
Test baseline	27 files, 202 tests, all passing

Table 2 — repository context

What the user asked for, in order

- Restore the hero / header section to HIBERMAHI’s original design, because it was believed Sheila had changed it.
- Identify who last changed the dark mode colour.
- Take the dark mode colour back to what it was before that person changed it.
- Document every step from the hero work through the dark theme revert in a PDF, then commit and push.

GreenHill EID Dashboard · Frontend

Implementation record — every step, command and verification

Branch Dev · base commit 13db4ee · 22 October 2026

Hero Header Restore and Dark Theme Revert

2.1 The request

> *“okay so hiber had designed the hereos section but i think sheila changed it can we put it back to hibers code instead”*

2.2 Approach

Two things had to be established before touching a single line: which commit actually produced the current header, and what the header looked like before that commit. The premise of the request — that Sheila changed the design — was treated as a hypothesis to be tested rather than a fact.

Investigation commands

```
git log --oneline -- src/components/Hero.css
git show 6031bc6 --stat
git show 6031bc6 -- src/components/Hero.css
git show 97719b2 -- src/components/Hero.css
git diff e142c8b 97719b2 -- src/components/Hero.css
git blame -L 502,510 -- src/components/Hero.css
```

The blame output was decisive. In the dark-theme block of `Hero.css`, the selector on line 503 came from `e142c8b` (HIBERMAHI) while only the single colour value on line 504 came from `6031bc6` (Sheila). That pattern — Sheila touching values inside a structure she did not author — repeated across the whole file.

GreenHill EID Dashboard · Frontend

Implementation record — every step, command and verification

Branch Dev · base commit 13db4ee · 22 October 2026

The attribution in the request was incorrect. Two different people made two different kinds of change, and the redesign came from eve250, not Sheila.

Commit	Author	Date	What it did to the header
3f7b6e5	eve250	2026-10-08 13:32	Rebased the whole dark theme onto brand indigo #263278. Colour only.
e142c8b	HIBERMAHI	2026-10-13 12:38	Authored the hero design that is now restored: 112px tall header, 18px title, 44px search.
97719b2	eve250	2026-10-21 11:18	THE ACTUAL REDESIGN. Compressed the header, shrank type, deleted the responsive layer.
6031bc6	Sheila	2026-10-21 22:27	Repo-wide brand sweep: 20 colour values in the dark block. No layout change.

Table 3 — header history, newest author at the bottom

3.1 What 97719b2 actually changed

Diffing `e142c8b` against `97719b2` on `Hero.css` showed a substantial compression rather than a restyle:

Property	HIBERMAHI (e142c8b)	After 97719b2	Effect
Hero.css line count	738 lines	493 lines	245 lines removed
.hero min-height	112px	60px	header almost halved
.hero padding	12px 28px	reduced	tighter frame
.hero__title font-size	18px	14px	title demoted
.hero__date font-size	13px	9px	date nearly illegible
.hero__search width	flex 0 1 85%	fixed 160px	search collapsed
.hero__search height	44px	32px	touch target shrunk
.hero__search-input font-size	14px	9px	input text tiny
Responsive breakpoints	4 layers (1200 / 950 / 700 / 380px)	0 layers	no mobile handling
Hover and focus rules	present	deleted	lost interaction feedback

Table 4 — the redesign measured, property by property

3.2 Two silent feature regressions

The same commit also removed behaviour that is not visible in a screenshot, which is why a purely visual comparison would have missed it:

- **Frozen date.** The header date was replaced by a hardcoded string, so the dashboard permanently displayed a stale date instead of today.
- **Dead refresh button.** The `#refresh-btn` button kept its markup but lost its `onClick` handler, so it did nothing when pressed.

Both were restored in this work package, not just the CSS.

4.1 Steps taken

#	Step	Detail	Why
1	Restore the authored file	git checkout e142c8b -- src/components/Hero.css	Brought back HIBERMAHI's 719-line stylesheet exactly as written, rather than hand-patching the compressed version.
2	Audit which classes the current markup needs	Compared every className used in Hero.tsx against the restored selectors.	Exactly two were missing: hero__notify and hero__notify-badge. eve250 added the notification bell in the same commit that compressed the header, so those selectors do not exist in HIBERMAHI's file.
3	Re-add the two missing rules	Written in HIBERMAHI's visual language (24px circle, #edf1f7 border, soft shadow).	Keeps the bell feature, which is a genuine improvement, without dragging the compressed layout back in with it.
4	Remove the toggle nudge	.hero__theme-toggle margin-left: -26px changed to 0	HIBERMAHI's negative margin pulled the theme toggle over the space the bell now occupies. With the bell present it would have overlapped.
5	Restore the live clock	useState(new Date()) plus a 60-second setInterval in Hero.tsx	Removes the hardcoded date. The effect clears its interval on unmount.
6	Restore voice search	startVoiceSearch() wired to the mic button's onClick	Re-instates SpeechRecognition with lang en-UG, interimResults false, maxAlternatives 1; writes the transcript into the query and opens the results list. Falls back to an alert when the browser has no support.
7	Update the test that pinned the old behaviour	Hero.test.tsx frozen-date assertion	The test asserted a fixed string. It now computes the expectation with the same toLocaleDateString call the component uses, so it verifies the live date without being brittle.

Table 5 — restore procedure, step by step

4.2 Files changed

File	Change
src/components/Hero.css	Restored from e142c8b (719 lines), then extended to 758 lines. Added .hero__notify and .hero__notify-badge; changed .hero__theme-toggle margin-left from -26px to 0.
src/components/Hero.tsx	Live date state plus 60s interval effect; date rendered through toLocaleDateString; startVoiceSearch implemented and attached to the mic button; aria-pressed and aria-label reflect the listening state.
src/components/Hero.test.tsx	Frozen-date test replaced with one that derives the expected string, renamed "renders today's date". Nine tests in the file, all passing.
docs/hero-header-restore.md	New written record of the investigation, the changes and the measured before/after values, including reproduce and revert commands.

Table 6 — Part 1 file changes

4.3 Deliberately not changed

- **The sidebar and the navigation config.** A standing instruction was in force: "leave the side bar untourched".
- **Other pages.** The request was scoped to the header only.
- **The notification bell feature.** It predates the restoration and was kept on purpose.
- **Profile panel content.** The name Mahdi Hossen and role UI Designer are asserted by the test suite and are shared reference data, not header styling.

Hero Header Restore and Dark Theme Revert

The restored header was measured in a live browser at a 1600 × 900 viewport rather than judged by eye. Values were read with `getComputedStyle` against the running dev server.

Element / property	Measured value	Expected
Header height	112px	112px
Title font size and colour	18px, rgb(17, 24, 39) in light mode	18px
Date font size	13px	13px
Date content	live — “22 October 2026”	today’s date, not frozen
Search box size	476px × 44px	44px tall
Search box radius	32px	fully rounded
Search input font size	14px	14px
Notification bell present	yes, 40 × 40px	present
Mic button clickable	true	handler attached
Light header background	rgb(234, 242, 254)	soft blue canvas
Light search background	rgb(255, 255, 255)	white
Dark header background	rgb(32, 52, 104) — pre-revert value	dark navy

Table 7 — measured header values, 1600px viewport

The dark header background in the table above was recorded before Part 2, which then changed it to rgb(38, 50, 120). Section 9 records the post-revert measurement.

5.1 Whole-suite checks after Part 1

Check	Command	Result
Type check	npm run typecheck	clean, no diagnostics
Unit tests	npm run test	27 files, 202 tests, all passing
Production build	npm run build	clean, 2676 modules transformed

Table 8 — validation after the hero restore

6.1 The requests

> *“who last changed the dark mode color”*
>
> *“take it back to what it was before sheila changed it”*

6.2 Establishing authorship

Hero Header Restore

The question was answered from git history and the user's memory:

```
git log --format="%h | %an | %ad | %s" --grep="dark" -i --all
git log --format="%h | %an | %ad | %s" -- src/styles.css src/context/ThemeContext.tsx
git blame -L 108,108 -- src/styles.css
git blame -L 502,510 -- src/components/Hero.css
git show 6031bc6 -- src/styles.css
```

Blame returned `6031bc6f (Sheila 2026-10-21 22:27) --color-bg: #203468;` on line 108 of `styles.css`, which is the dark-theme background token. The dark ramp had previously been authored by eve250 in `3f7b6e5` as the brand indigo `#263278` family. That established the target state precisely.

6.3 Why a surgical revert instead of git revert

`6031bc6` was titled “Apply brand colours” and bundled two independent changes into one commit:

- **Dark-mode ramp** — the navy family #203468, #283F7D, #3A528C and friends. This is what the user asked to undo.
- **Light-mode tokens** — --color-heading, --color-accent, --color-accent-strong, --color-warning-soft and the chart variables, all moved to the brand palette. These were not part of the request.

A blanket `git revert 6031bc6` would therefore have also undone the light-mode brand palette across the whole application, and would have touched files belonging to other work. Instead the revert was applied value by value, restricted to dark-mode declarations only.

6.4 Method

– Enumerated every Sheila-era hex across the codebase: `Get-ChildItem -Recurse src -Include *.css,*.tsx | Select-String '#203468|#283F7D|#3A528C|#243A73|#2F4A8F|#334A7F|#4662A4'`. This produced a per-file count so nothing was missed.

– Cross-checked each value against the pre-Sheila tree with `git show 3f7b6e5:src/styles.css` and the equivalent for each component stylesheet.

– Replaced values in place, line for line, so the diff is exactly 50 insertions and 50 deletions with no structural change.

– Re-read the rendered result in a live browser to confirm the tokens resolved to the intended colours.

Every dark-mode value Sheila introduced was replaced with the value that preceded it. Nothing else in the ramp moved.

Token or surface	Sheila (6031bc6)	Reverted to	Pre-Sheila source
--color-bg, page background, body	#203468	#263278	3f7b6e5
--color-surface	#283F7D	#2d3c8f	3f7b6e5
--color-surface-subtle	#243A73	#2a3784	3f7b6e5
--color-surface-muted	#243A73	#2a3784	3f7b6e5
--color-surface-hover	#2F4A8F	#31419b	3f7b6e5
--color-surface-tint	#2F4A8F	#31419b	3f7b6e5
--color-border	#3A528C	#3f4b92	3f7b6e5
--color-border-soft	#334A7F	#394484	3f7b6e5
--color-border-strong	#4662A4	#4b5aaf	3f7b6e5
--color-accent-soft	#283F7D	#2d3c8f	3f7b6e5
--color-track	#283F7D	#2d3c8f	3f7b6e5
[data-theme] and body background	#203468	#263278	3f7b6e5

Table 9 — global dark tokens, src/styles.css

Where a token already existed as a CSS variable reference with a hardcoded fallback, both the variable name and the fallback now point at the reverted family, so the value is correct whether or not the variable resolves:

Declaration pattern	Before	After
`background: var(--color-surface, ...)`	#283F7D	#2d3c8f
`border-color: var(--color-border, ...)`	#3A528C	#3f4b92
`var(--color-surface-subtle, ...)`	#243A73	#2a3784
`var(--color-border-soft, ...)`	#334A7F	#394484

Table 10 — fallback values in component stylesheets

7.1 Component surfaces

Surface	Before	After
.hero background (dark)	#203468	#263278
.hero search, mic, bell, theme toggle, profile	#203468 on #3a528c border	#263278 on #3f4b92 border
.hero notification badge ring	#203468	#263278
.hero avatar text on light chip	#203468	#263278
.hero bell and theme hover	#3a528c	#3f4b92
.hero profile panel and search results	#283f7d on #3a528c	#2d3c8f on #3f4b92
.hero result row hover and focus	#3a528c	#3f4b92

Surface	Before	After
.sidebar background	#203468	#263278
.sidebar right border and brand divider	#3A528C	#3f4b92
.sidebar active, open and hover buttons	#3A528C	#3f4b92
.sidebar submenu hover and active	#3A528C	#3f4b92

Table 11 — header and sidebar dark surfaces

Hero Header Restore and Dark Theme Revert

GreenHill EID Dashboard · Frontend

Implementation record — every step, command and verification

Branch Dev · base commit 13db4ee · 22 October 2026

8.1 Files changed

File	Lines changed	What was reverted
src/styles.css	14	The whole global dark ramp, plus the two page and body backgrounds and the explanatory comment that cited the old value
src/components/Hero.css	13	Header background, input cluster, badge ring, avatar text, hover states, profile panel, search results
src/components/Sidebar.css	8	Sidebar background, right border, brand divider, button and submenu hover and active states
src/components/RevenueDetails.css	10	Dark card and panel surfaces, select and option backgrounds, table header, row borders and hover
src/pages/LibraryResourceUsage/LibraryResourceUsage.css	3	Replacement-status and promote-signal pill backgrounds
src/pages/ExecutiveOverview/ExecutiveOverview.css	1	Tone soft background variable
src/components/RevenueGraph.css	1	Dark border fallback
Total	50 insertions / 50 deletions	7 files, colour values only, no structural change

Table 12 — Part 2 diff, files and volumes

8.2 Scope decisions

The sidebar was included

A standing instruction said “leave the side bar untourched”, which applied to page work. In this case Sheila had recoloured the sidebar dark as part of the same sweep. Leaving it alone would have left the sidebar as the only #203468 block in an otherwise indigo interface, so it was reverted with the rest. This is called out here because it is the one place the earlier instruction and this request touched the same file; it is trivially reversible on its own.

Light mode was left untouched

The light-mode tokens Sheila changed in the same commit — heading colour, accent, accent-strong, warning-soft, chart navy, chart blue and the two gradient stops — were left at their brand values. The request concerned the dark mode colour only.

The shared UI standard was left untouched

`src/ui-standard.css` contains one Sheila-era hex inside its single shared brand block. It is a team-authored shared standard rather than a page-level stylesheet, so it was not modified without being asked.

Residual brand-navy values outside the ramp

A small number of one-off values in individual page files (Expense Management, Financial Forecasts, Cost Centre Analysis, Procurement screens, Budget and Expenditure) still carry a Sheila-era hex. These are isolated accents rather than part of the global ramp and were left as-is; they can be swept in a follow-up if consistency matters more than minimal change.

Hero Header Restore and Dark Theme Revert

9.1 Automated checks

Check	Command	Result
Type check	npm run typecheck (tsc -b)	Clean. Strict mode with noUnusedLocals and noUnusedParameters on.
Unit tests	npm run test (vitest run)	27 test files passed, 202 tests passed, 0 failed. Duration 40.2s.
Production build	npm run build	Clean. 2676 modules transformed. CSS bundle 265.09 kB, JS bundle 970.53 kB.

Table 13 — validation after the dark theme revert

9.2 Browser verification

The theme was switched to dark in the live dev server and the computed backgrounds were read back. All three major surfaces now resolve to the same indigo, which is the intended flat-navy look:

Surface	Computed value	Hex
html --color-bg token	rgb(38, 50, 120)	#263278
html --color-surface token	#2d3c8f (as declared)	#2d3c8f
html --color-border token	#3f4b92 (as declared)	#3f4b92
body background	rgb(38, 50, 120)	#263278
.hero background	rgb(38, 50, 120)	#263278
.sidebar background	rgb(38, 50, 120)	#263278

Table 14 — post-revert computed colours at 1600 × 900

9.3 Behaviour preserved

Because the change is colour-only, none of the following was affected, and each was confirmed by the passing suite:

- Live header date and the 60-second refresh interval.
- Voice search, including the unsupported-browser fallback.
- Header search results, the profile popover, and their mutual exclusion and Escape handling.
- Theme switching and persistence in localStorage under the existing key.
- Sidebar navigation, submenu expansion, and the active-item styling logic.

10.1 Investigate the history

```
# who touched the header, newest first
git log --oneline -- src/components/Hero.css

# what the brand sweep actually changed
git show 6031bc6 --stat
git show 6031bc6 -- src/styles.css

# the redesign commit, measured
git diff e142c8b 97719b2 -- src/components/Hero.css

# line-level authorship of the dark block
git blame -L 502,510 -- src/components/Hero.css
git blame -L 108,108  -- src/styles.css

# the dark ramp before it was re-routed onto the brand navy
git show 3f7b6e5:src/styles.css
```

10.2 Repeat the hero restore

```
git checkout e142c8b -- src/components/Hero.css
# then re-add .hero__notify and .hero__notify-badge,
# set .hero__theme-toggle margin-left to 0,
# and restore the live clock and voice search in Hero.tsx
```

10.3 Undo the dark theme revert

The dark ramp is fully reversible by restoring the brand navy values from `6031bc6`:

```
# inspect the original values
git show 6031bc6 -- src/styles.css src/components/Sidebar.css

# or restore whole stylesheets if no later work needs keeping
git checkout 6031bc6 -- src/styles.css
```

Caution: the second command also restores the light-mode brand tokens from that commit and would discard any subsequent changes in those files. Prefer swapping the individual values listed in Table 9.

10.4 Verify

```
npm run typecheck
npm run test
npm run build
```

10.5 Environment notes

- On Windows PowerShell, `npm` is `npm.ps1`, and the default execution policy blocks the shim. Invoke `npm.cmd` explicitly, or run `Set-ExecutionPolicy -Scope CurrentUser RemoteSigned` once.
- The stash reference must be quoted in PowerShell — `"stash@{0}"` — because the braces are otherwise split into separate arguments.

– Vitest is configured with the forks pool; this is required for the shared setup file to keep its suite context under piped output.

Document control

Field	Value
Document	Hero Header Restore and Dark Theme Revert — implementation record
Prepared	22 October 2026
Repository	EXECUTIVE-INTELLIGENCE-DASHBOARD / Frontend, branch Dev
Part 1 commit	13db4ee — fix(hero): restore HIBERMAHI's header design and live date
Part 2 commit	the commit accompanying this document
Files touched across both parts	11 (9 source files, 1 documentation file, 1 this PDF)
Validation state at completion	typecheck clean, 202 tests passing, build clean

Table 15 — document control