


Table Of Contents

nametype-wise mass (g)	1
Distribution of mass (g)	2
fall-wise mass (g)	3
fall-wise mass (g) by nametype	4
mass (g) Across Years	5
Moving Average of mass (g) Across Years	6
mass (g) Across Years by nametype	7
mass (g) Across Years by fall	8
Top 10 name by mass (g)	9
year-wise mass (g) by nametype	10
mass (g) distribution across Years by nametype	11


nametype-wise mass (g)

nametype-wise split up of mass (g)




Distribution of mass (g)

Distribution of mass (g) over different ranges




fall-wise mass (g)

fall-wise split up of mass (g). Average of mass (g) plotted as Threshold value and fall sorted in Ascending order based on mass (g)




fall-wise mass (g) by nametype

fall-wise split up of mass (g) by nametype




mass (g) Across Years

mass (g) across Years (based on year)




Moving Average of mass (g) Across Years

Moving Average of mass (g) Across Years Based on mass (g) in That Years




mass (g) Across Years by nametype

mass (g) across Years (based on year) by nametype




mass (g) Across Years by fall

mass (g) across Years (based on year) by fall




Top 10 name by mass (g)

Top 10 name with more mass (g)



year-wise mass (g) by nametype

year-wise split up of mass (g) by nametype



mass (g) distribution across Years by nametype

Total mass (g) for each Years (based on year) by each nametype

Year of year	Relict	Valid	Total mass (g)
-No Value-	0.00%	100.00%	100.00%
860	0.00%	100.00%	100.00%
920			
1399	0.00%	100.00%	100.00%
1490	0.00%	100.00%	100.00%
1491	0.00%	100.00%	100.00%
1495			
1519			
1575	0.00%	100.00%	100.00%
1583	0.00%	100.00%	100.00%
1600	0.00%	100.00%	100.00%
1621	0.00%	100.00%	100.00%
1623	0.00%	100.00%	100.00%
1628	0.00%	100.00%	100.00%
1632	0.00%	100.00%	100.00%
1636			
1637	0.00%	100.00%	100.00%
1647			
1654			
1662			
1668	0.00%	100.00%	100.00%
1671	0.00%	100.00%	100.00%
1688	0.00%	100.00%	100.00%
1704			
1715	0.00%	100.00%	100.00%
1716	0.00%	100.00%	100.00%
1723	0.00%	100.00%	100.00%
1724	0.00%	100.00%	100.00%
1740	0.00%	100.00%	100.00%
1741	0.00%	100.00%	100.00%
1749	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1750			
1751	0.00%	100.00%	100.00%
1753	0.00%	100.00%	100.00%
1766	0.00%	100.00%	100.00%
1768	0.00%	100.00%	100.00%
1769			
1773	0.00%	100.00%	100.00%
1775	0.00%	100.00%	100.00%
1776	0.00%	100.00%	100.00%
1779			
1781	0.00%	100.00%	100.00%
1784	0.00%	100.00%	100.00%
1785	0.00%	100.00%	100.00%
1787	0.00%	100.00%	100.00%
1790	0.00%	100.00%	100.00%
1791			
1792	0.00%	100.00%	100.00%
1793	0.00%	100.00%	100.00%
1794	0.00%	100.00%	100.00%
1795	0.00%	100.00%	100.00%
1796	0.00%	100.00%	100.00%
1797	0.00%	100.00%	100.00%
1798	0.00%	100.00%	100.00%
1801	0.00%	100.00%	100.00%
1803	0.00%	100.00%	100.00%
1804	0.00%	100.00%	100.00%
1805	0.00%	100.00%	100.00%
1806	0.00%	100.00%	100.00%
1807	0.00%	100.00%	100.00%
1808	0.00%	100.00%	100.00%
1809	0.00%	100.00%	100.00%
1810	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1811	0.00%	100.00%	100.00%
1812	0.00%	100.00%	100.00%
1813	0.00%	100.00%	100.00%
1814	0.00%	100.00%	100.00%
1815	0.00%	100.00%	100.00%
1817	0.00%	100.00%	100.00%
1818	0.00%	100.00%	100.00%
1819	0.00%	100.00%	100.00%
1820	0.00%	100.00%	100.00%
1821	0.00%	100.00%	100.00%
1822	0.00%	100.00%	100.00%
1823	0.00%	100.00%	100.00%
1824	0.00%	100.00%	100.00%
1825	0.00%	100.00%	100.00%
1826	0.00%	100.00%	100.00%
1827	0.00%	100.00%	100.00%
1828	0.00%	100.00%	100.00%
1829	0.00%	100.00%	100.00%
1830	0.00%	100.00%	100.00%
1831	0.00%	100.00%	100.00%
1832	0.00%	100.00%	100.00%
1833	0.00%	100.00%	100.00%
1834	0.00%	100.00%	100.00%
1835	0.00%	100.00%	100.00%
1836	0.00%	100.00%	100.00%
1837	0.00%	100.00%	100.00%
1838	0.00%	100.00%	100.00%
1839	0.00%	100.00%	100.00%
1840	0.00%	100.00%	100.00%
1841	0.00%	100.00%	100.00%
1842	0.00%	100.00%	100.00%
1843	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1844	0.00%	100.00%	100.00%
1845	0.00%	100.00%	100.00%
1846	0.00%	100.00%	100.00%
1847	0.00%	100.00%	100.00%
1848	0.00%	100.00%	100.00%
1849	0.00%	100.00%	100.00%
1850	0.00%	100.00%	100.00%
1851	0.00%	100.00%	100.00%
1852	0.00%	100.00%	100.00%
1853	0.00%	100.00%	100.00%
1854	0.00%	100.00%	100.00%
1855	0.00%	100.00%	100.00%
1856	0.00%	100.00%	100.00%
1857	0.00%	100.00%	100.00%
1858	0.00%	100.00%	100.00%
1859	0.00%	100.00%	100.00%
1860	0.00%	100.00%	100.00%
1861	0.00%	100.00%	100.00%
1862	0.00%	100.00%	100.00%
1863	0.00%	100.00%	100.00%
1864	0.00%	100.00%	100.00%
1865	0.00%	100.00%	100.00%
1866	0.00%	100.00%	100.00%
1867	0.00%	100.00%	100.00%
1868	0.00%	100.00%	100.00%
1869	0.00%	100.00%	100.00%
1870	0.00%	100.00%	100.00%
1871	0.00%	100.00%	100.00%
1872	0.00%	100.00%	100.00%
1873	0.00%	100.00%	100.00%
1874	0.00%	100.00%	100.00%
1875	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1876	0.00%	100.00%	100.00%
1877	0.00%	100.00%	100.00%
1878	0.00%	100.00%	100.00%
1879	0.00%	100.00%	100.00%
1880	0.00%	100.00%	100.00%
1881	0.00%	100.00%	100.00%
1882	0.00%	100.00%	100.00%
1883	0.00%	100.00%	100.00%
1884	0.00%	100.00%	100.00%
1885	0.00%	100.00%	100.00%
1886	0.00%	100.00%	100.00%
1887	0.00%	100.00%	100.00%
1888	0.00%	100.00%	100.00%
1889	0.00%	100.00%	100.00%
1890	0.00%	100.00%	100.00%
1891	0.00%	100.00%	100.00%
1892	0.00%	100.00%	100.00%
1893	0.00%	100.00%	100.00%
1894	0.00%	100.00%	100.00%
1895	0.00%	100.00%	100.00%
1896	0.00%	100.00%	100.00%
1897	0.00%	100.00%	100.00%
1898	0.00%	100.00%	100.00%
1899	0.00%	100.00%	100.00%
1900	0.00%	100.00%	100.00%
1901	0.00%	100.00%	100.00%
1902	0.00%	100.00%	100.00%
1903	0.00%	100.00%	100.00%
1904	0.00%	100.00%	100.00%
1905	0.00%	100.00%	100.00%
1906	0.00%	100.00%	100.00%
1907	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1908	0.00%	100.00%	100.00%
1909	0.00%	100.00%	100.00%
1910	0.00%	100.00%	100.00%
1911	0.00%	100.00%	100.00%
1912	0.00%	100.00%	100.00%
1913	0.00%	100.00%	100.00%
1914	0.00%	100.00%	100.00%
1915	0.00%	100.00%	100.00%
1916	0.00%	100.00%	100.00%
1917	0.00%	100.00%	100.00%
1918	0.00%	100.00%	100.00%
1919	0.00%	100.00%	100.00%
1920	0.00%	100.00%	100.00%
1921	0.00%	100.00%	100.00%
1922	0.00%	100.00%	100.00%
1923	0.00%	100.00%	100.00%
1924	0.00%	100.00%	100.00%
1925	0.00%	100.00%	100.00%
1926	0.00%	100.00%	100.00%
1927	0.00%	100.00%	100.00%
1928	0.00%	100.00%	100.00%
1929	0.00%	100.00%	100.00%
1930	0.00%	100.00%	100.00%
1931	0.00%	100.00%	100.00%
1932	0.00%	100.00%	100.00%
1933	0.00%	100.00%	100.00%
1934	0.00%	100.00%	100.00%
1935	0.00%	100.00%	100.00%
1936	0.00%	100.00%	100.00%
1937	0.00%	100.00%	100.00%
1938	0.00%	100.00%	100.00%
1939	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1940	0.00%	100.00%	100.00%
1941	0.00%	100.00%	100.00%
1942	0.00%	100.00%	100.00%
1943	0.00%	100.00%	100.00%
1944	0.00%	100.00%	100.00%
1945	0.00%	100.00%	100.00%
1946	0.00%	100.00%	100.00%
1947	0.00%	100.00%	100.00%
1948	0.00%	100.00%	100.00%
1949	0.00%	100.00%	100.00%
1950	0.00%	100.00%	100.00%
1951	0.00%	100.00%	100.00%
1952	0.00%	100.00%	100.00%
1953	0.00%	100.00%	100.00%
1954	0.00%	100.00%	100.00%
1955	0.00%	100.00%	100.00%
1956	0.00%	100.00%	100.00%
1957	0.00%	100.00%	100.00%
1958	0.00%	100.00%	100.00%
1959	0.00%	100.00%	100.00%
1960	0.00%	100.00%	100.00%
1961	0.00%	100.00%	100.00%
1962	0.00%	100.00%	100.00%
1963	0.00%	100.00%	100.00%
1964	0.00%	100.00%	100.00%
1965	0.00%	100.00%	100.00%
1966	0.00%	100.00%	100.00%
1967	0.00%	100.00%	100.00%
1968	0.00%	100.00%	100.00%
1969	0.00%	100.00%	100.00%
1970	0.00%	100.00%	100.00%
1971	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
1972	0.00%	100.00%	100.00%
1973	0.00%	100.00%	100.00%
1974	0.00%	100.00%	100.00%
1975	0.00%	100.00%	100.00%
1976	0.00%	100.00%	100.00%
1977	0.00%	100.00%	100.00%
1978	0.00%	100.00%	100.00%
1979	0.00%	100.00%	100.00%
1980	0.00%	100.00%	100.00%
1981	0.00%	100.00%	100.00%
1982	0.00%	100.00%	100.00%
1983	0.00%	100.00%	100.00%
1984	0.00%	100.00%	100.00%
1985	0.00%	100.00%	100.00%
1986	0.00%	100.00%	100.00%
1987	0.00%	100.00%	100.00%
1988	0.00%	100.00%	100.00%
1989	0.00%	100.00%	100.00%
1990	0.00%	100.00%	100.00%
1991	0.00%	100.00%	100.00%
1992	0.00%	100.00%	100.00%
1993	0.00%	100.00%	100.00%
1994	0.00%	100.00%	100.00%
1995	0.00%	100.00%	100.00%
1996	0.00%	100.00%	100.00%
1997	0.00%	100.00%	100.00%
1998	0.00%	100.00%	100.00%
1999	0.00%	100.00%	100.00%
2000	0.00%	100.00%	100.00%
2001	0.00%	100.00%	100.00%
2002	0.00%	100.00%	100.00%
2003	0.00%	100.00%	100.00%

Year of year	Relict	Valid	Total mass (g)
2004	0.00%	100.00%	100.00%
2005	0.00%	100.00%	100.00%
2006	0.00%	100.00%	100.00%
2007	0.00%	100.00%	100.00%
2008	0.00%	100.00%	100.00%
2009	0.00%	100.00%	100.00%
2010	0.00%	100.00%	100.00%
2011	0.00%	100.00%	100.00%
2012	0.00%	100.00%	100.00%
2013	0.00%	100.00%	100.00%
2101	0.00%	100.00%	100.00%
Grand Total:	0.00%	100.00%	100.00%