

PLATFORM DOCUMENTATION

7ALP's

A complete walkthrough of the storefront, admin console, and B2B wholesale portal — every login, route, and feature, as currently implemented.

Updated 2026-08-06 · Frontend: React 19 + Vite + Redux Toolkit + Tailwind 4 ·
Backend: Node.js + Express 5 + MongoDB (Mongoose)

1. Architecture Overview

The platform is a two-app monorepo: a React single-page app (`frontend/`) talking to a REST API (`backend/`) mounted under `/api/v1` . There are three independent authentication systems — Customer, Admin, and B2B — each with its own JWT stored in an httpOnly cookie, so a login in one role never grants access to another.

Frontend stack

- React 19, React Router 7
- Redux Toolkit (cart, auth, wishlist, B2B draft-quote state)
- Tailwind CSS 4
- Axios (shared instance, cookie credentials on)
- Google Maps JS API (Places + Geocoding)
- Razorpay Checkout.js

Backend stack

- Express 5, MongoDB via Mongoose
- JWT + httpOnly cookies per role
- Cloudflare R2 for product images
- Razorpay Node SDK
- Resend for transactional email (OTPs / password reset)
- Helmet, rate limiting, custom sanitize middleware

2. Logins

Customer

Mobile number + OTP, no password. A single flow handles both signup and login — if the number isn't recognized, the customer is asked for a name and an account is created automatically on OTP verification.

Field	Detail
Login route	<code>/customer/login</code> → <code>/customer/verify-otp</code>
Session	JWT in httpOnly cookie <code>customerToken</code>
Dev fallback OTP	<code>123456</code> always works until a real SMS provider is wired up

Admin

Email + password. Two roles: `Admin` and `SuperAdmin` (currently identical permissions — the distinction exists in the schema for future use).

Field	Detail
Login route	<code>/admin/login</code>
Session	JWT in httpOnly cookie <code>adminToken</code>
Seeded account	<code>7alpsadmin@7alps.com</code> / <code>7alps123</code> (run <code>npm run seed</code> in <code>backend/</code> ... see note below)
Forgot password FIXED	OTP email flow — <code>POST /api/v1/auth/forgotPassword</code> → <code>verifyOTP</code> → <code>resetPasswordAfterOTP</code> , delivered via Resend. Verified genuinely end to end this round: the final reset-password step was previously a disconnected form component that silently reloaded the page instead of submitting (no validation, backend never called); it's now properly wired, and the backend also re-checks the OTP at that final step instead of only checking that the reset window hadn't expired.

Careful with `npm run seed`. That script reseeds the *product catalog* from scratch (it deletes existing products first) — it is not the admin-account seeder. The admin account is seeded via `node dev-data/seedAdmin.js` directly, which is safe to re-run (it checks before creating).

B2B (marketing team)

Email + password, same shape as Admin login, but a completely separate account collection. B2B accounts are **created by an admin** — there is no self-signup. Each B2B login represents an internal marketing-team member who sells in bulk on behalf of a business buyer.

Field	Detail
Login route	<code>/b2b/login</code>
Session	JWT in httpOnly cookie <code>b2bToken</code>
Account creation	Admin → B2B Team → Add member
Seeded account	<code>b2bpartner@7alps.com</code> / <code>7alps123</code> (<code>npm run seed:b2b</code>)
Forgot password FIXED	Same OTP flow as Admin — <code>POST /api/v1/b2b/forgotPassword</code> → <code>verifyOTP</code> → <code>resetPasswordAfterOTP</code> , delivered via Resend. Two bugs fixed this round: the frontend was calling this endpoint without its <code>/b2b</code> URL prefix, so every request 404'd before reaching the backend at all; and the same broken final reset-password step described in the Admin row above. Both are now fixed and verified end to end from the actual login page.

3. Route Map

Public (no login)

Route	Page
/	Home — hero, categories, featured products, process, testimonials, FAQs
/products	Full catalog with filters (category, price, search, rating sort)
/products/:id	Product detail — gallery, info, ingredients, reviews
/our-process	Sourcing/production story
/why-7alps	Brand positioning / comparison
/global-trade	Export/trade information
/partners	Partnerships page
/b2b-portal	Wholesale marketing/landing page (static content, not the logged-in B2B portal). Its own Contact form now actually saves submissions FIXED (same backend as the main Contact page), and every CTA on the page (tier cards, order builder) scrolls to it FIXED instead of doing nothing.
/contact	Contact / quote-request form NOW SAVED + map embed
/cart	Shopping cart (guest or logged-in); real (not hardcoded) delivery estimate FIXED ; newsletter signup now actually subscribes FIXED

Customer (requires customer login)

Route	Page
/checkout	Shipping address (with map picker, now auto-filled from the customer's default saved address NEW) + payment method + place order. Also handles standalone "Buy Now" purchases FIXED — see Section 4.
/customer/orders	Order history — product photo + expected delivery date per item NEW , "Order Again" NEW , "Rate this product" on delivered items NEW , search by ID/product/status/address IMPROVED
/customer/profile	Personal details + address book (with map picker); saving your only address (or none marked default) now auto-sets it as default FIXED
/customer/wishlist	Saved products via the heart icon on any product card NEW

Admin (requires admin login)

Route	Page
<code>/admin</code>	Dashboard — customers, orders, products, revenue, plus a Delivery Settings card NEW
<code>/admin/products</code>	Product CRUD, variants, image upload, admin-set display rating NEW
<code>/admin/categories</code>	Category CRUD
<code>/admin/orders</code>	All orders (customer + B2B); now server-side paginated and searchable by ID/customer/product/address/payment REBUILT , plus expected delivery date per order NEW
<code>/admin/customers</code>	Customer list with order/spend stats
<code>/admin/reviews</code>	Review moderation (genuine customer reviews, prompted after delivery)
<code>/admin/b2b</code>	B2B Team — members with sortable, month-filterable earnings NEW ; quote approval with working search FIXED
<code>/admin/contacts</code>	Contact form submissions — view, mark New/Read/Resolved, delete NEW
<code>/admin/support-tickets</code>	B2B "Contact Support" submissions NEW — server-side paginated and searchable (subject/message/member), status workflow, delete. See Section 4.

B2B (requires B2B login)

Route	Page
<code>/b2b</code>	Dashboard — quotes, orders, sales stats. The "Contact Support" button in the sidebar now actually saves a ticket for admin FIXED instead of just faking a "sent" state locally.
<code>/b2b/catalog</code>	Browse products, propose bulk price/qty
<code>/b2b/request-quote</code>	Buyer details (with map picker) + submit + quote history, search now working FIXED
<code>/b2b/orders</code>	Orders created from approved quotes, searchable by order ID or product

4. Feature Walkthrough

Customer-facing storefront

- **Browse & filter** — category, price, search, rating sort (now backed by real, admin-set product ratings — see Section 5).
- **Wishlist** **NEW** — heart icon on any product card (listing pages, product detail, related products); toggles instantly, redirects a guest to login. Dedicated `/customer/wishlist` page lists everything saved.

- **Cart** — guest cart in localStorage; merges into the server cart automatically on login. Decreasing quantity below 1 now removes the item instead of silently doing nothing **FIXED**.
- **Buy Now** **FIXED** — purchasing directly from a product page no longer touches the cart at all; checkout shows only that one item, and the customer's actual cart is left completely untouched.
- **Checkout** — shipping address form with an embedded Google Maps picker, now auto-filled from the customer's default saved address **NEW**; choice of **Cash on Delivery** or **Pay Online (Razorpay)**.
- **Orders** — history with status, itemized breakdown (product photo + expected delivery date per item), shipping address, broadened search (ID/product/status/address/date), and an "Order Again" button that re-adds every item from a past order to the cart **NEW**.
- **Profile** — editable name/email; a real address book (add/edit/delete/set-default), each entry fillable via the same map picker. The only (or first) saved address is now always guaranteed to be the default **FIXED**.
- **Reviews** — logged-in customers can rate & review a product from the product page, and are now also prompted with a "Rate this product" link on delivered order items **NEW** (skipped once already reviewed); reviews are held as **Pending** until an admin publishes them.

Admin console

- **Dashboard** — live counts: customers, orders, products, revenue; plus a **Delivery Settings** card **NEW** to set the expected-delivery window (in days) shown to customers at checkout and on their orders.
- **Products** — full CRUD, multiple variants per product (label/price/MRP/stock), multi-image upload to Cloudflare R2, plus an admin-set display rating (average + count) **NEW** — see Section 5.
- **Categories** — add/edit/activate/delete; delete is blocked if products still reference the category, with a clear error explaining why.
- **Orders** **REBUILT** — every order (storefront and B2B) in one place; now paginated and searched server-side (order ID, customer, product, address, payment, status) instead of fetching the entire order collection on every load; inline status changes (Confirmed → Processing → Shipped → Delivered/Cancelled); expected delivery date per order.
- **Customers** — every registered customer with their order count and lifetime spend.
- **Reviews** — moderate: publish, flag, or delete any submitted review.
- **Contact Submissions** **NEW** — every Contact Us / quote-request form submission, with New/Read/Resolved status and search.
- **Support Tickets** **NEW** — every message a B2B member sends via the "Contact Support" button on their dashboard (previously not saved anywhere at all — the form faked a success message and discarded the input). Server-side paginated and searchable by subject, message, or the submitting member's name/email/business, with the same New/Read/Resolved workflow as Contact Submissions.
- **B2B Team** — create marketing-team logins; each member's bulk orders and earnings, now sortable and filterable by month **NEW** ("earnings" = value of orders created once their quotes are approved — see the Earnings note below); review a pending quote (adjust quantity/price if needed), approve it — which atomically decrements stock and creates a real order — or reject it with a reason. Quote search now actually works **FIXED** (was previously silently broken — it searched a field that was never populated).

B2B wholesale portal

- **Catalog** — the same live product catalog; the member picks a variant, a bulk quantity (10+ units), and proposes their own discounted unit price (capped at the listed retail price).

- **Request Quote** — the products picked in Catalog collect into a draft; the member adds the buyer's business name and delivery address (map picker included) and submits it for admin approval. Past quotes and their status are listed below the form, with working search **FIXED**.
- **Orders** — once admin approves a quote, it becomes a real order here; searchable by order ID or product name, alongside the existing status filter.
- **Dashboard** — quote counts by status, total orders, total sales. Its "Contact Support" button/modal now actually submits to the admin's new Support Tickets page **FIXED** instead of silently discarding the message.

5. Product Ratings **NEW**

Every product now has a display rating — an average (0–5 stars) and a count of "people rated" — shown on product cards and the product detail page, and usable for "Sort by Rating" on the catalog.

Admin-entered, not yet computed from real reviews. Since the storefront is only just launching, these numbers are set directly by the admin on the product form (`/admin/products`) rather than calculated from the Review collection. A product with no rating set shows a "New" badge instead of stars/zero. Genuine customers can still rate & review products (prompted after delivery, moderated by admin at `/admin/reviews`) — that data is collected in parallel and is intended to eventually replace the admin-set number once there's enough real review volume, but that switch-over has not been built yet.

Two related bugs were fixed as part of this: the product detail page's star rating used to be hardcoded to 5 stars for every product regardless of its actual rating, and the catalog's "Sort by Rating" was a silent no-op because the backend had neither a rating field to sort by nor a query-param-aware sort at all.

6. Payments

Cash on Delivery is the default and always available. **Razorpay is fully live and has been verified with a real completed test transaction** — order creation, the checkout modal, signature verification, and order confirmation all work end to end. If `RAZORPAY_KEY_ID` / `RAZORPAY_KEY_SECRET` in `backend/.env` are ever blanked out, attempting to pay online returns a clear "not configured yet" error rather than failing silently — it never crashes the server either way.

How it works: the backend computes the charge amount itself — from the customer's live server-side cart for a normal checkout, or from the specific item(s) requested for a Buy Now purchase — it never trusts a client-supplied amount, which is the standard payment-security practice (a client could otherwise tamper with what it pays). `POST /customer/payments/razorpay-order` creates the Razorpay order sized to that amount; the frontend opens Razorpay's Standard Checkout modal with it; on success, `POST /customer/payments/razorpay-verify` checks the HMAC-SHA256 signature Razorpay returns before creating the real order, decrementing stock, and (for a cart checkout) clearing the cart.

7. Email (Resend)

All transactional email — signup OTPs, and both the Admin and B2B forgot-password OTP flows (now fully wired end to end on the frontend, see Section 2) — sends through Resend instead of the previous Gmail/Nodemailer setup. The change is isolated to `backend/utils/email.js`, which keeps the same `sendEmail({ email, subject, message })` signature, so no caller had to change.

Field	Detail
Config	<code>RESEND_API_KEY</code> + <code>RESEND_FROM_EMAIL</code> in <code>backend/.env</code>
Sender address	<code>7Alps <support@7alpsglobal.com></code> — <code>7alpsglobal.com</code> is verified with Resend, so email delivers to any recipient (earlier in setup, this pointed at a malformed address and OTP emails failed to send outright; fixed this round)
Contact form notification	Optional — if <code>CONTACT_NOTIFY_EMAIL</code> is set in <code>backend/.env</code> , admin gets an email on every new Contact Us submission; unset by default so it's silently skipped until a real address is configured.

Newsletter signup NEW

The "Stay Connected" banner on the Cart page previously had no working input or button at all. It now actually captures an email via `POST /api/v1/newsletter/subscribe` (public, idempotent — resubscribing the same address just succeeds again) into a dedicated `NewsletterSubscribers` collection.

Deliberately minimal. There's no admin UI page for this yet (only `GET /api/v1/admin/newsletter` to list subscribers, callable but not wired to any screen), no unsubscribe flow, and no actual campaign-sending capability — this is capture-only for now, matching the "minimal" scope this was built to.

Domain verified — sandbox restriction lifted. With `7alpsglobal.com` verified, OTP and notification emails send to any recipient, not just the Resend account owner's own inbox (Resend's default sandbox behavior for unverified senders).

8. Testing Reference

What	Value
Admin login	<code>7alpsadmin@7alps.com</code> / <code>7alps123</code>
B2B login	<code>b2bpartner@7alps.com</code> / <code>7alps123</code>
Customer login	Any 10-digit mobile number, OTP <code>123456</code>
Razorpay test card (recommended)	<code>5267 3181 8797 5449</code> (Mastercard) — any future expiry, any 3-digit CVV
Razorpay test OTP	Any 4-10 digit number (e.g. <code>1234</code>) — it's a test-mode simulation, not a fixed code
Password-reset OTP (Admin/B2B)	Emailed via Resend from <code>support@7alpsglobal.com</code> , delivered to the real account email — now testable end to end from the actual login page (Section 2), including the final "set new password" step

Avoid the generic `4111 1111 1111 1111` Visa test card — Razorpay's test environment treats it as a foreign-issued card, and most test accounts (this one included) have international card acceptance disabled by default, so it fails with `international_transaction_not_allowed`. The Mastercard number above is domestic and works reliably.

9. Known Limitations

- **Admin Quotes tab date-range filtering isn't exposed in the UI** — `GET /api/v1/admin/quotes` accepts `dateFrom` / `dateTo` alongside `status`, but the B2B Team page's Quotes tab UI only exposes a status dropdown (search now works correctly as of this round — that part of the earlier limitation is resolved).
- **SMS OTP delivery is not wired up** — OTPs are logged to the server console in development, and `123456` is always accepted as a fallback until a real SMS provider (e.g. MSG91, Twilio) is integrated.
- **The home page's decorative "Shop by category" tiles are static content** (curated imagery in a fixed 3-tile layout), separate from the real, admin-managed Category system used everywhere else (product forms, filters, B2B catalog).
- **No order/quote-status confirmation emails** — order placement, quote approval/rejection, etc. remain visible in-app only; Resend is currently used only for OTP flows and the optional contact-form admin notification.
- **Product ratings are admin-entered, not computed from real reviews** — a deliberate interim state for launch (see Section 5), not a bug; genuine review collection is running in parallel for a future switch-over.
- **Newsletter subscription is capture-only** — no admin page to view/export subscribers (the data and a listing endpoint exist, just no screen for it yet), no unsubscribe flow, no campaign sending.
- **B2B member deletion has no admin UI** — the backend supports actually deleting a B2B member (`DELETE /api/v1/admin/b2b/:id`), but the B2B Team admin page only offers toggling a member active/inactive. Worth confirming whether soft-delete-only is the intended policy.

Full audit pass (2026-08-05). A systematic sweep checked every search/filter config, interactive element, and hardcoded value across the app for the same "looks wired up but isn't" pattern that produced several of the fixes above. Beyond what's listed as fixed in this document, a handful of harmless items were found and intentionally left alone (not asked for, not affecting any live feature): a leftover debug `console.log` on the homepage, a few unused Redux cart reducers superseded by the async thunks actually in use, two components with dead buttons that aren't rendered anywhere in the app, and some stale commented-out code in `userRoutes.js` / `Footer.jsx` . None of these are live bugs.

Backend error-handling & auth hardening (2026-08-06). A second pass, triggered by a raw MongoDB error message (`E11000 duplicate key...`) leaking straight to the admin UI on a duplicate B2B email. Root cause: the global error handler only produced friendly messages in production — in development it returned the raw driver error unmodified. Fixed app-wide, so every duplicate-key and validation error now returns a clear, human-readable message (e.g. *"This email address is already in use"*) regardless of environment, not just for B2B. While auditing the rest of the error-handling and auth code, two more real issues turned up and were fixed: the Admin/B2B "reset password after OTP" endpoint accepted the request without re-checking the OTP (only the expiry window), and request logging (`morgan`) was silently disabled outside development, so a production-run server produced zero access logs.