

The 'sopra-attachments' Package

Documentation for the 'sopra-attachments' package | Version v1.1.00

5. January 2020

Florian Sihler (florian.sihler@uni-ulm.de)

1 General

1.1 Why, what for?

This $\text{\LaTeX}$ 2_ε package was written as part of the Sopra in the winter semester 2019 and summer semester 2020 and serves as a small wrapper for embedding documents of *Team 20*. This documentation was created together with the `sopra-base.cls` as well as the `sopra-documentation.sty` package.

The `sopra-listings` package is used to visualize the individual code excerpts. The associated package should also be embedded in this document: [sopra-attachments.sty](#).

1.2 Dependencies

This package includes the following packages:

- `xcolor`
- `graphicx`^(attsymbols, usefa)
- `attachfile2`
- `fontawesome`^(usefa)

All of these packages should be part of a common $\text{\LaTeX}$ distribution.

1.3 Installation

The package is not delivered as a `.dtx`, which is why the following options arise:

- The package can be placed in the same directory as the document. In this case the inclusion instruction reads:
`\usepackage{sopra-attachments}`
- The package can be placed in a subdirectory/a directory shipped with the document. In this case it is specified via the (relative) path:
`\usepackage{./My/Path/to/sopra-attachments}`
- The package can be placed (via a symlink or similar) in one's own *texmf* tree. For example, on Linux using *texlive*, the package can be placed here: `~/texmf/tex/latex/`. The directory can be created and then updated using `texhash ~/texmf`. Now the package can be used like any other installed package:
`\usepackage{sopra-attachments}`

1.4 Further peculiarities

In version v1.1.00 (`\thesoaversion` $\rightarrow$ p. 2) the following applies: no default color is set anymore, to make it easier to configure it yourself. Furthermore `usefa` (`nousefa`) $\rightarrow$ p. 2 was added.

1.5 Accepted Parameters

Like most packages, this package accepts arguments. For arguments with a “counter” option, the one that is respectively active by default is written first and the other one in parentheses. So implicitly:

```
\usepackage[attsymbols,nodocheck,usefa]{sopra-attachments}
```

is called. Whereas with:

```
\usepackage[docheck]{sopra-attachments}
```

no error is thrown if the file does not exist!

- ▷ `attsymbols` (`noattsymbols`)

With `noattsymbols`, text is used instead even in cases where a symbol would actually be used.

- ▷ `nodocheck` (`docheck`)

With `docheck` it is checked whether the file actually exists. It is only attached if it exists; otherwise *no* error is thrown. This can, for example, be useful when the graphic to be embedded is only generated later in the document using TikZ's `external`.

- ▷ `usefa` (`nousefa`)

With `usefa`, the packages *fontawesome* and *graphicx* are loaded. A paperclip is prepended to the attached files for the text commands like `\attachDocumentText`^{→ p. 3}, to make the attachment clear. With `nousefa` you get the behavior from before version v1.1.00 back.

1.6 Further Notes

Using `\attachfilesetup` from the `attachfile2` package, further settings can be made. If `sopra-base` is not used, the author of the documents must be set via `\author`.

2 Commands and Environments

2.1 General Commands

- ▷ `\thesoaversion`

Returns the current version of the package. So `\thesoaversion` results in: v1.1.00

Note: via `\value{soaversion}` the version can be obtained as a 4-digit number: 1100.

- ▷ `\attachPdf[search path]{File}`

Attempts to embed `File`. If it is not located in the same folder, `search path` can be specified as a prefix. A trailing “slash” is expected!

- ▷ `\attachPdfText[search path]{File}{Text}`

Analogous to `\attachPdf`^{→ p. 2}, but instead of the symbol (if enabled), the `Text` is displayed.

- ▷ `\attachDocument[search path]{File}`

Analogous to `\attachPdf`^{→ p. 2}, but the document type is set to text/plain. The alias `\attachTex` exists.

- ▷ `\attachDocumentText[search path]{File}{Text}`

Analogous to `\attachPdfText`^{→ p. 2}, but the document type is set to text/plain. The alias `\attachTexText` exists.