No.	Statement	Reason
1.	Let $\angle BAD = \angle 1$ and $\angle DAC = \angle 2$	Assumption
2.	$\angle BAD = \angle AEC = \angle 1$	Since $DA \parallel CE$ and AC is transversal, corresponding angles are equal
3.	$\angle DAC = \angle ACE = \angle 2$	Since $DA \parallel CE$ and AC is transversal, Alternate angles are equal
4.	$\frac{BA}{AE} = \frac{BD}{DC}$ … (2)	In ΔBCE by Thales theorem
5.	$\frac{AB}{AC} = \frac{BD}{DC}$	From (1)
6.	$\frac{AB}{AC} = \frac{BA}{AE}$	From (1) and (2)
7.	AC = AE … (3)	Cancelling AB
8.	$\angle 1 = \angle 2$	ΔACE is isosceles by (3)
9.	AD bisects $\angle A$	Since, $\angle 1 = \angle BAD = \angle 2 = \angle DAC$. Hence proved

Example 4.12 In ΔABC, if $DE \parallel BC$, $AD = x$, $DB = x - 2$, $AE = x + 2$ and $EC = x - 1$ then find the lengths of the sides AB and AC.

Solution In ΔABC we have $DE \parallel BC$.

By Thales theorem, we have $\frac{AD}{DB} = \frac{AE}{EC}$

$\frac{x}{x-2} = \frac{x+2}{x-1}$ gives $x(x-1) = (x-2)(x+2)$

Hence, $x^2 - x = x^2 - 4$ so, $x = 4$




Fig. 4.36

When $x = 4$, $AD = 4$, $DB = x - 2 = 2$, $AE = x + 2 = 6$, $EC = x - 1 = 3$.

Hence, $AB = AD + DB = 4 + 2 = 6$, $AC = AE + EC = 6 + 3 = 9$.

Therefore, $AB = 6$, $AC = 9$.

Example 4.13 D and E are respectively the points on the sides AB and AC of a ΔABC such that $AB = 5.6$ cm, AD = 1.4 cm, $AC = 7.2$ cm and $AE = 1.8$ cm, show that $DE \parallel BC$.

Solution We have $AB = 5.6$ cm, $AD = 1.4$ cm, $AC = 7.2$ cm and $AE = 1.8$ cm.

$BD = AB - AD = 5.6 - 1.4 = 4.2$ cm

and $EC = AC - AE = 7.2 - 1.8 = 5.4$ cm.

$\frac{AD}{DB} = \frac{1.4}{4.2} = \frac{1}{3}$ and $\frac{AE}{EC} = \frac{1.8}{5.4} = \frac{1}{3}$

$\frac{AD}{DB} = \frac{AE}{EC}$




Fig. 4.37

Therefore, by converse of Basic Proportionality Theorem, we have DE is parallel to BC. Hence proved.

10th_Maths_Chapter 4_English.indd 176 12/27/2024 3:11:10 PM