www.tntextbooks.in

Table 10.3 Cranial nerves and their functions

No.	Cranial nerves	Nature of nerve	Function
I	Olfactory nerve	Sensory	Sense of smell
II	Optic nerves	Sensory	Sense of sight
III	Oculomotor nerves	Motor	Movement of the eye
IV	Trochlear nerve	Motor	Rotation of the eye ball
V	Trigeminal nerve	Sensory and motor (mixed)	Functioning of facial parts
VI	Abducens nerve	Motor	Rotation of the eye ball
VII	Facial nerve	Mixed	Functioning of facial parts
VIII	Auditory/Vestibulo-cochlear nerve	Sensory	Maintains the equilibrium of the body /Auditory function
IX	Glossopharyngeal nerve	Mixed	Taste and touch
X	Vagus	Mixed	Regulation of the visceral organs
XI	Spinal accessory	Motor	Muscular movement of Pharynx, larynx, neck and shoulder
XII	Hypoglossal	Motor	Speech and swallowing

particle about to fall into it, sneezing and coughing due to foreign particle entering the nose or larynx.

2) **Conditioned reflex** is a respone to a stimulus that has been acquired by learning. This does not naturally exists in animals. Only an experience makes it a part of the behaviour. Example: excitement of salivary gland on seeing and smelling a food. The conditioned reflex was first demonstrated by the Russian physiologist **Pavlov** in his classical conditioning experiment in a dog. The cerebral cortex controls the conditioned reflex.

Peripheral Neural System (PNS)

PNS consists of all nervous tissue outside the CNS. Components of PNS include nerves, ganglia, enteric plexuses and sensory receptors. A nerve is a chord like structure that encloses several neurons inside. Ganglia (singular-ganglion) are small masses of nervous tissue, consisting primarily of neuron cell bodies and are located outside the brain and spinal cord. Enteric plexuses are extensive networks of neurons located in the walls of organs of the gastrointestinal tract. The neurons of these plexuses help in regulating the digestive system. The specialized structure