www.tntextbooks.in

**Figure 13. 10** A fish pond-showing fish breeding hapas

small sized pond in which unfertilized eggs are transferred and hatching happens. Hatching hapas are rectangular trough shaped tanks made up of mosquito net cloth supported by bamboo poles and fixed in the river (Figure 13.10).

**Nursery pond**

The newly hatched fries are transported from the hatching happa to nursery ponds where they grow into fingerlings.

**Rearing pond**

Fingerlings are transferred to rearing ponds that is long and narrow and allows long distance swimming. The rearing pond should be free from toxicants and predators. Antibiotics are used for washing the fingerlings and then transferred to the stocking ponds.

**Stocking ponds**

Stocking ponds should be devoid of weeds and predatory fishes. Proper organic manuring should be done to increase the production with cow dung and chemical fertilizing should also be done.

**Harvesting**

Harvesting is done to capture the fishes from the water. Well grown fishes are taken out for marketing. Small sized fishes are again released into the stocking ponds for further growth. Different methods of fishing are carried out to harvest fishes. These include Stranding, Angling, Traps, Dipnets, Cast nets, Gill nets, Drag nets and purse nets. The harvested fishes are preserved by refrigeration, Deep freezing, freeze drying, sun drying, salting, smoking and canning.