Deamination	The enzymatic removal of an amino group from an amino acid to form its corresponding keto acid.
Desiccation tolerance	Ability of plants which can tolerate extreme water stress without being killed.
Drought resistance	Capacity of a plant to limit and control consequences of water deficit.
EDTA	Ethylene Diamine Tetra Acetic acid, chelating agent makes iron uptake possible by forming soluble complex in an alkaline soil.
Endergonic	A chemical reaction with a positive free energy charge or ATP utilizing reactions.
Endosperm	Nutritive tissue for the embryo
Endospore	Thick walled, resting spores
Eusporangiate	Sporangium formed from a group of initials
Exergonic	A chemical reaction with a negative free energy charge or ATP producing reactions.
Extra stellar ground tissue	Tissues outside the stele
Fibre-Tracheids	Transitional form between fibre and tracheids
Fluorescence	Emission of light by a substance that has absorbed light in the form luminescence.
Fossil	The remains or impression of plant or animal of the past geological age
Gametophyte	The haploid plant body
Gelatin	An animal-based product used as a gelling agent.
Genome	Complete set of genes in an organism
Germ	Protein rich embryo
Granum	A stack of thylakoid in a stroma of chloroplast
Hadrome	Xylem-by Haberlandt
Halophytes	Plants native to saline soils and complete their life cycle
Heliophytes	Plants which are adapted to light
Heterospory	Production of spores of different sizes: megaspores and microspores
Histogenesis	Differentiate tissues from undifferentiated cells of meristem
Indeterminate growth	Plants grow throughout their life
Intrastelar ground tissue	Tissues within the stele
Isomerisation	Rearrangement of atomic groups within the same molecule without any loss or gain of atoms.
Karyogamy	Fusion of nucleus
Karyotype	Number, sizes, and shapes of the entire set of metaphase chromosomes of a eukaryotic cell.
Km	A parameter that describes the affinity of an enzyme for its substrate and equals the substrate concentration that yields the half-maximal reaction rate;
Leptome	Phloem – by Haberlandt
Leptosporangiate	Sporangium formed from a single initial
Lumen	Space inside the tracheid/vessel/fibres
Malate Shuttle mechanism	It is a biochemical system for translocating electrons produced from glycolysis across inner membrane of mitochondrion for oxidative phosphorylation.
Mass meristem	Meristem which divides in all planes
Microgreens	Young vegetable greens add flavour in culinary
Monograph	Complete account of a taxon of any rank
Monosulcate	Pollen grain with single furrow or pores
Mycobank	Online database documenting new mycological names
Necrosis	Death of tissue
Non heme iron	An iron porphyrin prosthetic group of heme proteins from plant origin
Nucleoid	Genetic material of bacterium
Nutation	The growing stems of twiner and tendrils show automatic movement
Oogamy	Fusion of morphologically and physiologically dissimilar gametes
Open vascular bundle	Cambium present between xylem and phloem Example: Dicot stem
Oxidation	Water is oxidised into Oxygen (loss of electrons)
PAR	The wavelength at which the rate of photosynthesis is more is called 'Photosynthetically Active Radiations' which falls between 400 to 700 nm.
Parthenocarphy	Fruit developed without fertilization
Pendulous	Hanging downward loosely or freely (like catkin)
Petrifaction	A process of fossil formation through infiltration of minerals over a long period

11th Botany_EM_Chapter 15.indd 335 11/01/2023 15:00:38