Exercise : 8

Chara - Habit

Diagnostic features:

- *Chara* (Stone Wort) belongs to class Chlorophyceae
- Multicellular, macroscopic and differentiated into main axis and rhizoids.
- Main axis is branched and differentiated into nodes and internodes
- Branches of limited growth, unlimited growth and Stipuloides arise from node.
- Male sex organ antheridium or globule, female sex organ Oogonium or Nucule.




Figure 8: *Chara*

Exercise :9

Agaricus - Basidiocarp

Diagnostic features:

- *Agaricus* fruit body (Basidiocarp) consist of stipe, annulus, pileus and gills.
- Fertile region of gills is known as hymenium. It possess club shaped basidium and sterile hyphae called Paraphysis.
- Basidium exogenously produces four basidiospores.




Figure 9: Basidiocarp of *Agaricus*

Exercise: 10

Foliose Lichen

Diagnostic features:

- Symbiotic association of algae and fungi, leaf like thallus. (Foliose)
- Alagal partner (phycobiont) provide nutrition, Fungal partner (Mycobiont) provide protection and absorption of water.
- Indicator of SO_2 pollution, pioneer species in xerosere succession.




Figure 10: Foliose Lichen

11th Botany_EM_Chapter 15.indd 352 11/01/2023 15:00:44