www.tntextbooks.in

```
int main()
{
  result r1;
 r1.acceptname();       //calling base class function using derived class object
 r1.acceptmark();       //calling base class which itsel is a derived class  function
using its derived class object
r1.acceptdob();
 cout<<"\n\n\t\t MARKS STATEMENT";
 r1.displayname();       //calling base class function using derived class object
 r1.displaydob();
 r1.displaymark();       //calling base class which itsel is a derived class  function
using its derived class object
 r1.showresult();        //calling the child class function
 return 0;
}
```

Output:

```
Enter roll no and name .. 1201 RAGU
 Enter lang,eng,phy,che,csc,mat marks.. 96 98 100 100 100 100
 Enter date,month,year in digits and class .. 7 12 2001 XII
              MARKS STATEMENT
 Roll no :-1201
 Name :-RAGU
 class      :-XII            DOB     :  7 - 12 -2001
              Marks Obtained
 Language.. 96
English .. 98
Physics .. 100
 Chemistry.. 100
Comp.sci.. 100
Maths ..   100
TOTAL MARK SCORED    :  594
```

In the above program the derived class “result” has acquired the properties of class “detail” and class “exam” which is derived from “student”. So this inheritance is a combination of multi level and multiple inheritance and so it is called hybrid inheritance