```
cin>>mahesh.dob.date;
cout<< "Enter the month:"<<endl;
cin>>mahesh.dob.month;
cout<< "Enter the year:"<<endl;
cin>>mahesh.dob.year;
cout<< "The values entered  for Age, height and weightare"<<endl;
cout<<mahesh.age<< "\t"<<mahesh.height<< "\t"<<mahesh.weight<<endl;
cout<< "His date of Birth is:"<<endl<<mahesh.dob.date<<  "-"<<mahesh.dob.
month<< "-"
<<mahesh.dob.year;
```

வெளியீடு:

```
Enter the age:
18
Enter the height:
160.5
Enter the weight:
46.5
The Date of birth
Enter the day:
25
Enter the month:
NOV
Enter the year:
2017
The values entered  for Age, height and weight are
18      160.5          46.5
His date of Birth is:
25-NOV-2017
```

பின்னலான கட்டுருவானது மற்றொரு கட்டுருவுக்கு உறுப்புகளைப் போல செயல்படும்.

12.7.7 கட்டுருக்களின் அணிகள் (Array of Structures)

ஒரு வகுப்பில் பல மாணவர்கள் இருக்கிறார்கள். எனவே ஒரு மாணவரின் கட்டுரு வரையறையை அனைத்து மாணவர்களுக்கும் விரிவுபடுத்தலாம். ஒரு வகுப்பில் 20 மாணவர்கள் இருந்தால் 20 மாணவர்களுக்கும் தனித்தனியாக 20 கட்டுருக்கள் தேவைப்படும். இந்த தேவைக்காக கட்டுருக்களின் அணி பயன்படுகிறது. உள்ளிணைந்த தரவு வகைகளில் ஒரு அணி அறிவிக்கப்பட்டது போன்றே கட்டுருக்களிலும் அணிகள் அறிவிக்க முடியும்.