```
        int prd (int a, int b)        //inline member function
        {
                int c=a*b;
                return c;
        }
};      // end of class specification
compute c1,c2;          //global object
int main()
{
        c1.n =c1.add(12,15);   //member function is called
        c2.n =c2.add(8,4);
        cout<<"\n Sum of object 1  "<<c1.n;
        cout<<"\n Sum of object 2  "<<c2.n;
        cout<<"\n Sum of the two objects are  "<<c1.n+c2.n;
        c1.n=c1.prd(5,4);
        c2.n=c2.prd(2,5);
        cout<<"\n Product of object 1  "<<c1.n;
        cout<<"\n Product of object 2  "<<c2.n;
        cout<<"\n Product of the two objects are  "<<c1.n*c2.n;
        return 0;
}
```

வெளியீடு :

```
Sum of object 1  27
Sum of object 2  12
Sum of the two objects are  39
Product of object 1  20
Product of object 2  10
Product of the two objects are  200
```

செயல்பாடு 5

1) மதிப்பைத் திரும்ப அனுப்பாத display () – எனும் உறுப்பு செயற்கூறை வரையறுக்கவும். அச்செயற்கூறானது இனக்குழுவின் தரவு உறுப்புகளின் மதிப்புகளை வெளிப்படுத்த வேண்டும்.

2) மேற்கண்டநிரல்குறிமுறையில்தேவையானமாற்றங்களைச் செய்து வெளியீட்டைக் காணவும்.

14.5 பொருள்களின் அணிகள்

இனக்குழு உறுப்புகளை (பொருள்களை) வரிசையாகக் கொண்ட அணிகள் பொருள்களின் அணிகள் எனப்படும். மற்ற வகையான அணிகளை அறிவித்து வரையறுப்பது போன்றே பொருள்களின் அணிகளையும் உருவாக்கலாம்.

Chapter 14.indd 194 03/09/18 5:49 PM