```
        void print()
        {
        cout<<num;
        }
};
int main()
{
/object declarations
        Sample s1;
        Sample s2;
        Sample s3;
        //assigning values to the data member of objects
        s1.set(10);
        s2.set(20);
        cout<<"\n\t\t Example program for Returning an object \n\n\n";
        //passing object s1 and s2
        s3=s3.pass(s1,s2);
        //printing the values of object
        cout<<"\nThe value of s1.num is ";
        s1.print();
        cout<<"\nThe value of s2.num is ";
        s2.print();
        //printing the sum
        cout<<"\nThe sum s3.num is  ";s3.print();
        return 0;
}
```

வெளியீடு :

```
        Example program for Returning an object
        The value of s1.num is 10
        The value of s2.num is 20
        The sum s3.num is  30
```

## 14.10 பின்னலான இனக்குழு (Nested class)

ஓர் இனக்குழு ஆனது மற்றொரு இனக்குழுவின் உறுப்பாக (ஓர் இனக்குழுவிற்குள் மற்றொரு இனக்குழு அமைந்திருந்தால்) அமைந்திருந்தால் அது பின்னலான இனக்குழு எனப்படும். இனக்குழுக்களுக்கு இடையே நிலவும் உறவு முறையானது கண்டெய்னர் ஷிப் (container ship) எனப்படும்.

பின்னலான இனக்குழுவை இரண்டு வழிகளில் உருவாக்கலாம்.

1) ஓர் இனக்குழுவிற்குள் மற்றொரு இனக்குழுவை அமைத்தல்

2) ஓர் இனக்குழுவின் பொருளை மற்றொரு இனக்குழுவின் உறுப்பாக அறிவித்தல்.



Chapter 14.indd 205 03/09/18 5:49 PM