```
  int dd,mm,yy;
 char cl[4];
public:
 void acceptdob()
{
cout<<"\n Enter date,month,year in digits and class .. ";
cin>>dd>>mm>>yy>>cl;
}
void displaydob()
{
cout<<"\n class      :-"<<cl;
cout<<"\t\t DOB    :  "<<dd<<" - "<<mm<<" -" <<yy<<endl;
}
};
class result : public exam,public detail   //inherits from exam ,which itself is a
                                           //derived class and also from class detail
 {
          int total;
          public:
                    void showresult()
          {
                    total=mark1+mark2+mark3+mark4+mark5+mark6;
                     cout<<"\nTOTAL MARK SCORED    :  "<<total;
           }
 };
int main()
{
 result r1;
 r1.acceptname();      //calling base class function using derived class object
 r1.acceptmark();     //calling base class which itsel is a derived class  function using
its derived class object
r1.acceptdob();
 cout<<"\n\n\t\t MARKS STATEMENT";
 r1.displayname();       //calling base class function using derived class object
 r1.displaydob();
r1.displaymark();          //calling base class which itsel is a derived class  function
using its derived class object
 r1.showresult();        //calling the child class function
 return 0;
}
```


Chapter 16.indd 274 03/09/18 5:51 PM