Here T is the magnitude of the tension force and $\left(\hat{j}\right)$ represents the unit vector in positive y direction

$$\vec{F}_{net} = \vec{F}_g + \vec{T} = -mg\hat{j} + T\hat{j} = \left(T - mg\right)\hat{j}$$

From Newton's second law $\vec{F}_{net} = m\vec{a}$

Since the mango is at rest with respect to us (inertial coordinate system) the acceleration is zero ($\vec{a} = 0$).

So $\vec{F}_{net} = m\vec{a} = 0$

$$\left(T - mg\right)\hat{j} = 0$$

By comparing the components on both sides of the above equation, we get $T - mg = 0$

So the tension force acting on the mango is given by $T = mg$

Mass of the mango m = 400g and $g = 9.8\ m\ s^{-2}$

Tension acting on the mango is $T = 0.4 \times 9.8 = 3.92$ N

EXAMPLE 3.5

A person rides a bike with a constant velocity $\vec{v}$ with respect to ground and another biker accelerates with acceleration $\vec{a}$ with respect to ground. Who can apply Newton's second law with respect to a stationary observer on the ground?

Solution

Second biker cannot apply Newton's second law, because he is moving with acceleration $\vec{a}$ with respect to Earth (he is not in inertial frame). But the first biker can apply Newton's second law because he is moving at constant velocity with respect to Earth (he is in inertial frame).

EXAMPLE 3.6

The position vector of a particle is given by $\vec{r} = 3t\hat{i} + 5t^2\hat{j} + 7\hat{k}$. Find the direction in which the particle experiences net force?

Solution

Velocity of the particle,

$$\vec{v} = \frac{d\vec{r}}{dt} = \frac{d}{dt}\left(3t\right)\hat{i} + \frac{d}{dt}\left(5t^2\right)\hat{j} + \frac{d}{dt}\left(7\right)\hat{k}$$

$$\frac{d\vec{r}}{dt} = 3\hat{i} + 10t\hat{j}$$

Acceleration of the particle


$$\vec{a} = \frac{d\vec{v}}{dt} = \frac{d^2\vec{r}}{dt^2} = 10\hat{j}$$

Here, the particle has acceleration only along positive y direction. According to Newton's second law, net force must also act along positive y direction. In addition, the particle has constant velocity in positive x direction and no velocity in z direction. Hence, there are no net force along x or z direction.

EXAMPLE 3.7

Consider a bob attached to a string, hanging from a stand. It oscillates as shown in the figure.

a) Identify the forces that act on the bob?
b) What is the acceleration experienced by the bob?



UNIT-3(XI-Physics_Vol-1).indd 117 05-01-2022 22:17:33