Table 11.1: Comparison of transverse and longitudinal waves

S.No.	Transverse waves	Longitudinal waves
1.	The direction of vibration of particles of the medium is perpendicular to the direction of propagation of waves.	The direction of vibration of particles of the medium is parallel to the direction of propagation of waves.
2.	The disturbances are in the form of crests and troughs.	The disturbances are in the form of compressions and rarefactions.
3.	Transverse waves are possible in elastic medium.	Longitudinal waves are possible in all types of media (solid, liquid and gas).

NOTE:

1. Absence of medium is also known as vacuum. Only electromagnetic waves can travel through vacuum.
2. Rayleigh waves are considered to be mixture of transverse and longitudinal.

11.2 TERMS AND DEFINITIONS USED IN WAVE MOTION




Figure 11.8 Two different sinusoidal waves

Suppose we have two waves as shown in Figure 11.8. Are these two waves identical? No. Though, the two waves are both sinusoidal, there are many difference between them. Therefore, we have to define some basic terminologies to distinguish one wave from another.

Consider a wave produced in a stretched string as shown in Figure 11.9.




Figure 11.9 Crest and Trough of a wave

If we are interested in counting the number of waves created, let us put a reference level (mean position) as shown in Figure 11.9. Here the mean position is the horizontal line shown. The highest point in the shaded portion is called *crest*. With respect to the reference level, the lowest point on the un-shaded portion is called *trough*. This wave contains repetition of a section O to B and hence we define the length of the smallest section without repetition as one *wavelength* as shown in Figure 11.10. In Figure 11.10 the length OB or length BD is one wavelengh. A Greek letter lambda λ is used to denote one wavelength.




Figure 11.10 Defining wavelength

For transverse waves (as shown in Figure 11.11), the distance between two neighbouring crests or troughs is known as the *wavelength*.

For longitudinal waves, (as shown in Figure 11.12) the distance between two neighbouring compressions or rarefactions is known as the wavelength. The SI unit of wavelength is *meter*.

UNIT-11(XI-Physics_Vol-2).indd 228 26-03-2022 17:24:15