www.tntextbooks.in

42. Write the Van der Waals equation for a real gas. Explain the correction term for pressure and volume
43. Derive the values of van der Waals equation constants in terms of critical constants.
44. Why do astronauts have to wear protective suits when they are on the surface of moon?
45. When ammonia combines with HCl, NH_4Cl is formed as white dense fumes. Why do more fumes appear near HCl?
46. A sample of gas at 15 °C at 1 atm. has a volume of 2.58 dm^3. When the temperature is raised to 38 °C at 1 atm does the volume of the gas increase? If so, calculate the final volume.
47. A sample of gas has a volume of 8.5 dm^3 at an unknown temperature. When the sample is submerged in ice water at 0 °C, its volume gets reduced to 6.37 dm^3. What is its initial temperature?
48. Of two samples of nitrogen gas, sample A contains 1.5 moles of nitrogen in a vessel of volume of 37.6 dm^3 at 298K, and the sample B is in a vessel of volume 16.5 dm^3 at 298K. Calculate the number of moles in sample B.
49. Sulphur hexafluoride is a colourless, odourless gas; calculate the pressure exerted by 1.82 moles of the gas in a steel vessel of volume 5.43 dm^3 at 69.5 °C, assuming ideal gas behaviour
50. Argon is an inert gas used in light bulbs to retard the vaporization of the tungsten filament. A certain light bulb containing argon at 1.2 atm and 18°C is heated to 85°C at constant volume. Calculate its final pressure in atm.
51. A small bubble rises from the bottom of a lake where the temperature and pressure are 6°C and 4 atm. to the water surface, where the temperature is 25°C and pressure is 1 atm. Calculate the final volume in (mL) of the bubble, if its initial volume is 1.5 mL.
52. Hydrochloric acid is treated with a metal to produce hydrogen gas. Suppose a student carries out this reaction and collects a volume of 154.4×10^{-3} dm^3 of a gas at a pressure of 742 mm of Hg at a temperature of 298 K. What mass of hydrogen gas (in mg) did the student collect?
53. It takes 192 sec for an unknown gas to diffuse through a porous wall and 84 sec for N_2 gas to effuse at the same temperature and pressure. What is the molar mass of the unknown gas?
54. A tank contains a mixture of 52.5 g of oxygen and 65.1 g of CO_2 at 300 K the total pressure in the tanks is 9.21 atm. Calculate the partial pressure (in atm.) of each gas in the mixture.
55. A combustible gas is stored in a metal tank at a pressure of 2.98 atm at 25 °C. The tank can withstand a maximum pressure of 12 atm after which it will explode. The building in which the tank has been stored catches fire. Now predict whether the tank will blow up first or start melting? (Melting point of the metal = 1100 K).