6.2. Microscopy

Microscope is an inevitable instrument in studying the cell and subcellular structures. It offers scope in studying microscopic organisms therefore it is named as microscope (mikros – small; skipein – to see) in Greek terminology. Compound microscope was invented by **Z. Jansen**.

Microscope basically works on the lens system and its properties of light and lens such as reflection, magnification and numerical aperture. The common light microscope which has many lenses are called as **compound microscope**. The microscope transmits visible light from sources to eye or camera through sample.

6.2.1 Bright field Microscope

Bright field microscope is the routinely used microscope in studying various aspects of cells. It allows light to pass directly through specimen and shows a well distinguished image from different portions of the specimen. The contrast can be increased by staining the specimen with reagent that reacts with cells and tissue components of the object.

The light rays are focused by condenser on to the specimen on a microslide placed upon the adjustable platform called **stage**. Light comes from the Compact Flourescent Lamp (CFL) or Light Emitting Diode (LED). Then it passes through two lens systems namely objective lens (closer to the object) and the eye piece (closer to eye). There are four objective lenses (5X, 10X, 45X and 100X) which can be rotated and fixed at certain point to get required magnification. It works on the principle of numerical aperture value and its own resolving power.

The first magnification of the microscope is done by the objective lens which is called **primary magnification** and it is real, inverted image. The second magnification of the microscope is obtained through eye piece lens called as **secondary magnification** and it is virtual and inverted image (Figure 6.2 a, b and c).

Resolution: The term resolving power or resolution refers to the ability of lenses to show the details of object lying between two points. It is the finest detail available from an object. It can be calculated using the following formula.

$$\text{Resolution} = \frac{0.61\lambda}{NA}$$

Where, λ= wavelength of the light and NA is the numerical aperture.

Numerical Aperture: It is an important optical constant associated with the optical lens denoting the ability to resolve. Higher the NA value greater will be the resolving power of the microscope.

Magnification: The optical increase in size of an image is called magnification. It is calculated by the following formula

$$\text{Magnification} = \frac{\text{size of image seen with the microscope}}{\text{size of the image seen with normal eye}}$$

6.2.2 Electron Microscope

Electron Microscope was first introduced by **Ernest Ruska** (1931) and developed by **G Binning** and **H Roher** (1981). It is used to analyse the fine details of cell and organelles called ultrastructure. It uses beam of accelerated electrons as source of illumination and therefore the resolving power is 1,00,000 times greater than that of light microscope.

The specimen to be viewed under electron microscope is dehydrated and impregnated with electron opaque chemicals like gold or palladium. This is essential for withstanding electrons and also for contrast of the image.

11th Botany_EM_Chapter 6.indd 145 05-01-2023 18:24:40