7. The compounds formed at anode in the electrolysis of an aquous solution of potassium acetate are

a) CH_4 and H_2

b) CH_4 and CO_2

c) C_2H_6 and CO_2

d) C_2H_4 and Cl_2

8. The general formula for cyclo alkanes

a) C_nH_n b) C_nH_{2n}

c) $C_n H_{2n-2}$ d) $C_n H_{2n+2}$

9. The compound that will react most readily with gaseous bromine has the formula (NEET)

a) C_3H_6 b) C_2H_2

c) C_4H_{10} d) C_2H_4

10. Which of the following compounds shall not produce propene by reaction with HBr followed by elemination (or) only direct elimination reaction (NEET)

a) 

b) $CH_3 - CH_2 - CH_2 - OH$

c) $H_2C = C = 0$

d) $CH_3 - CH_2 - CH_2Br$

11. Which among the following alkenes on reductive ozonolysis produces only propanone ?

a) 2 – Methyl propene
b) 2 – Methyl but – 2 - ene

c) 2, 3 – Dimethyl but – 1 – ene
d) 2, 3 – Dimethyl but – 2 – ene

12. The major product formed when 2 – bromo – 2 – methyl butane is refluxed with ethanolic KOH is

a) 2 – methylbut – 2 – ene
b) 2 – methyl butan – 1 – ol

c) 2 – methyl but – 1 – ene

d) 2 – methyl butan – 2 – ol

13. Major product of the below mentioned reaction is,

$(CH_3)_2 C = CH_2 \xrightarrow{ICl}$


a) 2–chloro –1– iodo – 2 – methyl propane

b) 1–chloro–2–iodo–2–methylpropane

c) 1,2 – dichloro – 2 – methyl propane

d) 1, 2 – diiodo – 2 – methyl propane

14. The IUPAC name of the following compound is



a) trans–2–chloro–3–iodo – 2 – pentene

b) cis–3 – iodo – 4 – chloro – 3 – pentane

c) trans–3–iodo–4–chloro – 3 – pentene

d) cis–2 – chloro – 3 – iodo – 2 – pentene

15. Cis – 2 – butene and trans – 2 – butene are


a) conformational isomers

b) structural isomers

c) configurational isomers

d) optical isomers

16. Identify the compound (A) in the following reaction



11th Chemistry Chapter-13 Vol-2 EM.indd 221 09-01-2023 14:45:08