How will you invoke the function dispchar() for the following input?

To print $ for 10 times

(A) dispchar(); (B) dispchar(ch,size);

(C) dispchar($,10); (D)dispchar('$',10 times);

4. Which of the following is not true with respect to function overloading?
   (A) The overloaded functions must differ in their signature.
   (B) The return type is also considered for overloading a function.
   (C) The default arguments of overloaded functions are not considered for Overloading.
   (D) Destructor function cannot be overloaded.

5. Which of the following is invalid prototype for function overloading

(A) void fun (intx);
    void fun (char ch) ;

(B) void fun (intx);
    void fun (inty);

(C) void fun (double d);
    void fun (char ch);

(D) void fun (double d);
    void fun (inty);

SECTION - B

Very Short Answers

1. What is function overloading?
2. List the operators that cannot be overloaded.
3. class add{int x; public: add(int)}; Write an outline definition for the constructor.
4. Does the return type of a function help in overloading a function?
5. What is the use of overloading a function?

SECTION - C

Short Answers

1. What are the rules for function overloading?
2. How does a compiler decide as to which function should be invoked when there are many functions? Give an example.
3. What is operator overloading? Give some examples of operators which can be overloaded.
4. Discuss the benefits of constructor overloading ?
5. class sale {int cost, discount ;public: sale(sale &)}; Write a non inline definition for constructor specified;

11th Std Computer Science_EM Chapter 15.indd 257 06-01-2023 15:12:06