மேற்கண்ட நிரலில் **"exam"** என்ற தருவிக்கப்பட்ட இனக்குழு **"student"** என்ற அடிப்படை இனக்குழுவின் அனைத்து உறுப்புகளையும் மரபுவழி பெற்றுக் கொள்கிறது. ஆனால், **private** அல்லாத உறுப்புகளை மட்டும் அணுகும் உரிமையை பெறுகிறது.

16.4.2 பலநிலை மரபுரிமம் (Multilevel Inheritance)

எடுத்துக்காட்டு நிரல் 16.2 பலநிலை மரபுரிமம்

```
# include <iostream>
using namespace std;
class student            //base class
{
private :
char name[20];
int rno;
public:
void acceptname()
{ cout<<"\n Enter roll no and name .. "; cin>>rno>>name;
}
void displayname()
{ cout<<"\n Roll no :-"<<rno;
cout<<"\n Name :-"<<name<<endl;   }};
 class exam : public student          //derived class with single base class
                  {
                           total=mark1+mark2+mark3;
                           cout<<"\nTOTAL MARK SCORED    :  "<<total;
          }
 };
{
          public:
          int  mark1, mark2 ,mark3;
          void acceptmark()
          {         cout<<"\n Enter 3 subject marks.. ";
                    cin>>mark1>>mark2>>mark3;     }
void displaymark(){
cout<<"\n\t\t Marks Obtained ";
cout<<"\n Subject1... "<<mark1;
cout<<"\n Subject2... "<<mark2;
cout<<"\n Subject3... "<<mark3;   }   };
class result : public exam
{
int total;
public:
void showresult()
{
total=mark1+mark2+mark3;
cout<<"\nTOTAL MARK SCORED : "<<total;
}
};
int main()
```


Chapter 16.indd 264 20-12-2022 15:34:42