$$y = A \sin \omega t \qquad (10.6)$$

The displacement y takes maximum value (which is equal to A) when $\sin \omega t = 1$. This *maximum displacement from the mean position is known as amplitude (A) of the vibrating particle.* For simple harmonic motion, the amplitude is constant. But, in general, for any motion other than simple harmonic, the amplitude need not be constant, it may vary with time.

Velocity

The rate of change of displacement is velocity. Taking derivative of equation (10.6) with respect to time, we get

$$v = \frac{dy}{dt} = \frac{d}{dt}(A \sin \omega t)$$

For circular motion (of constant radius), amplitude A is a constant and further, for uniform circular motion, angular velocity ω is a constant. Therefore,

$$v = \frac{dy}{dt} = A\, \omega \cos \omega t \qquad (10.7)$$

Using trigonometry identity,

$\sin^2 \omega t + \cos^2 \omega t = 1 \Rightarrow \cos \omega t = \sqrt{1 - \sin^2 \omega t}$

we get

$$v = A\omega\sqrt{1 - \sin^2 \omega t}$$

From equation (10.6),

$$\sin \omega t = \frac{y}{A}$$

$$v = A\omega\sqrt{1 - \left(\frac{y}{A}\right)^2}$$

$$v = \omega\sqrt{A^2 - y^2} \qquad (10.8)$$

From equation (10.8), when the displacement $y = 0$, the velocity $v = \omega A$ (maximum) and for the maximum displacement $y = A$, the velocity $v = 0$ (minimum). As displacement increases from zero to maximum, the velocity decreases from maximum to zero. This is repeated. Since velocity is a vector quantity, equation (10.7) can also be deduced by resolving in to components.

Acceleration

The rate of change of velocity is acceleration. Taking derivative of equation 10.7 with respect to time,

$$a = \frac{dv}{dt} = \frac{d}{dt}\left(A\omega \cos \omega t\right)$$

$$a = -\omega^2 A \sin \omega t = -\omega^2 y \qquad (10.9)$$

$$\therefore \quad a = \frac{d^2 y}{dt^2} = -\omega^2 y \qquad (10.10)$$

From the Table 10.1 and figure 10.10, we observe that at the mean position

Table 10.1 Displacement, velocity and acceleration at different instant of time.

Time	0	$\frac{T}{4}$	$\frac{2T}{4}$	$\frac{3T}{4}$	$\frac{4T}{4} = T$
ωt	0	$\frac{\pi}{2}$	π	$\frac{3\pi}{2}$	2π
Displacement $y = A \sin \omega t$	0	A	0	$-A$	0
Velocity $v = A\, \omega \cos \omega t$	$A\, \omega$	0	$-A\, \omega$	0	$A\, \omega$
Acceleration $a = -A\, \omega^2 \sin \omega t$	0	$-A\, \omega^2$	0	$A\, \omega^2$	0

UNIT-10(XI-Physics_Vol-2).indd 194 25-03-2022 20:29:53