b. **Distribution of land and water:** Land is heated and cooled at a faster rate due the conduction process whereas water is heated and cooled at slower rate due to convection process. Water takes 2.5 times of heat energy to heat a unit area compared to land. Thus, the land will have higher temperature than the water in summer and vice versa during the winter. So more land mass in northern hemisphere (15.2°C) leads to higher average temperature than the southern hemisphere (13.3°C).

c. **Ocean currents:** Warm ocean currents carry warm water from the tropical region towards the poles and increase the temperature while cold ocean currents carry cold water from Polar Regions and reduce the temperature along the coasts.

d. **Prevailing winds:** Warm winds like trade wind and westerly, that carry higher heat energy, increase the temperature while cold polar easterlies carry lower heat energy from polar region reduces the temperature.

e. **Cloudiness:** The cloudy sky obstructs the solar radiation from the sun to earth and reduces the temperature. But the clear sky during the day allows more solar radiation to reach the earth's surface and increases the temperature. Meanwhile clear sky at night allows more terrestrial radiation to escape. For example, the tropical hot deserts experience higher temperature at day and lower temperature at night.

f. **Nature of the surface:** The reflection from surface varies based on the nature of land cover. The more reflection from the snow surface leads to low temperature accumulation. But the dense forest, which reflects less heat energy and absorbs more heat energy, leads to higher temperature.

g. **Mountain barriers**: If a wind or air mass blows towards the mountain, it influences the distribution of temperature on either side of the mountain.

For example, polar easterlies and blizzards are obstructed by Himalayas in Asia and Alps in Europe respectively. This leads to lower temperature in the northern slopes and higher temperature in the southern slopes of the respective mountains.

6.3.2 Factors Affecting the Vertical Distribution of Temperature

We all know that the temperature decreases with increasing altitude from the surface of the earth. The vertical decrease in temperature of troposphere is called as 'Normal Lapse Rate' or 'vertical temperature (Figure 6.7) gradient' at which the temperature reduces at the rate of 6.5 °C per 1000 meter of ascent. This is influenced by the following factors:

a. Amount of terrestrial radiation reaching the altitude and

b. Density of air to absorb the heat energy at higher altitude.

As both the above said factors decrease with altitude, the temperature also decreases (Figure 6.5).

TN_Govt_Geography_XI_Std Unit_06.indd 145 15-12-2021 16:44:26