```
int main()
{
  exam e1;
 e1.acceptname();      //calling base class function using derived class object
 e1.acceptmark();
 e1.displayname();       //calling base class function using derived class object
 e1.displaymark();
 return 0;
}
```

Output:

```
Enter roll no and name .. 1201 KANNAN
Enter lang,eng,phy,che,csc,mat marks.. 95 90 92 96 97 99
Roll no :-1201
Name :-KANNAN
                    Marks Obtained
Language.. 95
English .. 90
Physics .. 92
Chemistry.. 96
Comp.sci.. 97
Maths ..   99
Total ..   569
```

In the above program the derived class "exam" inherits all the members of the base class "student". But it has access privilege only to the non private members of the base class.

16.4.3 Multilevel Inheritance

Illustration 16.2 Multilevelw inheritance

```
# include <iostream>
using namespace std;
class student              //base class
{
private :
char name[20];
int rno;
public:
void acceptname()
{ cout<<"\n Enter roll no and name .. "; cin>>rno>>name;
}
void displayname()
{ cout<<"\n Roll no :-"<<rno;
cout<<"\n Name :-"<<name<<endl;   }};
 class exam : public student          //derived class with single base class
```


11th Std Computer Science_EM Chapter 16.indd 263 06-01-2023 15:12:59