member function it leads to confusion to the compiler as to which function is to be invoked. The derived class member function have higher priority than the base class member function. This shadows the member function of the base class which has the same name like the member function of the derived class. The scope resolution (::) operator resolves this problem.

Illustration 16.5 The use of scope resolution operator in derived class

```
#include<iostream>
#include<string>
using namespace std;
class Employee
{
   private:
      char name[50];
      int code;
   public:
      void getdata();
      void display();
};
class staff: public Employee
{
   private:
      int ex;
   public:
         void getdata();
      void display();
};
void Employee::display()
{
         cout<<"Name:"<<name<<endl;
         cout<<"Code:"<<code<<endl;
}
void staff::display()
{        Employee :: display();//overriding
         cout<<"Experience:"<<ex<<" Years"<<endl;
}
void Employee::getdata()
{
cout<<"Name:";
cin>>name;
cout<<"\ncode:";
cin>>code;
}
void staff::getdata()
{
Employee::getdata();
cout<<"\nExperience:";
cin>>ex;
int main()
{
         staff s;
         cout<<"Enter data"<<endl;
         s.getdata();
         cout<<endl<<endl<<"\tDisplay Data"<<endl;
         s.display();
         return 0;
}
```

Output

```
Enter data
Name: SUGANYA
Code: 1201
Experience: 30
        Display Data
Name: SUGANYA
Code:1201
Experience:30 Years
```


11th Std Computer Science_EM Chapter 16.indd 270 06-01-2023 15:13:00