The side of the flower facing the mother axis is called **posterior side**. The side facing the bract is the anterior side.

Floral formula and floral diagram of




Figure 4.38: (a) *Hibiscus rosa-sinensis*

$$Br\ Brl \oplus \female\male\ K_{(5)}\ \overset{\frown}{C}_{5}\ A_{(\infty)}\underline{G}_{(5)}$$





Figure 4.38: (c) *Crotalaria juncea*

$$Br\ Ebrl\ \%\ \female\male\ K_{(5)}\ C_{1+2+(2)}\ A_{5+5}\ G_{(1)}^{-}$$



Ocrg'hqy gt Hgo crg'hqy gt

Figure 4.38: (e) *Phyllanthus amarus*

$$Br\ Ebrl \oplus \male\ P_{3+3}\ A_{(3)}\ G_{0}$$

$$Br\ Ebrl \oplus \female\ P_{3+3}\ A_{0}\ \underline{G}_{(3)}$$

The members of different floral whorls are shown arranged in concentric rings.




Figure 4.38: (b) *Brassica compestris*

$$Br\ Brl \oplus \female\male\ K_{2+2}\ C_{2+2}\ A_{2+4}\underline{G}_{(2)}$$





Figure 4.38: (d) *Ixora coccinea*

$$Br\ Brl \oplus \female\male\ K_{(4)}\ \overset{\frown}{C}_{(4)}\ A_{4}\ \underline{G}_{(2)}$$



Ocrg'Hrqy gt Hgo crg'Hrqy gt

Figure 4.38: (f) *Cocos nucifera*

$$Br\ Brl \oplus \male\ P_{(3)+3}A_{3+3}\ G_{0}$$

$$Br\ Brl \oplus \female\ P_{(3)+3}A_{0}\underline{G}_{(3)}$$