www.tntextbooks.in

can also distinguish one species from another. DNA barcoding is a taxonomic method that uses a very short genetic sequence from a standard part of a genome. The genetic sequence used to identify a plant is known as "**DNA tags**" or "**DNA barcodes**". **Paul Hebert** in 2003 proposed '**DNA barcoding**' and he is considered as 'Father of barcoding'.

The gene region that is being used as an effective barcode in plants is present in two genes of the chloroplast, matK and rbcL, and have been approved as the barcode regions for plants.

Sequence of unknown species can be matched from submitted sequence in GenBank using Blast (web-programme for searching the closely related sequence).

Significance of DNA barcoding

1. DNA barcoding greatly helps in identification and classification of organism.
2. It aids in mapping the extent of biodiversity.

DNA barcoding techniques require a large database of sequences for comparison and prior knowledge of the barcoding region.

However, DNA barcoding is a helpful tool to determine the authenticity of botanical material in whole, cut or powdered form.

List of conferences of International Barcode was held

S.No.	Year	Place
1.	2005	London, United Kingdom
2.	2007	Taipei, Taiwan
3.	2009	Mexico City, Mexico
4.	2011	Adelaide, Australia
5.	2013	Yunnan, China
6.	2015	Guelph, Canada
7.	20-24 Nov' 2017	Skukuza, South Africa

5.11.7 Differences between classical and modern taxonomy

Classical Taxonomy	Modern Taxonomy
It is called old systematics or Alpha (ἀ) taxonomy or Taxonomy	It is called Neosystematics or Biosystematics or Omega (Ω) taxonomy
It is pre Darwinean	It is post Darwinean
Species is considered as basic unit and is static	species is considered as dynamic entity and ever changing
Classification is mainly based on morphological characters	Classification is based on morphological, reproductive characters and phylogenetic (evolutionary) relationship of the organism
This system is based on the observation of a few samples/ individuals	This system is based on the observation of large number of samples/individuals

5.12 Cladistics

5HJ4BT

Analysis of the taxonomic data, and the types of characters that are used in classification have changed from time to time. Plants have been classified based on the morphology before the advancement of microscopes, which help in the inclusions of **sub microscopic** and **microscopic** features. A closer study is necessary while classifying closely related plants. Discovery of new finer molecular analytical techniques coupled with advanced software and computers has ushered in a new era of modern or phylogenetic classification.

The method of classifying organisms into monophyletic group of a common ancestor