குறிமுறை 5.2 ஒப்பீடு செயற்குறி சோதித்தல்:

```
#Demo Program to test Relational Operators
        a=int (input("Enter a Value for A:"))
        b=int (input("Enter a Value for B:"))
        print ("A = ",a," and B = ",b)
        print ("The a==b = ",a==b)
        print ("The a > b = ",a>b)
        print ("The a < b = ",a<b)
        print ("The a >= b = ",a>=b)
        print ("The a <= b = ",a<=b)
        print ("The a != b = ",a!=b)
#Program End
```

வெளியீடு:

```
        Enter a Value for A:35
        Enter a Value for B:56
        A =  35  and B = 56
        The a==b            = False
        The a > b           = False
        The a < b           = True
        The a >= b          = False
        The a <= b          = False
        The a != b          = True
```

5.7.3.3 தருக்க செயற்குறிகள்

பைத்தானில், தருக்க செயற்குறிகள் கொடுக்கப்பட்ட ஒப்பீட்டு கோவையின் மீது தருக்க செயல்பாடுகளை மேற்கொள்ள பயன்படுகிறது. **and, or** மற்றும் **not** ஆகிய மூன்று தருக்க செயற்குறிகள் உள்ளன.

செயற்குறிகள்	எடுத்துக்காட்டு	முடிவு
a மதிப்பு 97, b மதிப்பு 35 எனக் கொண்டு பின்வரும் தருக்க கோவையை மதிப்பீடு செய்யவும்.		
or	>>> a>b or a==b	True
and	>>> a>b and a==b	False
not	>>> not a>b	False (அதாவது) True கிடையாது.

12th Computer Science_TM Chapter 5.indd 61 11-01-2023 12:38:02