Points to remember:

- A concrete data type is a data type whose representation is known and in abstract data type the representation of a data type is unknown
- Pair is a compound structure which is made up of list or Tuple
- List is constructed by placing expressions within square brackets separated by commas
- The elements of a list can be accessed in two ways. The first way is via multiple assignment and the second method is by the element selection operator
- Bundling two values together into one can be considered as a pair
- List does not allow to name the various parts of a multi-item object.

NK14H

Evaluation

Part - I

Choose the best answer **(1 Mark)**

1. Which of the following functions that build the abstract data type ?

   (A) Constructors (B) Destructors (C) recursive (D)Nested

2. Which of the following functions that retrieve information from the data type?

   (A) Constructors (B) Selectors (C) recursive (D)Nested

3. The data structure which is a mutable ordered sequence of elements is called

   (A) Built in (B) List (C) Tuple (D) Derived data

4. A sequence of immutable objects is called

   (A) Built in (B) List (C) Tuple (D) Derived data

5. The data type whose representation is known are called

   (A) Built in datatype (B) Derived datatype

   (C) Concrete datatype (D) Abstract datatype

6. The data type whose representation is unknown are called

   (A) Built in datatype (B) Derived datatype

   (C) Concrete datatype (D) Abstract datatype

7. Which of the following is a compound structure?

   (A) Pair (B) Triplet (C) single (D) quadrat

12th Computer Science_EM Chapter 2.indd 18 26-12-2022 17:25:50