Points to remember:

- A way of designing algorithm is called algorithmic strategy.
- A space-time or time-memory tradeoff is a way of solving a problem or calculation in less time by using more storage space.
- Asymptotic Notations are languages that uses meaningful statements about time and space complexity.
- Bubble sort is a simple sorting algorithm. It compares each pair of adjacent items and swaps them if they are in the unsorted order.
- The selection sort improves on the bubble sort by making only one exchange for every pass through the list.
- Insertion sort is a simple sorting algorithm that builds the final sorted array or list one item at a time. It always maintains a sorted sublist in the lower positions of the list.
- Dynamic programming is used when the solutions to a problem can be viewed as the result of a sequence of decisions.

Evaluation

Part - I

Choose the best answer: **(1 Marks)**

1. The word comes from the name of a Persian mathematician Abu Ja'far Mohammed ibn-i Musa al Khowarizmi is called?

   (A) Flowchart (B) Flow (C) Algorithm (D) Syntax

2. From the following sorting algorithms which algorithm needs the minimum number of swaps?

   (A) Bubble sort (B) Insertion sort (C) Selection sort (D) All the above

3. Two main measures for the efficiency of an algorithm are

   (A) Processor and memory (B) Complexity and capacity

   (C) Time and space (D) Data and space

4. The algorithm that yields expected output for a valid input in called as

   (A) Algorithmic solution (B) Algorithmic outcomes

   (C) Algorithmic problem (D) Algorithmic coding

12th Computer Science_EM Chapter 4.indd 43 21-12-2022 15:55:01