9.2.7 Nested Tuples

In Python, a tuple can be defined inside another tuple; called Nested tuple. In a nested tuple, each tuple is considered as an element. The for loop will be useful to access all the elements in a nested tuple.

Example

```
Toppers = (("Vinodini", "XII-F", 98.7), ("Soundarya", "XII-H", 97.5),
                ("Tharani", "XII-F", 95.3), ("Saisri", "XII-G", 93.8))
for i in Toppers:
        print(i)
```

Output:

```
('Vinodini', 'XII-F', 98.7)
('Soundarya', 'XII-H', 97.5)
('Tharani', 'XII-F', 95.3)
('Saisri', 'XII-G', 93.8)
```

Note

Some of the functions used in List can be applicable even for tuples.

9.2.8 Programs using Tuples

Program 1: Write a program to swap two values using tuple assignment

```
a = int(input("Enter value of A: "))
b = int(input("Enter value of B: "))
print("Value of A = ", a, "\n Value of B = ", b)
(a, b) = (b, a)
print("Value of A = ", a, "\n Value of B = ", b)
```

Output:

```
Enter value of A: 54
Enter value of B: 38
Value of A =  54
 Value of B =  38
Value of A =  38
 Value of B =  54
```


12th Computer Science_EM Chapter 9.indd 155 21-12-2022 15:37:02