```
import csv
info = [['SNO', 'Person', 'DOB'],
['1', 'Madhu', '18/12/2001'],
['2', 'Sowmya',19/2/1998'],
['3', 'Sangeetha',20/3/1999'],
['4', 'Eshwar', '21/4/2000'],
['5', 'Anand', '22/5/2001']]
csv.register_dialect('myDialect',quoting=csv.QUOTE_ALL)
with open('c:\pyprg\ch13\person.csv', 'w', newline'=') as f:
    writer = csv.writer(f, dialect='myDialect')
    for row in info:
        writer.writerow(row)
f.close()
```

When you open "person.csv" file, we get following output :

```
"SNO","Person","DOB"
"1","Madhu","18/12/2001"
"2","Sowmya","19/2/1998"
"3","Sangeetha","20/3/1999"
"4","Eshwar","21/4/2000"
"5","Anand","22/5/2001"
```

In above program, a dialect named myDialect is registered(declared). Quoting=csv. QUOTE_ALL allows to write the double quote on all the values.

13.7.4 CSV Files With Custom Delimiters

A delimiter is a string used to separate fields. The default value is comma(,). You can have custom delimiter in CSV files by registering a new dialect with the help of **csv.register_dialect()**.This example Program is written using the custom delimiter pipe(|)

```
import csv
info = [['SNO', 'Person', 'DOB'],
['1', 'Madhu', '18/12/2001'],
['2', 'Sowmya',19/2/1998'],
['3', 'Sangeetha',20/3/1999'],
['4', 'Eshwar', '21/4/2000'],
['5', 'Anand', '22/5/2001']]
csv.register_dialect('myDialect',delimiter = '|')
with open('c:\pyprg\ch13\dob.csv', 'w', newline'=') as f:
    writer = csv.writer(f, dialect='myDialect')
     for row in info:
        writer.writerow(row)
f.close()
```


12th Computer Science_EM Chapter 13.indd 250 23-12-2022 15:39:38