Example 15.3.2-2

```
import sqlite3
connection = sqlite3.connect("Academy.db")
cursor = connection.cursor()
student_data = [("BASKAR", "C", "M","75.2","1998-05-17"),
    ("SAJINI", "A", "F","95.6","2002-11-01"),
    ("VARUN", "B", "M","80.6","2001-03-14"),
    ("PRIYA", "A", "F","98.6","2002-01-01"),
    ("TARUN", "D", "M","62.3","1999-02-01") ]
for p in student_data:
    format_str = """INSERT INTO Student (Rollno, Sname, Grade, gender,Average,
    birth_date) VALUES (NULL,"{name}", "{gr}", "{gender}","{avg}","{birthdate}");"""
    sql_command = format_str.format(name=p[0], gr=p[1], gender=p[2],avg=p[3],
    birthdate = p[4])
cursor.execute(sql_command)
connection.commit()
connection.close()
print("RECORDS ADDED TO STUDENT TABLE ")
```

OUTPUT

```
RECORDS ADDED TO STUDENT TABLE
```

In the above program {gr} is a place holder (variable) to get the value. format_str.format() is a function used to format the value to the required datatype.

15.4 SQL Query Using Python

The time has come now to finally query our "Student" table. Fetching the data from record is as simple as inserting them. The execute method uses the SQL command to get all the data from the table.

15.4.1 SELECT Query

"Select" is the most commonly used statement in SQL. The SELECT Statement in SQL is used to retrieve or fetch data from a table in a database. The syntax for using this statement is **"Select * from table_name"** and all the table data can be fetched in an object in the form of list of Tuples.

12th Computer Science_EM Chapter 15.indd 282 23-12-2022 15:33:41