Note

cursor.fetchall() -fetchall () method is to fetch all rows from the database table

cursor.fetchone() - The fetchone () method returns the next row of a query result set or None in case there is no row left.

cursor.fetchmany() method that returns the next number of rows (n) of the result set

15.4.1.2 Displaying A record using fetchone()

The fetchone() method returns the next row of a query result set or None in case there is no row left.

Example 15.4.1.2-1

```
import sqlite3
connection = sqlite3.connect("Academy.db")
cursor = connection.cursor()
cursor.execute("SELECT * FROM student")
print("\nfetch one:")
res = cursor.fetchone()
print(res)
```

OUTPUT

```
fetch one:
(1, 'Akshay', 'B', 'M', 87.8, '2001-12-12')
```

15.4.1.3 Displaying all records using fetchone()

Using while loop and fetchone() method we can display all the records from a table.

Example 15.4.1.3 -1

```
import sqlite3
connection = sqlite3.connect("Academy.db")
cursor = connection.cursor()
cursor.execute("SELECT * FROM student")
print("fetching all records one by one:")
result = cursor.fetchone()
while result is not None:
    print(result)
    result = cursor.fetchone()
```

OUTPUT

```
fetching all records one by one:
(1, 'Akshay', 'B', 'M', 87.8, '2001-12-12')
(2, 'Aravind', 'A', 'M', 92.5, '2000-08-17')
(3, 'BASKAR', 'C', 'M', 75.2, '1998-05-17')
(4, 'SAJINI', 'A', 'F', 95.6, '2002-11-01')
(5, 'VARUN', 'B', 'M', 80.6, '2001-03-14')
(6, 'PRIYA', 'A', 'F', 98.6, '2002-01-01')
(7, 'TARUN', 'D', 'M', 62.3, '1999-02-01')
```


12th Computer Science_EM Chapter 15.indd 284 23-12-2022 15:33:41