| | | |
|---|---|---|
| **2) Analgesics (Non – narcotic)**<br>Analgesics reduce the pain without causing impairment of consciousness.<br>**i) Anti-inflammatory drugs**<br>**Example**<br>Acetaminophen or paracetamol,<br>Ibuprofen, Asprin.<br>**ii) Antipyretics**<br>Example<br>**Salicylates**<br>Acetylsalicylic acid (aspirin),<br>**Acetaminophen or Paracetamol**<br>**iii) Nonsteroidal anti-inflammatory drugs (NSAIDs)**<br>Ibuprofen | They alleviate pain by reducing local inflammatory responses<br>**Uses**<br>Used for short-term pain relief and for modest painlike headache, muscle strain, bruising, or arthritis.<br>These drugs have many other effects such as reducing fever (antipyretic) and preventing platelet coagulation. Due to this property, aspirin finds useful in the prevention of heart attacks<br>Reduces fever by causing the hypothalamus to override a prostaglandin-induced increase in temperature.. |  <br>Acetylsalicylic acid (aspirin)<br>  <br>Paracetamol<br>  <br>Ibuprofen |
| 3) **Opioids (Narcotic Analgesics)**<br>**Examples**<br>Morphine, codeine | Relive pain and produce sleep. These drugs are addictive. In poisonous dose,these produce coma and ultimately death.<br>**Uses**<br>Used for either short-term or long-term relief of severe pain. Mainly used for post operative pain, pain of terminal cancer. |  <br>Morphine<br>  <br>codeine |



XII U15 Chemistry in Action.indd 278 16-12-2022 19:46:36