causing DNA damage. The thickness of the ozone column of air from the ground to the top of the atmosphere is measured in terms of **Dobson Units**.

The ozone shield is being damaged by chemicals released on the Earth's surface notably the chlorofluorocarbons widely used in refrigeration, aerosols, chemicals used as cleaners in many industries. The decline in the thickness of the ozone layer over restricted area is called **Ozone hole.**

September 16 is WORLD OZONE DAY

Ozone depletion in the stratosphere results in more UV radiations especially UV B radiations (shortwaves). UV B radiation destroys biomolecules (skin ageing) and damages living tissues. UV – C is the most damaging type of UV radiation, but it is completely filtered by the atmosphere (ozone layer). UV – a contribute 95% of UV radiation which causes tanning burning of skin and enhancing skin cancer. Hence the uniform ozone layer is critical for the wellbeing of life on earth.

During 1970's research findings indicated that man-made chlorofluorocarbons (CFC) reduce and convert ozone molecules in the atmosphere. The threats associated with reduced ozone pushed the issue to the forefront of global climate issues and gained promotion through organisation such as World Meterological Organisation and the United Nations. The Vienna Convention was agreed upon at the Vienna conference of 1985 but entered into force in 1988 provided the frameworks necessary to create regulative measures in the form of the Montreal protocol. The International treaty called the **Montreal Protocol** (1987) was held in Canada on **substances that deplete ozone layer** and the main goal of it is gradually eliminating the production and consumption of ozone depleting substances and to limit their damage on the Earth's ozone layer.

Clean Development Mechanism (CDM) is defined in the **Kyoto protocol** (2007) which provides project based mechanisms with two objectives to prevent dangerous climate change and to reduce green house gas emissions. CDM projects helps the countries to reduce or limit emission and stimulate sustainable development.

An example for CDM project activity, is replacement of conventional electrification projects with solar panels or other energy efficient boilers. Such projects can earn Certified Emission Reduction (CER) with credits / scores, each equivalent to one tonne of CO_2, which can be counted towards meeting Kyoto targets.

Plant indicators

The presence or absence of certain plants indicate the state of environment by their response. The plant species or plant community acts as a measure of environmental conditions, it is referred as biological indicators or phytoindicators or plant indicators.

Examples

	Plants	Indicator for
1	*Lichens, Ficus, Pinus,* Rose	SO_2 pollution
2.	*Petunia, Chrysanthemum*	Nitrate
3.	*Gladiolus*	Flouride pollution
4.	*Robinia pseudoacacia (Black locust tree)*	Indicator of heavy metal contamination

8.1.5 Effects of Ozone depletion

The main ozone depletion effects are:

- Increases the incidence of cataract, throat and lung irritation and aggravation of asthma or emphysema, skin cancer and diminishing the functioning of immune system in human beings.
- Juvenile mortality of animals.
- Increased incidence of mutations.

TN_GOVT_BOTANY_XII_PAGES_178-198 CH 08.indd 181 23-12-2022 11:03:53