Titration –II

(Link HCl)Vs (Unknown NaOH solution)

s.n	Volume of Unknown NaOH (ml)	Burette readings		Concordant value (Volume of HCl) (ml)
		Initial (ml)	Final (ml)	
1	20			
2	20			
3	20			

Calculation :

Volume of Unknown NaOH solution V_1 = 20 ml

Normality of Unknown NaOH solution N_1 = ? N

Volume of HCl (link) solution V_2 = ml

Normality HCl (link) solution N_2 = N

According to normality equation:

$$V_1 \times N_1 = V_2 \times N_2$$

$$N_1 = \frac{V_2 \times N_2}{V_1}$$

Normality of Unknown HCl solution $N_1 = \frac{Y}{\quad} N$

Weight calculation:

The amount of NaOH dissolved in 1 lit of the solution = (Normality) x (equivalent weight)

The amount of NaOH dissolved in 250 ml of the solution $= \frac{\text{Normality x equivalentweight x 250}}{1000}$

$$= \frac{Y \times 40 \times 250}{1000}$$

$$= \frac{\text{x 40 x 250}}{1000} \text{ g}$$

Report :

The amount of NaOH dissolved in 750 ml of the solution = g

organic analysis.indd 276 22-12-2022 19:48:38