
Note

Without the superposition principle, Coulomb's law will be incomplete when applied to more than two charges. Both the superposition principle and Coulomb's law form fundamental principles of electrostatics and explain all the phenomena in electrostatics. But they are not derivable from each other.

EXAMPLE 1.5

Consider four equal charges q_1, q_2, q_3 and q_4 = q = +1 μC located at four different points on a circle of radius 1m, as shown in the figure. Calculate the total force acting on the charge q_1 due to all the other charges.




Solution

According to the superposition principle, the total electrostatic force on charge q_1 is the vector sum of the forces due to the other charges,

$$\vec{F}_1^{tot} = \vec{F}_{12} + \vec{F}_{13} + \vec{F}_{14}$$

The following diagram shows the direction of each force on the charge q_1.



The charges q_2 and q_4 are equidistant from q_1. As a result the strengths (magnitude) of the forces $\vec{F}_{12}$ and $\vec{F}_{14}$ are the same even though their directions are different. Therefore the vectors representing these two forces are drawn with equal lengths. But the charge q_3 is located farther compared to q_2 and q_4. Since the strength of the electrostatic force decreases as distance increases, the strength of the force $\vec{F}_{13}$ is lesser than that of forces $\vec{F}_{12}$ and $\vec{F}_{14}$. Hence the vector representing the force $\vec{F}_{13}$ is drawn with smaller length compared to that for forces $\vec{F}_{12}$ and $\vec{F}_{14}$.

From the figure, $r_{21} = \sqrt{2}\,\text{m} = r_{41}$ and $r_{31} = 2\,\text{m}$

The magnitudes of the forces are given by

$$F_{13} = \frac{kq^2}{r_{31}^2} = \frac{9\times10^9\times10^{-12}}{4}$$

12th Physics_Vol-1_Unit 1_English Medium.indd 10 08-12-2022 11:02:25