5. A rectangular coil of area 6 cm^2 having 3500 turns is kept in a uniform magnetic field of 0.4 T. Initially, the plane of the coil is perpendicular to the field and is then rotated through an angle of 180°. If the resistance of the coil is 35 Ω, find the amount of charge flowing through the coil.

(Ans: 48×10^{-3} C)

6. An induced current of 2.5 mA flows through a single conductor of resistance 100 Ω. Find out the rate at which the magnetic flux is cut by the conductor.

(Ans: 250 $mWbs^{-1}$)

7. A fan of metal blades of length 0.4 m rotates normal to a magnetic field of 4×10^{-3}T. If the induced emf between the centre and edge of the blade is 0.02 V, determine the rate of rotation of the blade.

(Ans: 9.95 revolutions/second)

8. A bicycle wheel with metal spokes of 1 m long rotates in Earth's magnetic field. The plane of the wheel is perpendicular to the horizontal component of Earth's field of 4×10^{-5}T. If the emf induced across the spokes is 31.4 mV, calculate the rate of revolution of the wheel.

(Ans: 250 revolutions/second)

9. Determine the self-inductance of 4000 turn air-core solenoid of length 2m and diameter 0.04 m. (Ans: 12.62 mH)

10. A coil of 200 turns carries a current of 4 *A*. If the magnetic flux through the coil is 6×10^{-5} Wb, find the magnetic energy stored in the medium surrounding the coil. (Ans: 0.024 J)

11. A 50 cm long solenoid has 400 turns per cm. The diameter of the solenoid is 0.04 m. Find the magnetic flux linked with each turn when it carries a current of 1 A.

(Ans: 0.63×10^{-4} Wb)

12. A coil of 200 turns carries a current of 0.4 A. If the magnetic flux of 4 mWb is linked with each turn of the coil, find the inductance of the coil. (Ans: 2H)

13. Two air core solenoids have the same length of 80 cm and same cross–sectional area 5 cm^2. Find the mutual inductance between them if the number of turns in the first coil is 1200 turns and that in the second coil is 400 turns. (Ans: 0.38 mH)

14. A long solenoid having 400 turns per cm carries a current 2A. A 100 turn coil of cross-sectional area 4 cm^2 is placed co-axially inside the solenoid so that the coil is in the field produced by the solenoid. Find the emf induced in the coil if the current through the solenoid reverses its direction in 0.04 sec.

(Ans: 0.20 V)

15. A 200 turn circular coil of radius 2 cm is placed co-axially within a long solenoid of 3 cm radius. If the turn density of the solenoid is 90 turns per cm, then calculate mutual inductance of the coil and the solenoid.

(Ans: 2.84 mH)

16. The solenoids S_1 and S_2 are wound on an iron-core of relative permeability 900. Their areas of their cross-section and their lengths are the same and are 4 cm^2 and 0.04 m respectively. If the number of turns in S_1 is 200 and

12th Physics_Vol-1_Unit 4_English Medium.indd 262 23-12-2022 17:59:28