5	**Charring test:** Take a small amount of an organic compound in a dry test tube. Add 2 ml of conc H_2SO_4 to it, and heat the mixture.	Charring takes place with smell of burnt sugar	Presence of carbohydrate
	Tests for Aliphatic or Aromatic nature:		
6	**Ignition test:** Take small amount of the organic compound in a Nickel spatula and burn it in Bunsen flame.	(i) Burns with sooty flame (ii) Burns with not-sooty flame	(i) Presence of an aromatic compound (ii) Presence of an aliphatic compound
	Tests for an unsaturation:		
7	**Test with bromine water:** Take small amount of the organic compound in a test tube add 2 ml of distilled water to dissolve it. To this solution add few drops of bromine water and shake it well.	(i) Orange - yellow colour of bromine water is decolourised (ii) No Decolourisation takes place (iii) Decolourisation with formation of white precipitate.	(i) Substance is unsaturated. (ii) Substance is saturated. (iii) Presence of an aromatic amine or phenol.
8	**Test with $KMnO_4$ solution:** Take small amount of the organic compound in a test tube add 2 ml of distilled water to dissolve it. To this solution add few drops of very dilute alkaline $KmnO_4$ solution and shake it well.	(i) Pink colour of $KmnO_4$ solution is decolourised (ii) No Decolourisation takes place	(i) Substance is unsaturated. (ii) Substance is unsaturated.
	TEST FOR SELECTED ORGANIC FUNCTIONAL GROUPS		
	Test For Phenol		
9	**Neutral FeCl3 test:** Take 1 ml of neutral ferric chloride solution is taken in a dry clean test tube. Add 2 or 3 drops (or a pinch of solid) oforganic compound to it. If no colouration occurs add 3 or 4 drops of alcohol.	(i) Violet colouration is seen (ii) violet – blue colouration is seen (iii) green colouration is seen	(i) Presence of phenol. (ii) Presence of α–naphthol (iii) Presence of β– naphthol

organic analysis.indd 257 3/29/2019 6:48:20 PM