Titration –II

(Link $KMnO_4$)Vs (Unknown FAS)

s.no	Volume of Unknown FAS (ml)	Burette readings		Concordant value (Volume of $KMnO_4$) (ml)	indicator
		Initial (ml)	Final (ml)		
1	20	0			Self ($KMnO_4$)
2	20	0			
3	20	0			

Calculation :

Volume of Unknown FAS solution V_2 = 20ml

Normality of Unknown FAS solution V_2 = ? N

Volume of ▼2 (link) solution V_2 = ml

Normality $V_1 \times N_1 = V_2 \times N_2$ (link) solution = N

According to normality equation:

$V_1 \times N_1 = V_2 \times N_2$

$N_1 = \frac{x}{20} =$

$$N_1 = \frac{x}{20} =$$

Weight calculation:

The amount of FAS dissolved in 1 lit of the solution = (Normality) x (equivalent weight)

The amount of FAS dissolved in 750 ml of the solution $= \frac{\text{Normality} \times \text{equivalentweight} \times}{1000}$

$$= \frac{x\ 392\ x\ 1500}{1000}$$

= g

Report :

The normality of $KMnO_4$ Link solution = N

The normality of unknown FAS solution = N

The amount of FAS dissolved in 1500 ml of the solution = g

organic analysis.indd 270 3/29/2019 6:48:26 PM