```
>>> str1+="Learn Python"
>>> print (str1)
```

Welcome to Learn Python

(iii) Repeating (*)

The multiplication operator (*) is used to display a string in multiple number of times.

Example

```
>>> str1="Welcome "
>>> print (str1*4)
```

Welcome Welcome Welcome Welcome

(iv) String slicing

Slice is a substring of a main string. A substring can be taken from the original string by using [ ] operator and index or subscript values. Thus, [ ] is also known as slicing operator. Using slice operator, you have to slice one or more substrings from a main string.

General format of slice operation:

str[start:end]

Where ***start*** is the beginning index and ***end*** is the last index value of a character in the string. Python takes the end value less than one from the actual index specified. For example, if you want to slice first 4 characters from a string, you have to specify it as 0 to 5. Because, python consider only the end value as n-1.

Example I : slice a single character from a string

```
>>> str1="THIRUKKURAL"
>>> print (str1[0])
```

T

Example II : slice a substring from index 0 to 4

```
>>> print (str1[0:5])
```

THIRU

Example III : slice a substring using index 0 to 4 but without specifying the beginning index.

```
>>> print (str1[:5])
```

THIRU

Example IV : slice a substring using the start index alone without specifying the end index.

```
>>> print (str1[6:])
```

KURAL

12th Computer Science_EM Chapter 8.indd 119 21-12-2022 15:28:38