open()	Returns a File object
ord()	returns Unicode code point for Unicode character
pow()	returns x to the power of y
print()	Prints the Given Object
property()	returns a property attribute
range()	return sequence of integers between start and stop
repr()	returns printable representation of an object
reversed()	returns reversed iterator of a sequence
round()	rounds a floating point number to ndigits places.
set()	returns a Python set
setattr()	sets value of an attribute of object
slice()	creates a slice object specified by range()
sorted()	returns sorted list from a given iterable
staticmethod()	creates static method from a function
str()	returns informal representation of an object
sum()	Add items of an Iterable
super()	Allow you to Refer Parent Class by super
type()	Returns Type of an Object
vars()	Returns __dict__ attribute of a class
__import__()	Advanced Function Called by import

II. String Functions

Function	Description
capitalize()	Converts first character to Capital Letter
casefold()	converts to casefolded strings
center()	Pads string with specified character
count()	returns occurrences of substring in string
encode()	returns encoded string of given string
endswith()	Checks if String Ends with the Specified Suffix
expandtabs()	Replaces Tab character With Spaces
find()	Returns the index of first occurrence of substring
format()	formats string into nicer output
format_map()	Formats the String Using Dictionary
index()	Returns Index of Substring
input()	reads and returns a line of string
int()	returns integer from a number or string
isalnum()	Checks Alphanumeric Character
isalpha()	Checks if All Characters are Alphabets
isdecimal()	Checks Decimal Characters
isdigit()	Checks Digit Characters
isidentifier()	Checks for Valid Identifier
islower()	Checks if all Alphabets in a String are Lowercase
isnumeric()	Checks Numeric Characters
isprintable()	Checks Printable Character
isspace()	Checks Whitespace Characters

12th Std - CS EM Annexure Pages.indd 328 23-12-2022 13:16:59